

PRESCRIBER  
and  
CLINICAL REPERTORY  
of  
MEDICINAL HERBS

BY

Lt.-Col. F. Harper-Shove

HEALTH SCIENCE PRESS

BRADFORD, HOLSWORTHY

DEVON, EX22 7AP, ENGLAND

## PREFACE

### PRESCRIBER AND CLINICAL REPERTORY OF MEDICINAL HERBS

WHEN THIS BOOK was first published, *Health from Herbs Magazine* hailed it as '...a landmark as it is unique in being the first Repertory to be published for Herbalists.' To make his work truly international, the author employed botanical, instead of the common or local, names of herbs. For the second edition he added a section entitled 'Synonyms, Common, or Local Names of Herbs', in response to requests from many laymen. This lists the herbs alphabetically and is designed to assist those who are unacquainted with the botanical names.

THE AUTHOR IS a consultant psychologist who has never used any medicaments except herbal ones in the treatment of patients. His interest in this form of therapy was aroused as a result of studying the ways in which gypsies employ herbs for healing, their knowledge being passed from mother to daughter through the generations. This knowledge supplies the groundwork of the book, which is supplemented by Colonel Harper-Shove's own subsequent experience of many other herbs.

OWING to the great difficulty of memorizing the therapeutic action of some three thousand herbs forming the complement of the Herbal Dispensatories in general use, practitioners fall into the habit of prescribing a limited number of favourites which they have found by experience to answer the requirements of the majority of their patients with considerable success. It is believed that many of their failures could have been obviated had they possessed a knowledge of the virtues of other herbs more specifically indicated by the symptoms of the patient.

The standard works on Specific Medication advise the use of one or more remedies for the treatment of a given disease, but it has been found in practice that it is not always possible at the onset, owing to the non-appearance of the "correct" symptoms, to diagnose with accuracy the particular complaint. It is, however, quite easy to recognize the prevailing symptoms at the time, and to proceed forthwith to treat the patient without loss of valuable time awaiting a classification.

The object of this work is to give, under suitable headings, the leading-symptoms demanding a particular herb, or herbs, together with an appendix showing the dosage to be prescribed in each case.

For international reasons the botanical, instead of the common or local, names of herbs have been employed. Every available authority on Botanic Medicine has been consulted in the compilation of this work, and the author hopes that, in submitting it for publication, it may prove of value to his colleagues of the healing profession. He desires to express his gratitude and indebtedness to all who have contributed to the production of this book, particularly Messrs. Potter & Clarke, the well known manufacturing chemists, for their kind encouragement and the use of their valuable library for reference.

F. HARPER-SHOVE.

20th May, 1938.

## NOTES ON PRESCRIBING AND DOSAGE

### EXPLANATION OF TYPES, SIGNS, AND ABBREVIATIONS

#### TYPES.

Abbreviated names of herbs printed in ordinary type, such as *Aln. ser.*, *Seren. ser.*, are intended for internal administration *per ora*.

Those printed in *italics*, such as *Acon.*, *Bell.*, etc., being of a more potent, or poisonous nature, must be treated with caution with respect to dosage; the maximum dose of the fluid extract being less than 30 mins.

#### SIGNS.

Those enclosed in *ordinary curved brackets* are intended for *external use only*.

Those enclosed in *square brackets* are intended for use only as gargles, washes, rectal, vaginal or nasal injections, etc.

#### ABBREVIATIONS.

(*oint.*) denotes "ointment".

(*poult.*) ,, "poultice".

(*lin.*) ,, "liniment".

(*s.d.*) ,, "in small doses".

(*Amer.*) ,, "American Dispensatory".

(*hot*) ,, given as "hot infusion".

(*H*) ,, "in homœopathic doses", or not found in usual dispensaries, such as *Apis.mel.* (*H*)

+ Combinations of herbs, which have proved of special benefit, are joined together by this *plus* sign.

(*subcut.*) ,, "subcutaneous injection".

(*suppos.*) ,, "suppository".

The remedies prescribed in this work are entirely of vegetable origin, prepared from the roots, bark, leaves or seeds of the herbs in the form of:—

*Infusions*, made by grinding or bruising the roots, leaves, etc., and pouring boiling or cold water, according to the particular herb, over the drug, allowing it to stand for fifteen to twenty minutes with an occasional stir and then straining off the clear liquid. The usual quantity of herb is 1 oz. to 1 pint of water. The dose varies from one tablespoonful to a wineglass.

*Fluid Extracts* are the most popular preparations, being prepared in a concentrated fluid form of one fluid ounce of the crude drug to one fluid ounce of spirit.

*Tinctures* are spirituous preparations generally made in the strength of 1 or 2 oz. of the drug to 1 pint of pure or diluted spirits of wine.

*Homœopathic Mother Tinctures* are prepared, amongst other methods, by expressing the juice of the freshly-gathered plants, or parts thereof, and mixing the juice so obtained with an equal quantity of absolute alcohol. The mixture is then succussed, allowed to stand for some time, and finally filtered. Five to twenty minims, according to the active principles present, are added to four ounces of water, and teaspoonful doses administered.

*Dosage*. It must be clearly understood that the "doses" mentioned in the following pages are intended merely for general guidance, and represent the average range of quantities which is considered suitable *for adults* when administered by the mouth. The maximum doses mentioned may, as a rule, be repeated three or four times in twenty-four hours.

The purchase of preparations from a reputable firm or qualified herbalist only is of paramount importance.

**Alkaloids. N.B.**—It is important to note that in no case whatsoever, in this work, are the **ALKALOIDS**, such as aconitine, digitalin, hyoscine, pilocarpine, etc., recommended for prescription, nor is any reference made thereto.

## MIND

<b>Aberration</b>	from intracranial congestion or obstruction, with epistaxis, vertigo, and tinnitus, due to intracranial miliary aneurism	Clav. pur.
<b>Agitation</b>	nervous, anti-menstrual in feeble and excitable women with tardy or imperfect flow	Nep. Cat.
<b>Brain Fag</b>	in students, etc.	Cola v.
<b>Comatose</b>	state	Bell.
<b>Danger</b>	apprehension of, with depression and cardiac disorders	Cer. gr.
<b>Death</b>	apprehension of, with cardiac disorders	Cer. gr.
<b>Debility</b>	and exhaustion anæmic advanced stages of acute diseases, in exhausting discharges or loss of fluids general marked, and depression, with feeble pulse and repressed secretions nervous, in old people, with irritation and unrest, tendency to spasms, lumbar uneasiness and pain —, with cold extremities —, especially in women sexual with liver troubles after fevers — indigestion, colds, weak kidneys, in atonic patients	Coff. Gent., <i>Nux Vom.</i> Lyco. v. Cinch. Gent. <i>Caps.</i> Leon. <i>Ignat</i> Leon. Arn. Chel. gl. Tsuga.

**MIND**

<b>Debility</b>	with gastro-intestinal, and weak digestion	Anth. n.
<b>Delirium</b>	active, from slight causes acute, of acute mania with destructiveness alcoholic busy, muttering or singing furious, raging and destructive in atonic patients in sthenic patients menopause, at nervous disorders, from ——— (furious) tremens, face pale and sunken, violent delirium, suspicious, twitching of every muscle	Aeth.  <i>Stram.</i> <i>Caps.</i> <i>Hyosc.</i> <i>Stram.</i> <i>Passif.</i> <i>Verat. v. + Gels.</i> Cyrip. pub. <i>Hyosc.</i> <i>Bell.</i>  <i>Hyosc., Cann. sat.</i>
<b>Depression</b>	and gloom over reproductive wrongs and disturbances and irritability, with melancholy and sadness with disposition to look on black side of things due to worry or imaginary wrong marked nervous marked, with insomnia nervous with mental disorders ——, tendency to delirium, cares little if recovers or dies ——, and prostration in anæmic patients	<i>Puls.</i>  <i>Puls.</i> Valer. Asafet., <i>Puls.</i> , <i>Cann. sat.</i> <i>Cann. sat.</i> <i>Cann. sat.</i>  Bry.  Xanth.
<b>Despondency</b>	and dizziness and moroseness, with ovarian or uterine irritation and nervousness, sadness, and disposition to weep for no reason or whilst asleep, unnatural fear	Menth. pip.  <i>Delph. Staph.</i>    <i>Puls.</i>
<b>Destructive-ness</b>		<i>Hyosc</i>

**MIND**

<b>Dread</b>	of simple ordeals and trials of life	<i>Gels.</i>
<b>Dreams</b>	lascivious	<i>Salix. nig.</i>
<b>Drowsiness</b>	dizziness and depression with liver pains dullness and tendency to coma	Lept. <i>Bell.</i>
<b>Epilepsy</b>		<i>Ignat., Ail., Symp. foet., Imper. Os., Conv. m., Stram., Con. mac., Gal. ver., Visc. alb., Valer., Paeon. off., Passif., Oenan. ph., Croc. sat., Art. v.</i>
	hystero-masturbation, from menstrual	Solan. Car. Jacar. Car. Solan. Car.
<b>Exaltation</b>	of function	<i>Gels.</i>
<b>Excitability</b>		<i>Hyosc., Gels., Acon., Chrys. L.</i>
	of insanity	<i>Hyosc.</i>
<b>Excitement</b>	mild maniacal morbid with physical debility nervous and unrest nervous and excessive motility with or without pain slight, causes heart to beat rapidly but feebly undue sexual	<i>Con. mac.</i> <i>Puls.</i> <i>Gels.</i>  <i>Con. mac.</i>  <i>Digit.</i> <i>Gault.</i>
<b>Exhaustion</b>	and depression and prostration after all febrile diseases nervous, in women due to menstrual troubles ——, of anæmic or chlorotic women ——, from overwork sudden with loss of appetite and digestive affections	Paull.  Aven.  <i>Puls.</i>  Sumb. <i>Panax.</i> <i>Eryth. Coc.</i>  <i>Panax.</i>

**MIND**

**MIND**

<b>Fear</b>	of impending danger or death	<i>Acon., Puls.</i>
<b>Fearlessness</b>	and restlessness	<i>Stram.</i>
<b>Feeble</b>	with voracious appetite	<i>Jacar. pro.</i>
<b>Fright</b>		<i>Acon.</i>
<b>Garrulousness</b>		<i>Hyosc.</i>
<b>Gloom</b>	and depression	<i>Cola v.</i>
	——— over tardy and insufficient menstruation (fullness and weakness in back and hips)	<i>Puls.</i>
<b>Great Indignation</b>		<i>Acon.</i>
<b>Hallucinations</b>		<i>Cann. sat.</i>
<b>Hypochondriasis</b>		<i>Ignat., Nux Vom., Cimic. rac., Hyosc., Valer.</i>
	due to reproductive atony with despondency and outbursts of passion, sex wrongs with dyspepsia, in women	<i>Hell. n. Delph. Staph. Cypris. pub.</i>
<b>Hysteralgia</b>		<i>Beton.</i>
<b>Hysteria</b>		<i>Asafet., Chen. ol., Camph., Chrys. Par., Cola v., Fer. gal., Gal. ver., Gent., Leon., Ruta gr., Sumb., Til., Matric., Scutell., Valer., Gels., Hyosc., Hyper., Caul. th., Ignat., Puls.</i>
	general	<i>Caul. th. + Scutell.</i>
	chronic hysterical fits	<i>Art. v.</i>
	despondency, outbursts of passion, sex wrongs, with enfeebled circulation, with faintness, with globus	<i>Delph. Staph. Cer. gr. Pop. tre. Anth. n.</i>

<b>Hysteria</b>	inability to control muscular action	<i>Scutell. Menth. pul.</i>
	menstrual debility, from moral causes or pain, when due to pelvic atony and anæmia uterine or ovarian irritation	<i>Sang. Gossy. Delph. Staph.</i>
	weeping, and passing large quantities of clear urine and suppressed menses	<i>Puls.</i>
<b>Illusions</b>		<i>Cann. sat.</i>
<b>Insanity</b>		<i>Hell. n., Hyosc., Bell., Stram., Paeon. off.</i>
<b>Intellect</b>	confusion of	<i>Aeth.</i>
<b>Irritability</b>		<i>Ignat., Scutell., Cypris. pub., Rheum.</i>
	cerebral despondency with uterine troubles, with disturbed, if dyspepsia, of fretfulness, peevishness, impatience, and discontent	<i>Stram. Helon. Bry. Nep. Cat. Matric. Cypris. pub.</i>
	nervous —, accompanying other complaints	<i>Gels., Pisc. Ery., Rhus t.</i>
	——, brain exhaustion from overwork, or feverish excitement with atony, insomnia	<i>Passif. Paeon. off.</i>
	——, chorea, spasms, epilepsy	
	——, excitement, flatulence and gastric trouble	<i>Asafet. Con. mac. Gels.</i>
	——, excitement and palpitation	
	——, feverishness, with	
	——, ——, without, but with mania and wandering	<i>Hyosc.</i>
	——, headache, hysteria, with	<i>Symp. foet., Nep. Cat.</i>

**MIND**

<b>Irritability</b>	nervous, headache, hysteria, and sex excitability —, palpitation, and indigestion —, restlessness, etc. — —, apprehension, with gastric trouble restlessness in painful and exhaustive diseases unrest and insomnia	Cyprip. pub.  Lyco. v. Scutell.  Matric.  <i>Delph. Staph.</i> <i>Hyosc.</i>
<b>Loquaciousness</b>		<i>Stram. + Hyosc.</i>
<b>Mania</b>	acute and chronic, with lucid intervals acute cerebro-spinal meningitis, both with violent circulatory excitement, with hysterical, with alternate fits of weeping and laughter puerperal, believes going mad, tries to injure herself —, fears to be alone, anxious, believes going mad, violent mania with obscene thoughts, does not weep suicidal, suppressed deep grief, long drawn sighs, much sobbing, longs for death —, despondency, all things seem black	<i>Hyosc., Bell., Gels., Hell. n., Stram., Cann. sat., Puls., Paeon. off.</i>  Clav. pur. <i>Con. mac.</i>  <i>Verat. v.</i>  <i>Stram.</i>  Cimic. rac.  <i>Lill. tig. (H)</i>  <i>Ignat.</i>  Cimic. rac.
<b>Melancholia</b>	hepatic congestion, with hysteria and nervous affections	<i>Ignat., Puls., Cimic. rac., Cann. sat., Hyosc., Cyprip. pub.</i>  Chel. m. <i>Hell. n.</i>

**MIND**

<b>Neurasthenia</b>	Cola v., Sumb.	
<b>Nerve Force</b>	function impaired low	Xanth. Xanth.
<b>Nervous</b>	disorders with melancholy and weakness —, epilepsy, chorea, etc. —, fevers and headache —, spasmodic from menstrual troubles exaltation, hyperaesthesia depression, irritation, irritability, anxiety and anguish irritable conditions especially with spasms or pain unrest, fright, terror in sleep, insomnia	<i>Puls.</i> Visc. alb. <i>Lach.</i>  Cimic. rac. <i>Bell.</i>  <i>Cann. sat.</i>  Diosc.  <i>Hyosc.</i> Sang., Valer.
<b>Nervousness</b>	general attending and following illness or mental or physical exhaustion or teething debility and faulty nutrition of nerve centres in nervous women, from muscular excitation, with restlessness, and sedentary habits and mental over-exertion, from unrest attending gleet	Scutell.    <i>Puls.</i> Scutell. <i>Con. mac.</i>  <i>Puls.</i> Cyprip. pub.
<b>Nymphomania</b>	mild	<i>Hyosc., Stram., Humul., Salix. nig., Camph.</i> Salix. nig.
<b>Passion</b>	sudden fits when menstruating violent outbursts with uterine or ovarian irritation	Matric.  <i>Delph. Staph.</i>
<b>Restlessness</b>	marked, due to lack of secretion nervousness, and	<i>Stram., Til.</i> Piloc. <i>Con. mac.</i>
<b>Satyrasis</b>	Salix nig.	

**MIND**

<b>Sensitiveness</b>	morbid, to pain and external impressions	Matric.
<b>Tension</b>	highly nervous and muscular	<i>Gels.</i>
<b>Thoughts</b>	difficult — with despondency libidinous	Bry. Eryth. Coc. Salix nig.
<b>Tiredness</b>	faculties sluggish and tired, thinking difficult and despondent	Eryth. Coc.
<b>Torpor</b>	in cerebro-spinal meningitis	<i>Phys. ven.</i>
<b>Touchy</b>	magnifies ailments	<i>Gels.</i>
<b>Unrest</b>	with debility with nervousness and vomiting	<i>Hyosc.</i> <i>Rhus t.</i>
<b>Wanders</b>	mind	<i>Puls.</i>
<b>Weakness</b>	with sense of epigastric depression	Gent.
<b>Weeping</b>	inclination to, with despondency, fear, unrest and irritability	<i>Puls.</i>

**HEAD**

<b>Alopecia</b>	Piloc.
<b>Anæmia</b>	cerebral, with mental depression and despondency —, from spasm of cerebral vessels Valer. <i>Cann. sat.</i>
<b>Apoplexy</b>	<i>Crot. Tig., Bell., Acon., Verat. v., Rhus t.</i> feeling as if imminent pulse hard, carotids beating violently <i>Bell.</i> <i>Acon.</i>
<b>Brain</b>	blood to congestion of — simple diseases disorders of children with convulsions disorders with giddiness, dull aching, fullness and drowsiness exhaustion from overwork hyperæmia of, and spinal centres irritable malnutrition and weakness of spinal cord shock effects small areas only affected with marked restlessness <i>Gels. + Verat. v.</i> <i>Bell.</i> Bry. <i>Acon., Lach.</i> (All. sat.) (applied to feet) <i>Bell.</i> <i>Panax.</i> <i>Gels.</i> <i>Hyosc.</i> Oenan. ph. Arn. <i>Rhus t.</i>
<b>Cerebral</b>	spinal disorders of children with convulsions (All. sat.) (applied to feet)
<b>Concussion</b>	<i>Bell.</i>
<b>Congestion</b>	<i>Bell., Puls., Crot. Tig., Clav. pur., Ipom. Pur.</i>

**HEAD**

**HEAD**

<b>Congestion</b>	cerebral, dry skin, extreme restlessness, when from cold or from violent emotion —, delirium, eyes red and bloodshot, head hot, feet cool, face almost purple —, hard, tense pulse, throbbing brain and carotids —, with cardiac weakness or irregularities —, with dullness and coma —, or medullo-spinal with dullness and coma	<i>Acon.</i>  <i>Bell.</i>  <i>Verat. v.</i>  <i>Cer. gr.</i> <i>Bell.</i>  <i>Bell.</i>
<b>Dizziness</b>		<i>Puls.</i>
<b>Hair</b>	tonic	<i>Polym. U.</i>
<b>Hemicrania</b>	mental depression and despondency, with tearing pains and tender scalp, with, worse on motion	<i>Valer.</i>  <i>Bry.</i>
<b>Irritative</b>	brain and nervous system with atony —, and sympathetic nervous system	<i>Passif.</i>  <i>Rhus t.</i>
<b>Locomotor-Ataxia</b>		<i>Nux Vom., Thuja, Phys. ven., Xanth.</i>
<b>Meningitis</b>	cerebro-spinal — —, acute  — — with dry, hot skin in sthenic cases — — with much excitation — — with excitement in sthenic cases — — with dullness and congestion — — stage of effusion during	<i>Echin., Rhus t., Bry.</i> <i>Gels., Piloc., Echin., Phys. ven.</i>  <i>Piloc.</i> <i>Gels.</i>  <i>Verat. v.</i>  <i>Bell.</i>  <i>Apoc. can.</i>

<b>Meningitis</b>	cerebro-spinal, redness of face, dull facies, eyes swollen, pupils dilated, throbbing carotids, pulse full and bounding — —, after acute symptoms passed, alternate tonic and clonic spasms — —, severe neuralgic pain in upper spine, headache as if iron band drawn around head, worse lying down, pain runs from occiput to forehead — —, opisthotonos, severe spasms, small blotches on back, pain occipital and between scapulae — — with septic condition underlying disease — —, chilliness over back, alternate flushes of heat over whole body, headache and facial flushes, profound prostration tendency to effusion and dropsy, eyes wide open and staring, insensible to light, head rolls from side to side, forehead wrinkled, urine scanty, cry encephalique	<i>Bell.</i>  <i>Cimic. rac.</i>  <i>Gels.</i>  <i>Verat. v.</i>  <i>Echin.</i>  <i>Echin.</i>  <i>Hell. n.</i>
<b>Migraine</b>		<i>Eryth. Coc., Cola v., Cann. sat., Pisc. Ery., Gels.</i>
<b>Neuralgia</b>	(see also <b>Facial</b> ). chronic	<i>Melil. off.</i>
<b>Pain</b>	atonic bilious and gastric, of dull heavy type with greasy taste and nausea	<i>Melil. off.</i>  <i>Puls.</i>

**HEAD**

**Pain**

as if nail driven into head, worse lying on affected side, terminating in vomiting and copious discharge of urine, in nervous and hysterical women *Ignat.*  
 anæmic causes, from *Puls.*  
 boiling, feels as if; bursting pain, great restlessness, full bounding pulse, pain worse on motion and after sunstroke *Acon.*  
 biliousness, from *Podo., Chel. m.*  
 catarrhal from acute colds *Solan. dul.*  
 confusion, feeling of; face red, conjunctiva congested, throbbing carotids, pain worse on stooping or lying down *Bell.*  
 congestive, from colds, rheumatic, menstrual *Cimic. rac.*  
 —, face intensely red with throbbing carotids, better for epistaxis *Melil. off.*  
 debility or menstrual, of *Hyosc.*  
 depressive *Cann. sat.*  
 disordered digestion in children, due to *Asclep. t.*  
 dissipation, due to *Paull.*  
 dizziness and hyperacidity of stomach, with *Stram.*  
 dull, heavy, throbbing, congestive preventing sleep *Bell.*  
 exhaustion, from *Aven., Eryth. Coc.*  
 —, and *Corn. F.*  
 extends from occiput over head, face pale, great distress, extremities cold and livid, headache of drunkards and women at climacteric *Clav. pur.*  
 eyestrain, from *Gels.*  
 —, biliousness or nervous *Gels.*  
 —, eyeballs burn or ache *Ruta gr.*

**HEAD**

**Pain**

feverishness, disturbed sight and hearing *Quinine, Cinch.*  
 gastric acidity, due to *Phytol.*  
 — — with nervous erethism and unsteadiness *Stram.*  
 hay fever, with *Stict. pul.*  
 idiopathic, with cold extremities *Melil. off.*  
 left side and frontal *Rhus t.*  
 malarial with irregular intermittence *Eup. per.*  
 menses suppressed and chilblains *Puls.*  
 menstrual *Puls., Aven.*  
 — with cerebral anæmia *Paull.*  
 — with great nervous depression *Camph., Cann. sat.*  
 nervous *Scutell., Valer., Nep. Cat., Stach. bet.*  
 —, with active circulation and throbbing pain *Gels.*  
 —, debility, due to *Passif.*  
 —, depression, due to *Aven.*  
 —, nausea, with *Paull.*  
 —, overwork, from *Aven.*  
 —, or rheumatic, or from gastric acidity or debility *Phytol.*  
 —, unrest, anæmia and weak circulation, with *Hyosc.*  
 nervousness, not dependent on determination of blood to head *Puls.*  
 pallor, weak circulation, with, worse on exertion *Paull.*  
 periodic, head feels split open, worse on stooping over, coughing, or moving eyes; nausea and faintness when attempting to sit up *Bry.*  
 quinine, from, pyrosis *Corn. F.*  
 rheumatic diathesis *Puls.*  
 rheumatoidal with swollen joints or tearing muscular pain worse on heat *Colch. aut.*

**HEAD**

**HEAD**

**Pain** right side and frontal Bry.  
 ———, occiput, shifting and Sang.  
 ending over right eye Cit. Lim.  
 sick Iris v.  
 ———, and bilious  
 ———, with cough and muscular Stict. pul.  
 soreness  
 ———, gastric derangement, due Lobel.  
 to, with feeling of nausea  
 ———, nervous or debility or with Passif.  
 fulness  
 ———, with sluggishness of Casc. sag.  
 bowels  
 stomach disorders from imper- Chel. m.  
 fect hepatic function, with Bell.  
 throbbing, congestive Puls.  
 uterine irregularities, with Aeth.  
 violent with dizziness

**FRONTAL**  
 bruised feeling, with stiffness of Cimic. rac.  
 ocular muscles  
 catarrhal disorders, sneezing, Stict. pul.  
 coryza and conjunctival hyper-  
 æmia or inflammation  
 cold extremities and yellow skin, Lept.  
 with  
 or left-sided with reddened Rhus t.  
 tongue, sharp pulse and Bry.  
 nervous tension  
 right side

**VERTEX**  
 feeling of pressure, in women Cer. gr.

**OCCIPITAL**  
 mental strain, overstudy, due Camph., (Camph.)  
 to Paull.  
 neuralgia  
 worse on turning head Stict. pul.

**Parasites** hair, in (Delph. Con.)

**Phrenitis** Beton. off. + Cimic. rac. + Verben.

**Sunstroke** Gels., Verat. v., Bell., Acon.

**Scalp** eczema of (Urt. d.)

**Vertigo** Crat. Oxy.  
 with noises in ears Clav. pur.

**Water on Brain** Hell. n., Digit.

EYE

<b>Amaurosis</b>	and failing sight black spots in vision, ophthalmia, and scrofulous (with glutinous secretions)	Arn.  <i>Delph. Staph.</i>
<b>Amblyopia</b>	tobacco and alcoholic	<i>Strych. Ing.</i> , Piloc.
<b>Atrophy</b>	optic nerve, of	Piloc.
<b>Bloodshot</b>	increased arterial tension, with	<i>Verat. v.</i>
<b>Cataract</b>	( <i>Senec. mar.</i> )	
<b>Choroiditis</b>	burning and dryness in eye severe pain in eyeball, shooting pain from right eye to occiput suppurative	<i>Bell.</i>  <i>Prun. spi.</i> <i>Rhus t.</i>
<b>Congestion</b>	conjunctival	( <i>Clav. pur.</i> )
<b>Conjunctivitis</b>	catarrhal, from colds —, first stage, headache and pain in eyes —, much congestion, photophobia, acrid excoriating lachrymation causing eyelids to swell and ulcerate trachomic eyelids ulcerative	<i>Matric.</i>  <i>Bell.</i>  <i>Euph. off.</i> <i>Thuja.</i> ( <i>Eucalyp.</i> )
<b>Cornea</b>	ulceration of, complicated with syphilis	<i>Dicen.</i>
<b>Detachment</b>	retinal	Piloc.
<b>Discharges</b>	catarrhal, acute mucus, sticky on cornea —, with heat and pain in frontal sinus	( <i>Euph. off.</i> ) ( <i>Euph. off.</i> ) ( <i>Euph. off.</i> )

<b>Diseases</b>	general	Salv. scl., Hydras., Lysim., Pyr. Cyd.
	glaucoma	Piloc., (Piloc.)
	iritis, rheumatic	Bry., Piloc.
	— — with swollen joints, and tearing muscular pains worse from heat	<i>Colch. aut.</i> <i>Phys. ven.</i> Piloc.
	myopia	
	neuritis	
	ophthalmic and conjunctival	Hydras., Lysim.
<b>Exudation</b>	plastic, of retina	Piloc.
<b>Floating</b>	bodies in vitreous	Piloc.
<b>Goitre</b>	ex-ophthalmic, due to functional heart disease —, tumultuous heart action, eyes prominent, dyspnoea and oppressed chest	<i>Cer. gr.</i>  Lyc. v.
<b>Hæmorrhage</b>	vitreous humour	Piloc.
<b>Hyperæmia</b>	conjunctival, with coryza, frontal headache, and sneezing	Stict. pul.
<b>Inflammation</b>	general	( <i>Stell. m.</i> ), ( <i>Nymph.</i> ), ( <i>Sesa. ind.</i> ), Salv. scl., <i>Pisc. Ery.</i> , ( <i>Senec. Jac.</i> )
	acute	( <i>Sassa.</i> )
	catarrhal, chronic	<i>Berb. v.</i>
	—, of scrofulous children with inflamed eyelids	<i>Rhus t.</i>
	choroid, of	Piloc.
	conjunctiva, of	( <i>Hyss.</i> )
	— —, with coryza, frontal headache and sneezing	Stict. pul.
	— —, acute and subacute	( <i>Hydras.</i> ), <i>Rhus t.</i>
	— —, follicular	( <i>Hydras.</i> ), ( <i>Clav. pur.</i> )
	— —, granular	Phytol.
	— —, mild	( <i>Calend.</i> ), <i>Calend.</i>
	cornea, of	( <i>Clav. pur.</i> )
	— —, in early stages	(Piloc.)

**EYE**

<b>Inflammation</b>	granular	(Thuja)
	mucoid, with abundant lachrymation	(Euph. off.)
<b>Lachrymation</b>	phlytenular, in early stages	(Piloc.)
	purulent	(Hamam.)
<b>Lids</b>	sclerotic, of	Piloc.
	abundant with mucoid ophthalmia	(Euph. off.)
<b>Lids</b>	profuse from exposure to winds	<i>Puls.</i>
	sensation of sand, with	<i>Rhus t.</i>
<b>Lids</b>	chronic marginal inflammation	(Hydras.)
	in weak children	<i>Rhus t.</i>
<b>Lids</b>	inflamed in scrofulous children	<i>Rhus t.</i>
	oedema with marked redness	<i>Rhus t.</i>
<b>Lids</b>	pustules, hard, on inner surface	(Hydras.), (Thuja), Clav. pur.
	red and sore, with acrid, biting discharge	(Euph. off.)
<b>Lids</b>	trachomitic	(Thuja ( <i>oint.</i> ))
	tumours on	Thuja, (Thuja).
<b>Lids</b>	twitching	<i>Puls.</i>
	swollen under-	Apoc. can.
<b>Lids</b>	wrinkled as if recently swollen	Apoc. can.
	<b>Opacity</b>	
<b>Opacity</b>	corneal	Piloc.
	—, in scrofulous patients	<i>Cann. sat.</i>
<b>Opacity</b>	vitreous	Piloc.
	<b>Ophthalmia</b>	
<b>Ophthalmia</b>		<i>Puls., Delph. Staph., Bell., Rhus t., (Calend.), (Hamam), (Hydras.)</i>
	rheumatic, itching pains and diffused inflammation	<i>Acon. + Spig.</i>
<b>Ophthalmia</b>	scrofulous	Helian. can.
	<b>Pain</b>	
<b>Pain</b>	burning, hot as ball of fire, feel strained, easily fatigued, pain in head and eyes worse from reading or close work	Ruta gr.
	deep-seated, heavy	<i>Puls.</i>
<b>Pain</b>	excessive use of eyes, from	Piloc., (Piloc.).

**EYE**

<b>Pain</b>	eyeballs on movement	Kalm.
	—, severe, pain shoots from right eye to occiput	Prun. spi.
<b>Pain</b>	glaucoma	<i>Gels.</i>
	left eye, in	<i>Rhus t.</i>
<b>Pain</b>	neuralgia of eyeball	Pip. meth., <i>Pisc. Ery.</i>
	—, ocular	Pip. meth.
<b>Pain</b>	—, sub-orbital	<i>Pisc. Ery.</i>
	—, and other pains in eyeballs	
<b>Pain</b>	worse from motion and warmth	<i>Rhus t.</i>
	orbits, of rheumatic origin	Cimic. rac.
<b>Pain</b>	right eye, in	Bry.
	sand, feeling of	<i>Rhus t.</i>
<b>Pain</b>	sore	( <i>Nymph.</i> ), ( <i>Acer r.</i> ).
	—, weak, inflamed and catarrhal	( <i>Euph. off.</i> ).
<b>Pain</b>	soreness on movement	Bry.
	weak, from atony	<i>Ignat., Senec. mar.</i>
<b>Paralysis</b>	temporary, of motor-oculi nerve followed by headache	Paull.
<b>Photophobia</b>		<i>Bell. + (Bell.), Rhus t.</i>
<b>Photophobia</b>	ophthalmia, catarrhal (scrofulous), and burning lachrymation	<i>Rhus t.</i>
<b>Pressure</b>	intra-ocular, increased	(Piloc.)
<b>Pupils</b>	contracted, with feeble pulse and cold extremities	<i>Phys. ven.</i>
<b>Pupils</b>	dilated, with rapid pulse and cold extremities	<i>Phys. ven.</i>
	—, with flushed face and debility	<i>Hyosc.</i>
<b>Specks</b>	black, before eyes when reading	<i>Delph. Staph.</i>
<b>Strain</b>	bruised feeling or headache	Cimic. rac.
<b>Strain</b>	ophthalmia, conjunctivitis, pain in globe of eye, nervous, blindness, watery and inflamed	<i>Puls.</i>

**EYE**

<b>Styes</b>	recurrent, also gumminess	<i>Puls.</i> , ( <i>Puls.</i> ), Phytol.
	acute stage	<i>Puls.</i>
<b>Tension</b>	increased, arterial	<i>Verat. v.</i>
	—, ocular	<i>Piloc.</i>
<b>Ulcer</b>	corneal, superficial	(Hydras.)
<b>Vision</b>	defects, of an asthenopic character	<i>Cer. gr.</i>
	failing	<i>Arn.</i>
	weakened after over-use of eyes, from sexual excess, or abuse	<i>Puls.</i>
	weakness of	(Euph. off.)

**EAR**

<b>Catarrh</b>	acute, extending through Eustachean passages, with pain, headache, sneezing and coughing	(Euph. off.)
<b>Deafness</b>	general	[Glycerin. + All. sat. (juice) + Ol. Prun. Amygd. (sweet)]
	catarrhal	Iodine.
	colds, from	Bry.
	deficient aural secretions, due to diphtheria, following	<i>Piloc.</i>
	dry wax, etc.	<i>Piloc.</i>
	nervous	<i>Piloc.</i>
	partial, from pressure of swollen glands after scarlet fever or colds	Bry.
	scarlet fever, following	<i>Piloc.</i>
<b>Discharges</b>	fetid	[ <i>Echin.</i> ]
	middle ear, from	Bapt.
<b>Disorders</b>	burning and itching, with eczema of external auditory canal	Sang.
	inner ear, of syphilitic origin	(Hydras.)
	middle ear, early stages with free non-purulent secretions, and when complicated by follicular pharyngitis	<i>Piloc.</i>
	neuralgic, and rheumatoid	Collins. Cimic. rac.
<b>Inflammation</b>	general	(Calend.)
	middle ear, acute and chronic (purulent or muco-purulent discharge or granulations contra-indicates)	Hydras.

**EAR**

<b>Inflammation</b>	middle ear, non-suppurating	Piloc.
	— — —, purulent	Verbas. (oil), Hydras.
	— — —, purulent, with yellow bland discharge, impaired hearing, and tinnitus aurium	<i>Puls.</i>
	— — —, with little discharge and turgid tympanic membrane	(Clav. pur.)
<b>Noises</b>	humming, accompanying a cold singing, in	Corall. <i>Gels., Lach., Puls., [Anac. Pyr. + Hell. n.] [Ignat.]</i>
	tinnitus aurium, due to functional heart disease	<i>Cer. gr.</i>
<b>Otalgia</b>	severe sticking pains in ear	Anth. n.
<b>Otitis</b>		[ <i>Puls.</i> ]
<b>Otorrhœa</b>	chronic, bad smelling discharge	[ <i>Eucalyp.</i> ]
<b>Pain</b>	burning and itching	Sang.
	cold, wet, and exposure to winds, due to	<i>Puls.</i>
	colds, from	Verbas. (oil), <i>Puls., Gels., Pip. meth., Plant. m., Matric.</i>
	irritation of aural canal, due to hardened wax	(Hydras.)
	neuralgic	Pip. meth.
	rheumatic origin	Cimic. rac.
<b>Wax</b>	inspissated, to soften unhealthy	(Hydras.) Piloc.

**NOSE**

<b>Catarrh</b>		<i>Acon., [Hamam.], Solan. dul., [Echin.]</i>
	acute, fluent coryza, with copious discharge of watery mucus, heat and pain in frontal sinus	[ <i>Euph. off.</i> ]
	— — —, of infants	Asclep. t., <i>Euph. off., Matric.</i>
	— — —, with sense of rawness and moisture, and abundant discharge of thick, bland, inoffensive mucus or muco-pus	<i>Puls.</i>
	chronic, and post-nasal	[ <i>Thuja</i> ]
	dryness, fullness, and irritation	Penth., [Penth.] Bapt., [Bapt.]
	fetid	Penth., [Penth.]
	inflammation with profuse secretion	Penth., [Penth.]
	mild	[ <i>Tsuga</i> ]
	obstruction in infants	Samb. Eb.
	post-nasal, with dryness and congestion	Penth., [Penth.]
	raw, tender membranes, and irritable throat	[ <i>Calend.</i> ]
	thick, tenacious mucus, and constant frontal headache	[ <i>Hydras.</i> ], Hydras.
<b>Coryza</b>	general	Pol. rep., [Pop. can.]
	acute	<i>Zing., Caps.</i>
	inflamed	Acac. sen.
	sneezing, conjunctival inflammation, and frontal headache	Stict. pul.
	to promote diaphoresis	Nep. Cat.
<b>Discharge</b>	copious, watery, with lachrymation and frontal headache	Camph.

**NOSE**

<b>Discharge</b>	thick, tenacious mucus, and constant frontal headache Hydras., [Hydras.]
<b>Disorders</b>	chronic Penth. dryness, fullness and irritation and a purplish congested ap- pearance Penth., [Penth.] general Sang. tender swellings at nasal orifice Thuja
<b>Epistaxis</b>	to check Lysim., Linar. el., Clav. pur., Lyco. v., Achill., Acac. C., Hamam., Thuja. preceded by very red face, cranial congestion, throbbing carotids, blood clots hanging from nostrils [Geran. mac.], Melil. off.
<b>Growths</b>	ozæna Phytol., Bapt., [Bapt.] —, free and fetid discharge [Eucalyp.]
<b>Hay Fever</b>	Aln. ser., Bell., Euph. off., Anth. od., [Anth. od.], Stict. pul. itching of nose and eyes with profuse acrid watery dis- charges, nose feels stopped up All. cep. violent spasmodic sneezing and lachrymation, burning watery discharges from nose and eyes Schoen. off. (H) with profuse discharge Euph. off.
<b>Polypus</b>	[Sang.], [Thuja], [Berb. v. + Sang. (snuff)]
<b>Rhinitis</b>	sub-acute Hydras., [Hydras.]
<b>Sneezing</b>	Camph.
<b>Ulceration</b>	fossae and throat [Tsuga] mucosa from ozæna, or syphilis [Echin.] nasal and pharyngeal passages Phytol., Hydras., [Hydras.]

**FACE**

<b>Discoloration</b>	bluish, and resembling frost- bitten, or exposure to cold, swollen Bapt. dull, and apathetic, with dys- pepsia and vomiting Oenoth. b. dusky, with dyspnoea, cough, jugular fullness and weak cardiac action Digit. flushed, right cheek Bry. —, with skin moist, pulse strong and vibratile Asclep. t. pale, anxious and livid, lips cyanotic Asp. Q. red, and bloated, deeply con- gested Stram.
<b>Eruptions</b>	acne Berb. aq., Arct. L., Iris v. blood impurities, with Echin., Arct. L., Rumex cr. chafed or abraded (Calend.) dry character, of Piloc. eczema, stubborn (Urt. d.), Urt. d. freckles Glech. inflammations, tumid, glistening, red, burning, irritable Rhus t. scrofulous Helian. can. syphilitic Sang.
<b>Erysipelas</b>	Bry., Verat. v., (Camph. (tinc.)), Rhus t., Bell., Ag- rim. burning, stinging, itching feeling of part, red, shiny appearance of skin with head symptoms (Hamam.) + Rhus t. + Bell. high fever, with Acon. resembling ordinary inflammation Verat. v. vivid, bright red, on upper part of face, with marked puffiness Rhus t.

## FACE

<b>Inflammation</b>	sinusitis, acute, frontal	(Euph. off.)
	swollen, bluish and resembling frost-bitten or exposure to cold	Bapt.
<b>Pain</b>	neuralgia	<i>Pisc. Ery.</i> , <i>Acon.</i> , (Mon. punc.), <i>Strych. Ign.</i> , (Menth. pip.), <i>Cyprip. pub.</i> , (Eug. arom.), <i>Cimic. rac.</i> , ( <i>Bell.</i> ), ( <i>Camph. (lin.)</i> ), ( <i>Melal.</i> ), <i>Rhus t.</i> , ( <i>Anth. n.</i> ), <i>Passif.</i>
	—, cold, induced by	Melil. off.
	—, caries teeth, from	<i>Con. mac.</i>
	—, flushed face and excitement	<i>Gels.</i>
	—, facial and neck	<i>Delph. Staph.</i>
	—, fifth cranial nerve, especially from	Quinine.
	—, idiopathic, or reflex	<i>Pip. meth.</i>
	—, idiopathic with cold extremities and headache (chronic)	Melil. off.
	—, with nervousness and unrest, to promote sleep	<i>Hyosc.</i>
	—, nervous depression, with	<i>Cann. sat.</i>
	—, rheumatic origin of	( <i>Cimic. rac.</i> ), <i>Cimic. rac.</i>
	—, right side of head and face	Chel. m.
	—, side of face and head congested	<i>Bell.</i>
	—, spasmodic	<i>Con. mac.</i>
	—, superficial	( <i>Stram.</i> )
	—, toothache and headache, with	Plant. m.
	—, trigeminal, from cold, dental caries, or peridental inflammation	<i>Gels.</i>
	—, with debility	Melil. off.
	tic douloureux	<i>Pisc. Ery.</i>
	— — with active circulation in head	<i>Gels.</i>
<b>Twitching</b>		<i>Ignat.</i>

## MOUTH

<b>Blisters</b>	on	Phytol.
	small, on mucus surface of cheeks and tongue with soreness	Phytol.
<b>Breath</b>	fetor, with sordes of teeth and lips	Bapt.
	foul	Echin. + [Echin.]
	offensive	Cary.
<b>Burns and Scalds</b>		Acac. sen.
	sore feeling as if	Thuja
<b>Dryness</b>	glazed surfaces, with tissues of	Xanth. Ulm. f.
<b>Gums</b>	bleeding	Lysim.
	—, flabby and tender	[Berb. v.]
	—, and spongy	[Echin.], [Kram.]
	boils	[Fic. Car.]
	inflamed	Phytol.
	—, mercurial	Bapt., [Bapt.]
	painful	<i>Strych. N.V.</i> , Phytol.
	pyorrhœa alveolaris	[ <i>Psyc. Ipec.</i> ], [Echin.]
	sore	[Hamam.]
	— and tender	[Corn. F.]
	spongy	[Acac. C.], [Penth.]
	— and sore	[Commi. Myr.]
<b>Lips</b>	fissured	Thuja
	sore, pallid and with separated epidermis	Phytol.
<b>Salivation</b>	to check	<i>Bell.</i>
	ptyalism	[Commi. Myr.]
<b>Soreness</b>		Cean. Am., [Rub. Id.], Berb. v., [Cop. tri.], <i>Hyosc.</i>
	blisters small on mucus surface of cheeks and tongue, with	Phytol.

**MOUTH**

<b>Soreness</b>	mucus discharge profuse, with atony of circulation, with nursing and aphthous relaxed uvula, with tender gums, with	[Myric. cer.] Bapt., [Bapt.] Aln. ser., [Aln. ser.] [Pter. M.] [Corn. F.]
<b>Sputum</b>	tenacious	Piloc.
<b>Spotted</b>	(thrush or aphthae)	Sang., Hydras.
<b>Stomatitis</b>	aphthous ptyalism with	Echin., Berb. aq. Hydras. Piloc.
<b>Taste</b>	bitter with nausea ; liver complaints changing, salty, bitter, sour	Lept. Puls.
<b>Teeth</b>	loose	Kram.
	<b>CARIES</b>	[Gault.]
	in apparently sound teeth with rheumatic origin, worse from warmth and warm liquid	Gels. Rhus t.
	<b>DENTITION</b>	
	fretful and peevish and worn out, during	Matric.
	with convulsions	Rhus t.
	with diarrhoea	Acon.
	with nervous irritation	Asafet.
	with pain	Matric.
	<b>PAIN</b>	
	general	Eug. arom., Xanth., Anac. Pyr., Plant. m., Passif., Cimic. rac., Gels., Caps., Pisc. Ery., [Menth. pip.], [Anth. n.], [Melal.]
	dental caries, not due to dentition, during	Pip. meth. Matric.
	exposed dental pulp, alveolar abscess, or peridental inflammation	[Pisc. Ery.]

**MOUTH****PAIN**

<b>Teeth</b>	jumping from abscesses near dental pulp rheumatic, worse from warmth sensitive pulp	[Puls.] Rhus t. [Plant. m.]
<b>Thirst</b>	great, with fever and aching pains inability to drink, with	Euph. perf. Lept.
<b>Tongue</b>	blistered broad, pallid with impaired digestion, deficient circulation and innervation buttermilk, coating as if with creamy-white or white with greasy taste dry and harsh, salivary secretion suppressed, or scanty dry, sordes, dark hue to tissues full, broad, heavily coated with constant nausea and vomiting inflammation of, chill, burning and tingling sensation along dorsum of tongue which is swollen, dry, and red ; great dryness of mouth, everything tastes bitter leucoplakia, syphilitic with excessively secreting mucosa pale, sallow, full, also membranes with hepatic congestion pallid, lead-coloured with little coating pasty and bad smelling reddened tip and edges, and prominent papillae with irritation, congestion, nausea and vomiting reddened tip and edges, long pointed, with nausea, vomiting with or without fever	Ligus. v., Phytol. Acon., Bell. Bry. Puls. Caps. Bry. Psync. Ipec. Acon. Eucalyp. Chel. m. Phytol. Eucalyp. Prun. Per. Psync. Ipec.

## MOUTH

<b>Tongue</b>	<p>reddened, elongated with prominent papillae  red deep, dry, glazed and cracked with sordes, muttering delirium, rapid pulse, repressed secretions, tympanites, and hæmorrhage  redness or reddened edges and tip, long and narrow, prominent papillae inclined to dryness  sleek, beefy with pasty coating and fetid breath  slimy, broad, and flabby with overloaded or foul stomach  stripe red down centre  white glaze formed by secretion  white-coated with yellow skin and liver pains  white-coated, with nausea  yellow-coated with fever and diarrhœa  —— —, anorexia  —— —, dirty with dizziness  yellow fur, uniformly coating tongue, with intestinal torpor</p>	<p>Cit. Lim.   Ol. Tereb. R.   <i>Rhus t.</i>  Bapt.  <i>Psyc. Ipec.</i>  <i>Verat. v.</i>  Phytol.   Lept.  <i>Puls.</i>   <i>Acon.</i>  Euony.  Podo.   Podo.</p>
<b>Ulceration</b>	<p>aphtous with gastric acidity and acid diarrhœa  ——, and other forms  ——, and hepatic relaxation, and sloughs, white pultaceous at angle of mouth and lining of cheeks  thrush</p>	<p>Stat., [Amar.], [Rumex aq.], Acac. C., Ligus. v.   Geran. mac.  [Tsuga]  [Echin.]  Hydras.   Phytol.  [Commi. Myr.], [Cop. tri.]</p>
<b>Uvula</b>	<p>elongated  relaxed, etc.</p>	<p>Acac. C.  Collins., Hamam., [Hamam.], Salv. off.</p>

## THROAT

<b>Affections</b>	<p>general</p>	<p>Adian.</p>
<b>Aphonia</b>	<p>great soreness in throat and mouth with aphthae</p>	<p>Erig. (oil), Collins., Phytol.  Rhus gl.</p>
<b>Catarrh</b>	<p>chronic</p>	<p>Phytol.</p>
<b>Canker</b>	<p>[Rub. Id.]</p>	
<b>Complaints</b>	<p>dryness, with febrile, especially feeling as if lump was there  inflamed, sore  malignant, sore  relaxed, sore</p>	<p>Still., Xanth., <i>Lobel.</i>  Sang., <i>Acon.</i>  <i>Ignat.</i>  <i>Verat. v.</i>  (Verbas.)   Acac. C., <i>Poly. sen.</i>, (Hamam.), (Hydras.)  sore, dry, swollen, red, difficulty in swallowing  sore and ulcerated  tickling with cough  ulcers on  weakness, loss of voice, etc., in sthenic patients</p>
<b>Constriction</b>	<p>sense of, with tickling in throat and cough arising from use of voice</p>	<p><i>Bell.</i>  Phytol., Thuja  Dros.  Phytol., Ligus. v.  Collins.</p>
<b>Croup</b>	<p>and chronic bronchitis  infants  spasmodic and mucous</p>	<p>(Ol. Tereb.)  Asafet.  <i>Acon.</i></p>
<b>Dryness</b>	<p>secretion checked  stiffness with tumid, swollen tonsils, painful deglutition and dribbling of saliva</p>	<p>Piloc.  Guaia.</p>

**THROAT**

**Dryness** swollen, sore, red, difficulty in swallowing *Bell.*

**Diphtheria** [Echin.], [Car. Pap.], Bapt. membrane, to loosen Phytol., [Ol. Tereb.] malignant, throat dark red colour, membrane like wash-leather, breath offensive, whole body feels bruised  
Bapt. + Eucalyp. + [Bapt. + Eucalyp.]  
—, ulcers in mouth, fauces covered with deposit, secretions acrid and excoriating, cervical glands swollen and painful Arum t.  
non-malignant (Hamam.), Phytol. + *Gels.*, (Hydras.)

**Eustachean Tube** troubles Iodine (H.)

**Faucitis** [Acon.], *Bell.* burning and itching Sang.  
full and mucous surface pallid or livid with swollen tonsils and whitish or grey tenacious exudate Phytol.  
hyperæmia or congestion [Hamam.]

**Goitre** Iris v., Trif., *Con. mac.*, Urt. d., *Puls.* + *Cer. gr.* + *Cimic. rac.*, (Thuja) with irregular cardiac action *Stroph.*

**Hoarseness** Acac. sen., *Caps.* tenderness and cough, brought on by intensive singing or speaking Collins.

**Inflammation** febrile or other cause Rib. n.

**Irritation** [Alth. off.], [Alth. ros.] feeling of constriction Collins.

**THROAT**

**Laryngitis** [Salv. off.], Collins., Phytol. chronic, worse from singing or public speaking, with hoarseness, and sense of constriction and thin ichorous discharge from nose Arum t.  
—, soreness, pain in larynx, excessive mucoid secretion in throat, voice of public speakers and singers break Arum t.  
first stage, with fever, hot skin, extreme restlessness, dyspnoea *Acon.*

**Pains** lump, feeling as if there sticking *Ignat.* Collins.

**Parotitis** and swelling of submaxillary gland with great induration Phytol., *Rhus t.*

**Pharyngitis** [Acon.], Phytol., *Bell.* catarrhal and follicular [Hydras.], Hydras. chronic with dryness and congestion [Penth.], Penth. difficulty of swallowing, aching and fullness of throat *Gels.* + Phytol. hyperæmia or congestion [Hamam.] rheumatic Guaia. sicca Piloc. stiffness and dryness of throat, swallowing painful, burning in throat Guaia. thick glutinous mucous falls in throat causing hacking cough and nausea [Hydras.] + Hydras.

**Quinsy** [Acon.], [Salv. off.] malignant Echin.

**Relaxed** [Senec. Jac.], [Pter. M.], [Querc. L.]

**Secretion** imperfect glandular Phytol.

## THROAT

**Sore** [Poly. sen.], Stat. Car., Prun. v.,  
 [Acac. sat.], Tuss. Far.,  
 Avens., [Arum mac.]  
 angry and deep red [Hamam.], [Caps.]  
 catarrh, with Thym. Ser.  
 catarrhal simple, subacute form,  
 following tonsillitis Hydras. + [Hydras.]  
 chronic, with glandular engorge-  
 ment and hypersecretion Rumex cr.  
 —, and sluggish with relaxed  
 membranes and oversecretion Pip. cub.  
 —, of syphilitic origin Guaia.  
 enfeebled and swollen tissues,  
 with [Myric. cer.]  
 fetid [Thuja]  
 pallid with cough and difficult  
 respiration Phytol.  
 putrid [Nymph.]  
 raw, swollen, difficult swallow-  
 ing and dryness Bell.  
 relaxed, and [Querc. R.]  
 scarlatina, with enfeebled and  
 swollen tissues [Myric. cer.]  
 stiff with sense of muscular  
 drawing in pharynx and  
 fauces Cimic. rac.  
 swollen and fetid with deep or  
 purplish red membranes Arum t.  
 ulcerated, and Echin.

**Tonsillitis** and diseases of the tonsils  
 Echin., Ail., Acon., Verat. v.,  
 Bell., Rhus t., Phytol., Collins.,  
 Hamam., [Hamam.], Gels.,  
 [Salv. off.], [Menth. pip.], [Ulm.  
 f.]  
 abort, to [Caps.], [Echin.], Cass.  
 acute [Verat. v.]  
 acute, with secretion of tena-  
 cious pharyngeal mucus Piloc.  
 early stage [Acon.]

## THROAT

**Tonsillitis** enlarged, throat pale and tumid  
 —, chronically Commi. myr.  
 follicular with chronic hyper- Hydras.  
 trophy of faucial glands Collins.  
 hyperæmia or congestion, with [Hamam.]  
 incipient Guaia.  
 inflamed and sore Pyr. auc.  
 quinsy type Bell.  
 sluggish circulation and fetid  
 exudate Bapt.  
 tumid, swollen, with dryness,  
 and stiffness of throat, painful  
 swallowing and deglutition Guaia.  
 ulcerated Acon.

**Trachea** (see also under **Respiration**)  
 troubles Iodine.

**Voice** loss of Collins., Phytol.

**STOMACH**

**STOMACH**

<b>Acidity</b>	Tiar., Equis. (ashes)	
	with pallid tongue and membranes of mouth	<i>Nux Vom.</i>
	with sick headache	Phytol.
<b>Affections</b>	general	Fum.
<b>Alkalinity</b>	with redness of tongue and membranes of mouth	Ac. Sulph.
<b>Appetite</b>	feeble	<i>Caps.</i> , Serp.
	— after long illness	Cola v.
	impaired	Hydras., Pic. ex., Cinch., Gent.
	loss of, with dizziness, heavy head and indigestion	Podo.
	— —, with feeble digestion	Sim. off.
	— —, with gastric irritability	Prun. ser.
	— —, rolling of gases in bowels, painful spasmodic contractions of stomach and intestines	Zing.
<b>Atony</b>	general	Jugl. cin., Acor. C., Berb. aq., Pip. n.
	constipation, with	Aloe
	digestive, with diarrhoea in potbellied children with foul breath and poor digestion	Dicen.
	deficiency of gastric juice, with drunkards, of	Cop. tri.
	dyspeptic	<i>Caps.</i>
	—, due to alcoholic excesses	<i>Caps.</i> Bur.
	—, with flatulence and borborygmus	Art. Abs.
		Alet.

<b>Atony</b>	enfeeblement and relaxation of tissues, and hypersecretion, with	Xanth.
	fermentative, with painful acid eructations, flatulence and constipation	Car. Pap.
	frontal headache, with	Lept., Euony., Aln. ser.
	loss of appetite, flatulence, painful spasmodic contractions of stomach and intestines	Zing.
	renal inactivity, with	Liat. sp.
<b>Cancer</b>		<i>Con. mac.</i> , <i>Cann. sat.</i> , Mars. Con.
<b>Catarrh</b>	duodenal, worse from biliary concretions	Hydras.
	gastric	Tuss. Far., Podo., Penth., Lyco. cl., Berb. aq.
	—, acute, in young caused by variable weather in summer season	Asclep. t.
	— —, in wet seasons or when a cold wet spell quickly follows exhaustive heat of very hot seasons	Asclep. t.
	— and atonic dyspepsia with hepatic torpor	Sang.
	—, chronic Eriod., Asclep. inc.,	Fras. Car.
	— constipation, with more or less	Collins.
	— extraneous mucus in gastro-intestinal surfaces	Car. Pap.
	— fever or inflammation, without	Myrox. P.
	— full relaxed skin, with	Kram.
	— subacute	Gent.
	— vomiting of drunkards, with	Hydras., Mon. punc.
<b>Debility</b>	chronic, of	Gent.
	flatus, with	Anth. n., Salv. off.

**STOMACH**

<b>Debility</b>	gastric hypersecretion, with	Cinch. Xanth.
<b>Digestion</b>	feeble impaired —, due to lack of tone of gastro-intestinal glands weak, without irritation or inflammation —, with sense of epigastric depression with physical and mental weariness	Acor. C., Sim. off., Rheim. Hydras., <i>Colch. aut.</i> Myric. cer. Tarax. Gent.
<b>Disorders</b>	children, of complications with albuminuria deficient action of liver, due to drunkenness, etc., following hypersecretion of gastric juices, eructations and vomiting indulgence in pastry and fats, from infants, convulsions and cholera infantum kidney and bladder disorders, with malarial origin, of nervous pelvic relaxation, reflexly due to thrush, associated with	Rub. Id. Helon. Chion. v. Lyco. v. Urt. d. <i>Puls.</i> Aeth. Eryng. Gent. <i>Panax.</i> Helon. Cop. tri. Xanth.
<b>Distention</b>	eructation, with flatulent	Jugl. cin., Eug. arom.
<b>Dyspepsia</b>	general atonic with costiveness — — gastric catarrh as of a stone chronic due to hepatic torpor — —, irritation of stomach in cachectic individuals fermentative, worse on taking food	Corn. ser., Carb. ben. Casc. sag. Serp. Bry. Podo. Euony., Berb. aq. Arct. L. Echin.

**STOMACH**

<b>Dyspepsia</b>	flatulent after meals nervous with epigastric fullness and pain extending to chest old people, deficiency of gastric juice, drowsiness after meals, flatulence, diarrhoea alternated with constipation rheumatoid, with rheumatism in other parts with congested liver — deficient glandular secretion — eructation of putrescent gases following weakness or "goneness" of epigastrium — irritation, food causes distress and irregular bowel action — relaxed stomach walls and imperfect peptic function — renal inactivity	Pip. n., Senec. Jac. Rumex cr. Aln. r. Cimic. rac. Polym. U. Hydras. Hydras. Rheum. Aln. ser. Liat. od. Jugl. cin.
<b>Eructation</b>	sour greasy and pyrosis with gastric distention	<i>Puls.</i>
<b>Fermentation</b>	worse on taking food	Echin.
<b>Fever</b>	gastric	<i>Acon.</i>
<b>Fullness</b>	epigastric, with pain extending to chest sense of, due to gas with nervous unrest	Rumex cr. Valer.
<b>Gastralgia</b>	cramping pains worse bending forward and lying down	Diosc.
<b>Hæmorrhage</b>		Cinn. Zey., Linar. el.
<b>Hiccough</b>	obstinate, with reddened tongue and alkaline urine	Cit. Lim.
<b>Indigestion</b>	(see also <b>Dyspepsia</b> ) acidity, from	<b>Equis.</b>

**STOMACH**

**Indigestion** atonic, with feeling like stone in stomach *Nux Vom.*, Bry.  
 —, gastric and hepatic Berb. aq.  
 bad blood, with Arct. L., Rumex cr.  
 belching and increased mucus flow, with Hydras.  
 fermentative and intestinal Echin.  
 flatulence, fermentation, and pyrosis Lyco. cl.  
 intestinal atony, from Lept.  
 irritative, with knotty feeling in stomach *Gels.*  
 liver trouble, from Euony.  
 nausea, with Prun. Per., Xanth.  
 uterine, etc., troubles, from Helon.

**Inflammation** Lin. usti., Acac. sen., Alth. ros., Prun. Per., Xanth., *Puls.*, *Nux Vom.*, Hydras., Sang.

acute Trig. Foen., Ulm. f.  
 chronic Myric. cer.

**Irritation** Acac. sen., Alth. ros., *Gels.* + *Psyc. Ipec.*

acute, with tongue reddened tip and edges *Psyc. Ipec.*  
 cachectic individuals, in Arct. L.  
 constipation, more or less, with Collins.  
 distention, with Hydras.  
 elongated reddened tongue, nausea and vomiting, with Rheum.  
 excess of mucous secretion, with Tsuga.  
 indigestion and green stools, with *Gels.*  
 nervousness and flatulence, with Diosc., Asafet., Verben., Prun. Per.  
 nausea and vomiting, with Iris v.  
 persistent, and mucous diarrhoea, and tongue red and tender, nausea, and strong disgust of food Eryng. cam.

**STOMACH**

**Irritation** pneumonia, phthisis, bronchitis, or influenza, especially with spasms, pain and vomiting *Rhus t.*  
 sensation of knotty contraction in stomach Diosc.  
 vomiting, with or without *Gels.*  
 vomiting in children, with *Acon.*  
 gastro-intestinal, with catarrhal secretion Prun. Per.  
 — —, with free secretion Eupat. pur.  
 phthisis, of *Anam.*  
 Prun. Per.

**Irritability** Hydras.

**Nausea** any ailment accompanied by persistent, not relieved by vomiting *Psyc. Ipec.*  
 drunkard, of Mon. punc.  
 easily provoked disgust for food, and Eryng. cam., Diosc.  
 general Menth. pip., Menth. vir., Menth. pul., Cinn. Zey.  
 pregnancy with nervous gastric irritation, of Cola v.  
 remove, to Caul. th., Pimp. anis., *Caps.*, *Nux Vom.*

weakness of stomach, due to Solid.  
 with flatulence Illic., Eug. arom.  
 — gastric irritation and elongated reddened tongue Rheum.  
 — hypersecretion of gastric juices and eructation Urt. d.  
 — strong disgust of food Eryng. cam.  
 — gastric tenderness and irritation, tongue pointed with reddened tip and edges Prun. Per.  
 — tongue with reddened edges and tip, and gastric irritation *Psyc. Ipec.*

**Pain** cardialgia with sour stomach and increased flow of gastric juices Senec. Jac.

**STOMACH**

<b>Pain</b>	cramps, stomachic	Iris foet., Menth. pul.
	— — — and bowels, due to undigested food, or to cold	Zing.
	— — —, worse bending forward and lying down	Diosc.
	discomfort, with	Eryth. Coc.
	dull, aching, and tenderness with tendency to metastasis worse from eating and drinking	Cimic. rac.
	eating, immediately after	Jateor.
	enteralgia	Cimic. rac., Con. mac
	epigastric fullness and pain extending to chest	Rumex cr.
	flatulency with or without nausea, from	Solid.
	flatulent distention with nausea and vomiting	Eug. arom.
	gastralgia with nausea and vomiting	Myr. fr.
	— — —, nervous	Cann. sat.
	gastralgia	Cimic. rac., Con. mac.
	general	Glech., Salv. scl., Con. mac., Diosc. + Nux Vom.
	gnawing sensation with chilliness	Puls.
	mediastinal	Cimic. rac.
	neuralgia, of	Melil. off.
	painfully contracting on hard body or lump, as if	Cimic. rac.
	spasms, all painful	Asar. Can.
	spasmodic with more or less constipation	Collins.
	soreness and aching of abdominal grip of rheumatoid type	Cimic. rac.
	tenderness with irritation and congestion, nausea and vomiting with pointed tongue with reddened tip and edges	Prun. Per.

**STOMACH**

<b>Pain</b>	unpleasant distress below sternum as if internal itching with constant desire to contract or shift muscles of epigastric region	Hydras. Rhus t.
	unrest great, with vomiting	
<b>Pyrosis</b>		Pter. M., Lyco. cl.
<b>Sensitive</b>	weak constitution, with attacks of diarrhoea	Asclep. t.
<b>Torpor</b>	gastro-intestinal, with deficient secretion	Xanth.
<b>Ulcer</b>		Con. mac., Cann. sat., Hydras., Corn. F., Geran. mac.
	aphthous hæmorrhage, from	Phytol.
	preceded by debility and catarrhal hypersecretion	Psyc. Ipec.
	septic	Phytol. Echin.
<b>Vomiting</b>	blood of	Lyco. v.
	check, to	Caps., Nux Vom.
	drunkards, of	Mon. punc.
	gastric irritability, from	(Brass. n.)
	— — — — — in small children	Prun. Per.
	general	Crot. El., Eryth. Am.
	great unrest, with	Rhus t.
	infants, of	Car. Pap.
	morning sickness in pregnant women	Prun. Per.
	pregnancy, of	Corn. ser. + Vibur. pr.
	seasickness, of, with nervous gastric irritation	Cola v.
	weakness of stomach, due to	Solid.
	with nausea, or spasms, or pain	Diosc.
	with mucous rales	Poly. sen.
<b>Weakness</b>	and debility	Aln. ser., Cochl. a., Nux Vom., Lept., Xanth., Eupat. pur.
	and diarrhoea	Cinn. Zey.
	and pain	Ignat.

## ABDOMEN

<b>Appendicitis</b>	bowels full of gas; griping, twisting pain	Diosc.
<b>Atony</b>	<b>DUODENAL</b> with hepatic torpor	Lept.
	<b>INTESTINAL</b> with habitual constipation with dragging painful sensations	Casc. sag., Lept. <i>Lobel.</i> Senec. Jac.
<b>Catarrh</b>	<b>BILIARY</b> <b>DUODENAL</b> with jaundice and light-coloured stools	Chel. m., Hydras.  Iris v., Casc. sag., Echin.
	<b>INTESTINAL</b>	Tuss. Far., <i>Nect. C.</i> , Berb. aq., <i>Phys. ven.</i> , (All. sat.), Hydras.
<b>Concretions</b>	biliary — and jaundice —, to prevent	Ol. Eur. Chion. v. Chion. v.
<b>Contracted</b>		Collins.
<b>Circulation</b>	gastric and hepatic, sluggish with full, heavy, burning sensation	Polym. U.
<b>Colic</b>	agonizing pain, better bending double, or pressure on abdomen bilious children, in distention, with flatulent	<i>Citr. Col.</i> Diosc., <i>Gels.</i> , Epil. Asafet., Nep. Cat., <i>Liat. sp.</i> , Menth. pip. <i>Caps.</i> Elet., Drim. Win., Solid., Xanth., Foen., Matric., <i>Hyosc.</i>

## ABDOMEN

<b>Colic</b>	flatulent and serous diarrhoea — in babies — in infants — much in bowels; griping, twisting pain, worse bending forward, better standing erect — not accompanied by inflammation — with constipation, in children — with greenish stools, child relieved if carried about gallstone general lead —, with constipation painter's spasmodic stomach cramps and nausea tenderness on pressure which relieves spasmodic action various visceral neuralgia	Myr. fr. Foen. Asclep. t., Pimp. Anis.  Diosc. Asar. Can. Podo. Matric. Chel. m. Melal., (Brass. n.), Acor. C. Ol. Eur., <i>Bell.</i> <i>Crot. Tig.</i> Glech. <i>Lobel.</i> , <i>Bell.</i> Menth. pul. Diosc. <i>Bell.</i> , Melil. off. Melil. off.
<b>Debility</b>	with hepatic torpor, or jaundice	Chel. gl.
<b>Diaphragmitis</b>	constrictions in region of diaphragm with sharp shooting pains	<i>Cer. gr.</i>
<b>Disorders</b>	gastro-intestinal and hepatic, of dipsomaniacs — —, due to high living spleen and liver	Chion. v. Chion. v. Cusc. Ep.
<b>Distention</b>	general gas in typhoid fever and puerperal peritonitis tympanitic during peritonitis	Chion. v.  (Ol. Tereb.) Xanth.
<b>Dropsey</b>		Aspar., Eryth. Am., Bid., Cyt. sco., <i>Grat.</i>

**ABDOMEN**

<b>Dropsy</b>	with kidney, etc., diseases	Equist.
	abdominal	Junip. com., Iris v. Piloc.
<b>Duodenum</b>	in sthenic patients	
	scarlatina, after	Car. pet. + Eupat. per.
<b>Flatulence</b>	with weakness and loss of appetite	Chim. umb.
	with chronic hepatic and gastric torpor	Chel. gl.
<b>Duodenum</b>	catarrh	Echin.
	inflammatory conditions	Chion. v.
<b>Flatulence</b>	accumulation of gas in bowel	Xanth., Jateor.
	children, in, with disordered digestion	Peuc. gr.
	colic with greenish stools and excoriation of anal region, with	Matric.
	colic, and	Arum t., Cass.
	distention, with	Mon. punc., Jugl. cin.
	disorders with	Tanac., Pip. n., Imper. Os.
	gastric irritation and nervousness, with	Asafet., Anth. n., Zing.
	general	Acor. C., Cinn. Zey., Caps., Melal., Pimp. anis., Melil. off.
	heartburn especially women, with	Nux Vom.
	putrescent gases followed by weakness or goneness in epigastrium	Hydras.
	rolling of gas in bowels, gastric atony, painful spasmodic contractions of stomach and intestines	Zing.
	tympanites of bowels	Rhus t., Foen.
with colicky pains	Illic.	
— debility	Salv. off.	
— fermentation	Alp.	
— — and acid eructations	Humul.	
— nervous unrest	Valer.	
<b>Fullness</b>	pelvic	Helon.
	splenic	Iris v.

**ABDOMEN**

<b>Hæmorrhage</b>	bowel	Hæmat.
	gastric and duodenal ulcer, from	Ol. Tereb. R.
<b>Hæmorrhage</b>	gastric-intestinal tract	Verbas., Ol. Tereb. R.
	general	Cinn. Zey.
<b>Hæmorrhage</b>	intestinal	Psyc. Ipec., Lyco. v.
	postpartum	Clav. pur.
<b>Hæmorrhage</b>	ulceration of small intestine	
	with flatulence, and distention	Ol. Tereb. R.
<b>Hernia</b>	strangulated	(Lobel.)
<b>Impaction</b>	bowel in the insane with hypochondriasis, and melancholia	Aloe.
	faecal	[Lobel. (enema)]
<b>Impaction</b>	— without intestinal obstruction	Crot. Tig.
	<b>Indigestion</b>	intestinal
<b>Indigestion</b>	— in aged	Lept.
	— with pain, debility, and fetid flatus	Asafet.
<b>Intussusception</b>		Echin.
		[Lobel. (enema)]
<b>Inflammation</b>	abdominal	(All. sat.)
	gall bladder, of	Bry.
<b>Inflammation</b>	intestinal, of children during dentition	Gels.
	—, with cholera infantum, diarrhoea, and dysentery, both with tenesmus, in children	Gels.
<b>Inflammation</b>	—, of infants and adults	[Ulm. f.]
	—, catarrhal	Myric. cer.
<b>Inflammation</b>	liver, chronic	Podo.
	—, with reddened tip and edges of tongue	Psyc. Ipec.
<b>Irritation</b>	peritoneal, due to blows on abdomen	Verat. v.
	—, septic	Verat. v.
<b>Irritation</b>	gastric	Asafet.
	gastro-intestinal with sour eructations and flatulence	Jugl. cin.

**ABDOMEN**

<b>Pain</b>	bilious	Lept., Senec. v.
	colicky with marked tenderness	Bry.
	— from liver region over whole abdomen	Chion. v.
	cramps and colic, due to flatulence	Anth. n.
	cutting from liver to navel with nausea, vomiting and great prostration	Chion. v.
	deep-seated splenic, with or without splenic enlargement	Cean. Am.
	deep-seated soreness, dragging and bearing down	<i>Delph. Staph.</i>
	dragging sensations with atony of viscera	Senec. aur.
	dull, aching in hepatic region with uneasy and throbbing sensations	Aesc. H.
	dull, hepatic with tenderness or soreness on deep pressure	Chion. v.
	dull, heavy in right hypochondrium, with sallowness and inactivity	Podo.
	dull, with fullness over spleen, sallowness, debility and indigestion with gastric distress	Grind. cam.
	faulty intestinal digestion	Agrim.
	flatulence, with	Nep. Cat.
	full, heavy, burning sensation with sluggish hepatic circulation	Polym. U.
	fullness with tensive or throbbing over liver	Chel. m.
	gripping in lower bowel	Ipom. Pur.
	heavy, lax, sodden pelvic tissues with infiltration at ankles	Apoc. can.
	hepatic with reflex cough	Chel. m.
	inflammation, with	<i>Verat. v.</i>
	neuralgia, visceral	Aesc. H., <i>Acon. + (Acon.)</i>
	— with plethora	Aesc. H.
	—, preceding herpes zoster	<i>Acon., (Acon.)</i>

**ABDOMEN**

<b>Pain</b>	paroxysmal with deranged digestion and coated tongue	Diosc.
	painful bowel affections from cold	(Myr. fr.)
	pelvic contents will fall out, feels as if	Helon.
	sense of coldness and weight in intestines	Eucalyp.
	sense of weight, congestion or expulsion of pelvic contents with mental torpor, despondency or irritability	Helon.
	soreness and tenderness, worse on pressure	Bry.
	spasms, borborygmus, and loss of appetite	Zing.
	tenderness, with	Bry.
	tenderness and heavy over region of liver, with drowsiness, dizziness, and mental depression	Lept.
	twisting and boring, radiating from umbilical region with spasmodic contraction of belly muscles	Diosc.
	vague, shifting with persistent uneasiness in ascending colon	Chel. gl.
	weakness, with	Diosc.
	weight of pelvic and vascular engorgement	Senec. aur.
	weight in epigastrium with forcible circulatory pulsations	<i>Verat. v.</i>
<b>Peritonitis</b>		<i>Bell., Bry., Verat. v., Asclep. t.</i>
	colic-like pains with marked tenderness	Bry.
<b>Tympanitis</b>		Xanth., <i>Rhus t., Asafet., Foen.</i>
<b>Ulceration</b>	lower bowel	Mons.
<b>Weakness</b>	with dilatation, flatulence, and visceral ptosis	<i>Phys. ven.</i>

**LIVER**

**LIVER**

<b>Bile</b>	to favour secretion	Lept. + Zing.
<b>Biliousness</b>	with headache and nausea	Iris v., Diosc., <i>Nux Vom.</i>
<b>Colic</b>	bilious	Chion. v. + Diosc.
<b>Disorders</b>	chronic	<i>Puls., Grat.</i>
	cirrhosis of, pain in right side, cramp-like pains in abdomen, constipation, clay-coloured stools	Chion. v.
	—, obstinate constipation, with dry, hard stools, tongue coated white	Bry.
	congestion	Polym. U., Chel. m., Chel. gl. + Gent. + Hydras.
	—, with constipation and sharp cutting pains worse on motion	Iris v.
	— with burning pain	Polym. U.
	cough, bilious headache and catarrh, inflammation with greenish-yellow skin	Chel. m.
	debility with sick headache	Sang.
	enlargement, uneasiness, nausea, stitching pain in left lobe, abdominal distention	<i>Card. m. (H)</i>
	—, constant pain under lower and inner angle of right scapula, constipation, stools like hard, round balls, skin yellow-grey, diarrhoea yellowish and worse at night	Chel. m.
	—, aching and heaviness in liver worse lying on left side	Ptel. t.

<b>Disorders</b>	enlargement, when tumour appears to lie between liver and navel	Chel. gl.
	fullness over, with aching between scapulæ and back of neck; vertigo	Podo.
	hyperæmia	Phytol.
	inflammation, white tongue; burning and stitching pain worse on motion; distention of stomach and abdomen; constipation; great thirst	Bry.
	obstructions, to remove	Scol. v., Larix. Am.
	painful condition, soreness	Bry.
	sluggish action with light pasty stools	Chel. m.
	—, or torpid	Lept., Rheum., Chel. gl., Euony.
	torpor	Jugl. cin., Tarax., Cit. Lim., Chion. v.
	— with incontinence of urine	Oenth. b.
	— and chronic dyspepsia	Peum. b.
<b>Gall Bladder</b>	biliousness	Podo., Berb. v.
	calculi, acute or dull pain with tenderness in hepatic region; yellow skin; bile in urine; stools bright yellow or clay-coloured; pain under right scapula	Chel. m.
	— to prevent formation	Jugl. cin.
	deficient or vitiated bile, with liver symptoms	Sang.
	disorders	Ajug. rep., Rubia.
	obstructions	Asp. od.
<b>Jaundice</b>		Rusc., Linar. v., Berb. v., Impat., <i>Grat.</i> , Fab. Imb., Chion. v. + Euony. + Podo.
	acute catarrhal, of children	Chion. v.

## LIVER

### Jaundice

acute, with hepatic torpor with  
tongue red and urine alkaline  
catarrhal with clay-coloured  
stools  
cramp-like abdominal pains on  
right side; constipation,  
stools clay-coloured; urine  
dark  
severe right-sided pain; yellow  
skin; stools clay-coloured;  
urine loaded with bile  
with itching  
— orange-coloured urine, and  
soreness on pressure  
— swollen bile ducts  
— weak heart action

Cit. Lim.  
Podo.  
Chion. v.  
Chel. m.  
Piloc.  
Bry.  
Chel. m.  
Eryth. Cen. + Myric. cer.

## SPLEEN

**Congestion** and subacute inflammation,  
pain not aggravated by pres-  
sure  
Cean. Am.

**Disorders** Solan. ins., Rubia, Lonic.,  
Silph. per.  
with blanched skin Iris v.  
with indigestion and chills Grind. cam.

**Enlargement** *Grat.*, Polym. U.  
due to malarial cachexia Polym. U.  
with brown eruption on sternal  
portion of thorax; palpita-  
tion; nausea; uneasiness  
and distention of abdomen *Card. m. (H)*  
with enfeebled circulation, parts  
non-elastic, doughy, sodden Polym. U.  
with expressionless countenance,  
and sallow doughy skin Cean. Am.

**Inflammation** malarial Cean. Am.  
pain in whole of left side,  
splenic enlargement, extreme  
dyspnoea Cean. Am.

**Obstructions** to remove Scol.

**RECTUM**

**RECTUM**

**Anus** excoriation of, with greenish motions, colic, and flatulence *Matric.*  
 eczema of *Hydras. + (Hydras.)*  
 fissured *Hamam., Collins., Aesc. gl., Thuja, Hydras., (Cop. L.)*  
 —, or ulcer *(Kram.)*  
 — and ulcers purple in colour and covered with crusts; itching and biting sensation *Paeon. off.*  
 fistulae with indurated edges *(Liquidamb.)*  
 inflammation of *Thuja.*  
 irritation with sense of constriction in *Collins.*  
 neuralgia in *Ignat.*  
 prolapsus *[Tsuga], [Myrt. com.], (Thuja), Aesc. H.*  
 — with pelvic debility *Aloe.*  
 — with venous fullness *Hamam.*  
 pruritis *(Thuja), (Acon.)*

**Constipation** *Cass., Lin. cath., Plant. ova.*  
 alternating with diarrhoea with venous congestion *Puls.*  
 atony, flatulence, etc., with children *Jugl. cin. Ricin. c.*  
 — and infants *Frax. Orn., Cass.*  
 chronic *Rham. F., Lept., Cass.*  
 —, atonic *Aloe.*  
 —, due to debility and imperfect action of intestinal glands *Hydras.*  
 —, with acid fermentation and flatulence *Erech.*  
 deficient secretion, due to dyspeptic *Xanth. Sarr. pur.*  
 females during pregnancy *Frax. Orn., Rheum.*

**Constipation** habitual *Podo., Solan. ins., Ol. Eur., Casc. sag., Lept., Lobel., Glycerine, Nux Vom., Berb. aq., Rham. Fr. Phys. ven., Ipom. Pur.*  
 hard, dry faeces *Iris v.*  
 hepatic torpor, with infants, due to difficult digestion of cows' milk *Bry. Crot. Tig.*  
 insane or unconscious intestinal torpor from deficient secretion of glands *Ipom. Pur.*  
 no desire, bowels inactive, stools large, dry, and hard as if burnt *Bry. Fras. Car.*  
 obstinate — when no inflammation present *Crot. Tig.*  
 œdema, with sedentary life and much medication *Apoc. can. Hydras.*  
 sense of intestinal constrictions and muscular contractions *Rheum.*

**Diarrhoea** *Corn. ser., Pot. rep., Acac. sen., Cusp. f., Aegle., Sesa. ind., Kalm., Rubus v., Rhus gl., Plant. m., Pot. Tor., Ment. sat., Pyr. Cyd., Salix a., Pyr. auc., Vacc. Myr., Querc. R., Polyp. off., Calot., Nect., Erig., Avens., Amar., Cyn. off., Cinn. Zey.*  
 acute in cholera morbus and cholera infantum, with atony and nausea, vomiting and cold extremities and surface *Zing. Psyc. Ipec.*  
 acute mucus of dentition *Puls.*  
 alternating with constipation with venous congestion *Jugl. cin. Penth.*  
 burning and tenesmic discharge catarrhal



**RECTUM**

**Diarrhœa** watery, in children  
with agonizing, twisting pain,  
causing patient to bend  
double and press on abdomen  
— constant desire to defecate  
— half digested passages or  
clay-coloured stools  
— passive hæmorrhages  
yellow, coated tongue, and  
gastric fever

**Disorders** enfeebled condition of bowel  
and rectum  
involvement with headache;  
spasmodic asthma; dyspnœa;  
vertigo, and disturbed diges-  
tion  
loss of tone of rectal tissues as  
prolapse  
paralysis of  
perineum lacerated

**Hæmorrhoids** (Linar. v.), Aloe, Collins.,  
(Plant. m.), (Sata. Car.),  
(Impat.), Gault., Amar.,  
(*Querc. L.*), (Phytol.),  
(Liquidamb.), (*Pisc. Ery.*),  
Ran. F., (Ran. F.), Cyn.  
off., Cass., Aesc. H.,  
Prun. v., Hamam., Conv.  
m., Penth.

and fissures  
biliary insufficiency with portal  
inactivity  
bleeding  
— and diarrhœa  
—, much flatulence; con-  
stipation alternating with  
diarrhœa; sensation of for-  
eign body in anus as if filled  
with sand

Rubus.  
*Coloc. aut.*  
Geran. mac.  
Lept.  
*Querc. L.*  
*Acon.*  
Pip. Cub.  
Aesc. H.  
Hydras., (Hydras.)  
*Rhus t.*  
(Calend.)  
(*Bell.*)  
Podo.  
(Hamam.), (Clav. pur.)  
Caps. Bur.  
Collins.

**RECTUM**

**Hæmorrhoids** bleeding, sore, bruised pain in  
anus, severe headaches  
chronic, non-burning, with tor-  
por and constipation  
dryness and heat in rectum, as  
if filled with sticks; cutting  
pain in rectum; severe dull  
ache in lumbo-sacral region  
external, non-bleeding  
inflamed  
non-bleeding when full, purple,  
painful, and feeling as if for-  
eign body in rectum  
non-bleeding with much itching  
and discomfort  
non-ulcerating  
painful  
— and external  
sluggish  
splenic congestion due to hepatic  
congestion  
vascular engorgement with dull,  
aching pain and fullness,  
throbbing of vessels, and  
general malaise  
with diarrhœa  
— loss of rectal tone  
— nervousness and venous  
congestion  
— neuralgic pain and rectal  
inflammation

**Inflammation**  
and neuralgic pain from engor-  
ged hæmorrhoids  
sense of fullness, burning and  
throbbing in rectum

**Pain** intolerable itching and some-  
times semi-purulent secretion

Hamam.  
*Caps. + Aloe.*  
Aesc. H.  
(Ulm. f.)  
Ricin. c.  
Aesc. H.  
Aesc. H.  
Hydras. + (Hydras.)  
(Alth. ros.), *Hyosc.*, (Myrist. fr.),  
(Alth. off.)  
*Stram.*  
*Caps.*  
Chel. m.  
Aesc. H.  
Plant. m.  
Casc. sag.  
*Puls.*  
Aesc. H.  
Hord.  
Aesc. H.  
*Gels. + Collins.*  
*Stram.*

## RECTUM

<b>Pain</b>	irritation with sense of constriction in anus	Collins.
	neuralgia	<i>Acon.</i> + ( <i>Acon.</i> )
	sense of constriction with constipation, due to vascular enlargement of pelvic viscera	Collins.
	sensation of foreign body lodged in, with painful contraction of sphincter and perineum	Collins.
<b>Stools</b>	dryness and heat in rectum, as if filled with sticks, cutting pain in rectum and severe dull ache in lumbo-sacral region	Aesc. H.
	clay-coloured	Podo., Lept., Chel. m.
	— — —, light	Chion. v.
	dark, tarry, and fetid	Bapt.
	dry and scybalous	Bry.
	frothy, yeast-like	Chion. v.
	green and slimy, or mixed whitish curds and green mucus, with flatulence, colic and excoriated anus	Matric.
	green, with colic	Chion. v.
	half-digested food	Lept.
	loose, burning and tenesmic	Jugl. cin.
	profuse, choleric or excessive mucoid	Urt. d.
	prune-juice or fetid meat-washings, resembling scybalous	Bapt. Collins.
	semi-pasty and tenacious, light-coloured with burning at voiding and persisting for weeks	Ricin. c.
soft, yellow, with sadness and nervousness	Polyp. off.	
very dry	Polyp. off.	
watery, in children	Rubus v.	

## URINARY

### Albuminuria

Cel. sca. + Helon. + Eupat. pur., Geran. mac. + Alet., *Bell.*, Phytol., Piloc., Chim. umb., *Gels.*

acute with bloody urine, due to renal hyperæmia Fab. Imb.  
bloody discharge Senec. aur., Senec. Jac., Gen. tinc. *Adon.*  
delirium, and Chim. umb.  
incipient cases Ajug. rep.  
when pulse frequent

### Atony

renal, and dragging in lumbar region Junip. com.  
—, in aged, with persistent sense of weight and dragging in lumbar region Junip. com.  
—, with catarrhal discharge and pus Junip. com.  
urinary tract with muddy ill-smelling urine Agrim.

### Bladder

affections, children Zea May.  
affections of Dauc. C., Alch. arv.  
atony of, to promote flow of urine (All. sat.)  
catarrh Baros., Zea May., Junip. com.,  
Hern., Peum. b.  
—, chronic *Cop. L.*  
— — — with offensive urine Chim. umb.  
—, with painful urination and gritty concretions Lyco. cl.  
chronic mucous inflammation Santal.  
debilitated and relaxed Epig.  
decomposition of urine, in Zea May.  
excessive discharges Rhus arom.

**URINARY**

<b>Bladder</b>	functional catarrhal disease of gravel, irritation, pain, uneasiness, burning, difficult urination or frequent desire	Fab. Imb.
	—, in children	Eryng. cam.
	— and irritation	Eupat. pur.
	inflammation of	Hydrang.
	— —, chronic	Baros., Gault.
	— — —, with soreness and tenderness	Equis.
	irritable, with cardiac weakness or irregularities	Elet.
	irritation from gravel	<i>Cer. gr.</i>
	— and catarrh	Equis.
	— chronic, with pain, tenesmus and catarrhal discharge	Chond. cr.
	— and incontinence	Agrim., <i>Gels.</i>
	— in aged, with tendency to catarrh	Uva U.
	—, retention, suppression, in children	Equis.
	—, with chronic inflammation	Hydrang.
	irritation of, with recurrent attacks of distressing pain and frequent urination in women at menopause due to taking cold	Zea May.
	non-inflammatory irritation of neck of	Fuc. ves.
	paralysis of	Junip. com.
	spasmodic condition of	Junip. com.
	— contraction of	<i>Rhus t.</i>
	ulceration, due to chronic cystitis	Aven.
	— of	Vibur. Op.
	vesical irritation and inflammation	Hydras. + (Hydras.)
	— atony	Uva U.
	— catarrh, worse from dampness	Pip. meth.
		Pip. meth.
		Solan. dul.

**URINARY**

<b>Bright's Disease</b>	chronic	Liat. sp., Helon.
	frequent and scanty urination, burning and scalding in urinary tract ; heavy, dull aching pains in renal region	Apoc. and.
<b>Calculi</b>	cystic	Agro.
	gravel in bladder, and phosphatic and uric acid concretions with dropsical accumulations	Pariet., Eupat. pur.
	renal	Uva U.
	—, small and cystic gravel	Hydrang., Collins.
<b>Catarrh</b>	cystic	Zea May.
	—, with aching of kidneys and bladder	Equis.
	genito-urinary	<i>Gels.</i>
	renal tract without fever or inflammation	Uva U., Conv. m.
<b>Colic</b>	renal	Uva U. + Mitch. + Tarax. + Erch.
<b>Congestion</b>	renal, or hyperæmia	Myrox. P.
	—, chronic with renal capillary inactivity	Diosc.
	—, with cardiac weakness or irregularities	Junip. com.
<b>Constriction</b>	spasmodic, or urethral canal and cystic spasm	<i>Caps.</i>
<b>Cystitis</b>	acute	<i>Cer. gr.</i>
	—, with deep-seated burning pains, and normal secretion scanty	( <i>Digit.</i> ), Car. pet.
		( <i>Bell.</i> )
		Agro., Erch., Alth. off., Pip. Cub., Salix nig., <i>Seren. ser.</i>
		Alth. ros.
		Eryng. cam.

**URINARY**

**Cystitis** catarrhal Eriod., Agrim., Lyco. cl., Chond. t.  
 —, and purulent in aged Eucalyp.  
 chronic Santal., Zea May., Baros., Chond.  
 cr.  
 — with excessive discharge Eryng. cam.  
 — with itching down whole  
 length of urethra; burning  
 and scalding urine with con-  
 stant urge to urinate; urine  
 contains blood and ropy  
 mucus Chim. umb.  
 — with large mucous flow  
 Sassa., Ol. Tereb. R.  
 — with large mucous diuresis Urt. d.  
 — with pinkish-red sediment  
 of mucus, pus, blood or brick  
 dust Chim. umb.  
 involuntary urination in old  
 people, constant desire to  
 urinate without relief Equis.  
 irritable bladder with constant  
 desire to urinate but only  
 small amount passed Camph.  
 urethral irritation or prostatitis Salix nig.

**Deposits** uric acid Swert. Ch., Epig.  
 —, with feverishness, or  
 kidney, liver, bladder, or  
 gastric troubles Lyco. cl.

**Diabetes** glycosuria Chim. umb., Eug. Jam., Helon.  
 incipient Thuja, Spir. U., Hyosc., Ignat.,  
 Piloc., Bell., Trill.  
 mellitus Hydrang., Lyco. v.  
 pain in right hypochondrium,  
 cramp-like pains in abdomen;  
 frontal headache over eyes;  
 clay-coloured stools Chion. v.  
 with great thirst, passing large  
 quantities of clear urine Lyco. v.

**URINARY**

**Discharge** urinary, to promote  
 Rubia, Nep. Cat., Cypris. pub.,  
 Lobel., Uva U., Hamam.,  
 Hydras., Alth. off.

**Disorders** **BENAL** Alch. arv., Erig., Tarax., Grind.  
 cam., Cusc. Ep., Sesa. ind.,  
 Liat. sp., Caps. Bur., Rumex  
 acet.  
 acute and feverish nature, of Glech.  
 blood in urine, with Lyco. cl.  
 catarrhal Collins.  
 chronic, and bladder Agro.  
 functional catarrhal Fab. Imb.  
 inactivity with incontinence Scill.  
 many Alth. off.  
 standing, of long Chim. umb.  
 torpor, result of cold Serp.  
 ulceration Uva U.

**URINARY**  
 organs Frag. v., Santal., Alth. off., Eupat.  
 off., Sorg.  
 bladder, and Agro.  
 chronic Hyper.  
 gonorrhoea, following Chim. umb.  
 relaxed tract with pain and  
 bloody or mucous secretions Uva U.  
 rheumatism or gout, caused by Phys. alk.

**LITHÆMIA** Baros.

**Dropsy** Caps. Bur., Mitch., Cusp., f.,  
 Apoc. and + Serp.,  
 Coch. a.  
 anasarca Stroph.  
 ascites of hepatic cirrhosis Stroph.  
 congestion of kidneys Scill.  
 effusions when kidneys able to  
 respond and when œdema  
 follows scarlet fever Car. pet.  
 renal, origin of Piloc.

**URINARY**

<b>Dropsy</b>	renal, not of cardiac lesions	<i>Poly. sen.</i>
	—, inefficiency, due to	Pip. meth.
	—, with deficiency of urine	Piloc.
	retention of urine, with	Dauc. C.
	scanty urine, with	Car. pet.
<b>Enuresis</b>		Art. Abs. ( <i>oil</i> ), Pedal. M., Equis., Fab. Imb., Helon.
	atony, due to	Thuja.
	children, due to relaxed vesical sphincter and copious dis- charge of pale urine	Plant. m.
	nocturnal, in old and young, due to muscular atony	Pip. meth.
	—	Uva U. + Achill. + Rhus gl.
<b>Gravel</b>		Alth. ros., Dauc. C., Car. pet., Tiar., Alch. arv., Uva U., Vacc. Myr., Baros., Gal. ap., Gal. ver., Alis., Erig., Rusc., Petas. v., Senac. aur., Agro., Pariet., Col- lins., Eupat. pur.
	children, in	Eupat. pur.
	deposits, to prevent	Hydrang.
	irritation, and	Hydrang.
	—, pain, uneasiness, burning ; difficult urination or frequent desire	Eryng. cam.
	painful urination and catarrh of bladder	Lyco. cl.
	passage of blood, mucus and pus, with	All. cep.
	red sandy deposits or phosphatic particles, readily stains cloth- ing	Lyco. cl.
	urine contains excess of uric acid with pus and bloody mucus, with dysuria and tenesmus	Erig.

**URINARY**

<b>Hæmorrhage</b>	Cinn. Zey.
<b>Hæmaturia</b>	Achill., Clav. pur., Bidens., Equis., Ol. Tereb. R., Caps. Bur., Lyco. v., Ger- an. mac.
	capillary bleeding Senac. aur., Senac. Jac.
	mild renal Hyper.
	much arterial excitement with calculus in bladder Lyco. v.
	passive Aln. ser., Eupat. pur.
<b>Incontinence</b>	Pedal. M., Kram.
	aged, dribbling in Agrim.
	aged, and urging in <i>Delph. Staph.</i>
	catarrh, etc., and Pip. meth.
	children and aged persons, in —, due to weak bladder Rhus arom. Thuja.
	chronic disorders, and Achill. + Ol. Anise.
	dribbling of urine in aged, not due to paralysis or growths Thuja.
	— from movement <i>Puls.</i>
	enuresis, excessive and painful urination, and Rhus arom.
	— and irritation <i>Bell.</i>
	involuntary from colds and from nervous diseases <i>Puls.</i>
	painful and frequent urination, scanty milky and mucoid or bloody mixtures; pain and weight in loins to bladder ; skin hot, dry and constricted suppression, stone, etc., and with gastro-hepatic disorders with weakness of bladder Eupat. pur. Equis.
<b>Inflammation</b>	acute, of genito-renal tract Equis.
	chronic, of genito-renal tract <i>Delph. Staph.</i> , Larix. Eur.
	chronic, of urethra in women Pip. cub.
	debility of urinary passages, and prostate, acute Pip. meth. Equis.

**URINARY**

<b>Inflammation</b>	renal —, chronic with excretion of pus —, incipient subacute urinary	Lin. usti.  Chond. t. Gault. Pip. Cub. Zea May.
<b>Irritation</b>	abdominal tenderness, with chronic, vesical cystic —, from cold with frequent urge to urinate and passage of urine difficult —, with dysuria, and vesical tenesmus dribbling in old men, enlarged prostate, and irritability; bed-wetting in children, and general genito-urinary tract with scalding urine increase action of kidneys, and to nervousness, with painful urination, and renal strangury, uric acid deposits, and suppression, gravel, etc., and —, stone, and tenesmic pain, and urethra, of, due to spermatorrhœa —, with sensation of incomplete urethral evacuation —, and vesical with gravel —, in the feeble with urging to urinate urinary tract, of, with muddy, ill-smelling urine	Chond. t. Baros. Equis.  Gels. Fab. Imb. Thuja. Car. pet., Arct. L., Zea May., Agro.  Cann. sat. Arct. L. Hyosc. Senec. aur. Alth. ros., Chond. cr. Epig. Zea May. Samb. Eb. Seren. ser.  Salix nig.  Delph. Staph. Hydrang.  Hyosc. Agrim.

**URINARY**

<b>Irritation</b>	viscus, long-standing with excessive mucous secretion with relaxed or debilitated bladder	Baros. Tsuga.  Epig.
<b>Nephritis</b>	acute — and chronic — desquamation — tubal chronic — with albuminuria — with difficulty of urination — with pale waxy skin and pedal œdema — with scrofulous tendency desquamative with weak heart hydro-irritation and deficient secretion, with — with gravel liver troubles, especially with painful conditions and cough pregnancy, of, with albuminuria pyo- sthenic patients, in — —, with dry, hot skin, etc. tubular, second stage with renal congestion	Gels., Hydrang., Citr. v. Corall. + Zing.,  Solid. Fuc. ves. Gault. Ol. Tereb. R. Stroph. Eryng. cam.  Erech. Chim. umb. (Digit.) Ol. Tereb. R. Bell., Samb. Eb. Agrim. Chion. v. Agrim. Apoc. can. Ol. Tereb. R. Verat. v. Piloc. Apoc. can.
<b>Pain</b>	bruised, with stiffness and lameness across small of back; rises with difficulty; pain worse when sitting or lying, feeling of painful pressure in renal region extending to bladder and urethra burning —, and itching through vesical, prostate and urethral tracts following gonorrhœa or gleet	Berb. v. Rhus t.  Eryng. cam.

**URINARY**

<b>Pain</b>	burning, and scalding in women, especially at period	Pip. Cub.
	—, in urethra or neck of bladder	Gal. ver.
	—, soreness and excess of mucus due to calculi	Berb. v.
	—, with renal, vesical or urethral irritability	Eryng. cam.
	chronic in kidneys, ureter and bladder	Lyc. cl.
	deep-seated burning with acute cystitis	Eryng. cam.
	—, in bladder extending to loins	Eryng. cam.
	—, renal and weight in loins extending to bladder	Eupat. pur.
	fullness and weight in bladder with difficult urination	Gossy.
	over kidneys in spots, and scanty urine	Solid.
	spasm in neck of bladder	Aven.
	spasmodic, cystic	Hyosc.
	sticking	Collins.
	vesical pressure and tenesmus with frequent urge	Cop. L.
	—, with frequent urination	Fab. Imb.
<b>Paralysis</b>	urinary apparatus, of	Diuretics + Serp., or Zing.
<b>Prostatitis</b>		Baros.
	active inflammatory stage, after acute, gland enlarged, tender and painful, feeling as if sit- ting on ball	Eupat. pur.
	chronic	Delph. Staph.
	—, with catarrh of bladder	Thuja.
	—, enlargement of gland, throbbing, aching, dull pain ; difficult and painful urination	Chim. umb.
	—, with irritation	Sab. ser. Gault., Chim. umb.

**URINARY**

<b>Prostatitis</b>	feeling of dryness and heat in gland, shooting, cutting pains in rectum, or as if full of sticks	Aesc. H.
	general	Puls., Seren. ser., Salix nig.
<b>Pyelitis</b>		Zea May, Chond. t., Uva U., Erech., Baros., Ol. Tereb. R.
	aged, in catarrh of the bladder, with	Eucalyp.
	chronic purulent discharge, with	Zea May. Junip. com. Chim. umb.
<b>Retention</b>	urine, in children ; painful urina- tion in adults ; mucus, blood, or red sand deposits	Lyc. cl.
	—, strangury and for use after dropsy	Car. pet.
	—, and many other disorders	Art. C.
	—, spasmodic, stricture, etc.	Caul. th., Stram.
<b>Strangury</b>		Curc., Spir. U., Car. pet.
<b>Stricture</b>	urethral	Eryng. cam., Gels., (Bell. (oint.)), Stram.
	—, irritably inflamed, stream of urine divided with painful urination	[Gels.] + Chim. umb.
<b>Suppression</b>	urine	Gal. Ap., Tiar., Hyper., Pariet., Mitch., (Brass. n.)
	—, in excitable women	Gels.
	—, general depression and headache, with	Solid.
	—, high specific gravity and deep colour	Piloc.
	—, in infants	Solid.
—, and obstruction	Polyt. Jun.	
<b>Uræmia</b>		Apoc. can., Baros., Crot.
	with convulsions	Tig., Piloc., Pip. meth. Piloc., Echin.



## URINARY

### Urine

deficient secretion due to general debility	Ol. Tereb. R.
excess of mucous or muco-purulent and acid, with vesico-renal irritation (chronic)	Baros.
excessive mucous and prostatic discharges	<i>Seren. ser.</i>
fermentative and alkaline, gravel, uric acid deposits	Styr. ben.
highly-coloured with blood and solids, and voided with pain	Eupat. pur.
loaded with bile	Chel. m.
low specific gravity	Salv. off.
milky-looking	Eupat. pur.
mucoid discharges	<i>Cop. L.</i>
mucus and blood	Agro.
presence of sugar	Chion. v.
prostatorrhœa	Equis.
pus, in	Eucalyp.
stains clothing yellow	Chion. v.
scalding	<i>Cann. sat.</i> , Curc. Pep., Citr. v.
scanty, and circulation sluggish	
with boggy, watery urine	Apoc. can.
— and milky with admixture of blood and mucus	Eupat. pur.
— and orange-coloured	Chion. v.
— but excessive voiding of mucus, muco-pus, or bloody muco-pus	
— high-coloured with sense of pressure in bladder	Chim. umb.
— secretion of highly-coloured	<i>Scill.</i>
— with frequent and ineffective urging	Menth. vir.
— with hyperæmic irritation of renal organs and urinary passages	Eryng. cam.
thick,ropy, in aged	<i>Gels.</i>
	Chim. umb.

## GENITALIA

<b>Abortion</b>	prevent, to	Vibur. pr., Leon., Mitch., Guaia.
		+ Aspar.
	threatened	Vibur. pr.
<b>Abrasions</b>		[Tsuga.]
	vaginal	[Calend.]
<b>Amenorrhœa</b>		Chrys. Par., Cimic. rac., Clav. pur., Mitch., Leon., Solan. ins., Sumb., Polyg. Hyd., Cent. Cy., Caul. th., <i>Hell. n.</i> , <i>Puls.</i> , <i>Con.</i> <i>mac.</i> , Apiol., Vibur. pr., Senec. aur.
	aching pains in hips and loins,	
	feeling of weight and tension	
	in loins	Polyg. Hyd.
	anæmia, with	Sang., Helon. + [Helon.]
	anæmic girls in	Commi. Myr.
	atonic	Nep. Cat., Ruta gr.
	— when genital tissues flabby	
	and lifeless	Thuja.
	chilliness and depression, with	<i>Puls.</i>
	cold of recent occurrence, from	
		Solid., <i>Acon.</i>
	cold, suppressed by	
		Art. v., Orig. v., Mon. punc., <i>Chen. ant. (hot)</i> , Art. Abs. ( <i>hot</i> ).
	— — —, with nausea,	
	headache, and chilly sensation	Chrys., Par., Solan. dul.
	— — — from taking, or from	
	emotional causes	<i>Puls.</i>
	colds, due to recent	Carth. t., Asar. Can.
	congestion, with	Corall. + Zing.
	debility, of	Senec. Jac., Senec. aur., Apoc. can.

**GENTILIA**

**Amenorrhœa** delayed or arrested  
 — in young girls; head-  
 aches; wandering pains;  
 chorea; and possibly hysteria  
 and epilepsy  
 —, cold extremities; dry,  
 rough skin  
 — by wet feet in women of  
 mild gentle disposition  
 discharge, to increase  
 Asclep. t. + Caul. th. + Zing.  
 excite or restore  
 (Brass. n.), Art. Abr., Cimic. rac.,  
 Rubia, Ruta gr.; Carth. t., Sesa.  
 ind., Aloe, Anth. n., Sant. Ch.  
 face flushed, eyes bright with  
 contracted pupils  
 feeble circulation, sallow, ex-  
 pressionless mouth and face,  
 and colic-like pain  
 irregular with uterine or cervical  
 leucorrhœa  
 lactation suppressed, with  
 long standing with pallor, takes  
 cold easily; anæmia and lang-  
 our; dark circles around  
 eyes; pain in back and loins;  
 exhibits full and prominent  
 veins  
 nervous depression and des-  
 pondency  
 ovarian inactivity, due to  
 pain in back, pelvis and thighs  
 pale, despondent and nervous  
 tardy and imperfect  
 — and suppressed  
 — or insufficient with sense  
 of fullness and weakness of  
 back and loins  
 tense bearing-down pains, with

Tanac.  
 Caul. th.  
 Sang.  
 Puls.  
 Asclep. t. + Caul. th. + Zing.  
 (Brass. n.), Art. Abr., Cimic. rac.,  
 Rubia, Ruta gr.; Carth. t., Sesa.  
 ind., Aloe, Anth. n., Sant. Ch.  
 Gels.  
 + Cimic. rac.  
 Senec. aur.  
 Foen.  
 Menth. pip.  
 Cann. sat.  
 Car. pet.  
 Cimic. rac.  
 + Cimic. rac.  
 Asafet.  
 Senec. Jac.  
 Puls.  
 Vibur. pr.

**GENTILIA**

**Amenorrhœa** uterine torpor and constipation,  
 with  
 vascular excitement  
 young not yet well established,  
 in  
 Commi. Myr.  
 Acon.  
 Senec. Jac.

**Derangements**  
 (Not other-  
 wise classi-  
 fied)  
 Liat. sp., Cham. lut., Ajug.  
 Ch., Imper. Ost., Usti.  
 May.  
 apathy and frigidity, in females  
 with imperfect menstruation  
 and leucorrhœal discharges  
 colds, due to  
 debility of female reproductory  
 organs with bearing-down  
 pains and discomforts  
 long intermenstrual intervals  
 and prolonged flow  
 nervous agitation preceding  
 menstruation in feeble, excit-  
 able women, flow tardy, and  
 imperfect  
 paroxysms, with  
 pelvic fullness, with  
 Con. mac.  
 Carb. ben.  
 Leon.  
 Delph. Staph.  
 Nep. Cat.  
 Solan. Car.  
 Oenoth. b.

**Dysmenor-  
 rhœa**  
 Melil. off., Citr. Col., Zing.,  
 Nep. Cat., Cimic. rac.,  
 Caul. th., Mitch., Phytol.,  
 Levist., [Bell. (suppos.)],  
 Pisc. Ery., Vibur. pr.,  
 (Tanac.), Puls., Senec. aur.  
 Apiol.  
 atonic  
 burning pain and frontal head-  
 aches, with  
 — — with intense itching  
 check pain and facilitate flow, to  
 congestive  
 cramp-like pains and scanty  
 flow  
 debility, with  
 Asar. can.  
 Rhus t.  
 Apis. (H)  
 Anth. n.  
 Hydras.  
 Vibur. pr.  
 Sang.

**GENITALIA**

**Dysmenorrhœa** gloomy mentality and chilliness *Puls.*  
 great præcordial depression, difficult respiration and full rigid pelvic tissues *Lobel.*  
 griping, twisting pain, worse bending down and lying down, better standing erect and bending back *Diosc.*  
 habitual, with scanty flow *Chrys. L.*  
 intense cramping in uterus; flow scanty; heavy congested feeling in ovaries *Gels. + Vibur. Op.*  
 neuralgic *Vibur. Op.*  
 painful and difficult *Menth. sat.*  
 — and spasmodic *Cann. sat.*  
 profuse discharge of urine; dull and drowsy *Bell.*  
 robust subjects, in *Gels.*  
 scanty and difficult with flushed face and bright eyes *Gels.*  
 severe chill and cold extremities *Ignat.*  
 spasmodic *Hyosc., Vibur. Op.*  
 tardy with backache and dragging pelvic pain *Gossy.*  
 tense tearing about anus as if some pointed or rough substance lodged there *Collins.*

**Glands** tenderness in, and other parts or reproductive organs *Seren. ser.*

**Gleet** *[Liquidamb.], Cop. L., Liat. sp., [Hamam.], Pip. cub., Pop. tre., Ped. Mur., Equis., Rhus gl., Uva U., (Querc. L.), Pip. meth., [Nymph.], Delph. Staph., Thuja.*  
 badly treated gonorrhœa, of *Seren. ser.*  
 last stage of (Hydras.)  
 with excessive mucous discharge *Ol. Tereb. R.*  
 with nervous unrest *Cyprip. pub.*

**GENITALIA**

**Gonorrhœa** *Pyr. Cyd., Chim. umb., [Cop. tri.], Cop. L., Liat. sp., Cean. Am., Pip. cub., Alth. off., Santal., Ped. Mur., Bet. alb., Equis., (Querc. L.), (Pter. M.), Rhus gl., Verat. v., Oxal. ac., Pop. tre., Peum. Bol., Uva U., [Liquidamb.], [Hamam.], Stat., Hydras., Thuja, Delph. Staph., Phytol., Eryng. cam., Pip. meth.*  
 acute *[Alth. off.], [Alth. ros.], Asclep. cur., Gels. + Cann. sat.*  
 after discharges have almost ceased *Pip. cub.*  
 ardor urinae, in (Hydras.)  
 bloody urination, with Uva U.  
 chronic Sassa.  
 chronic when urethral membrane swollen *Puls.*  
 discharges free and fetid (Eucalyp.)  
 having pain in urination Eryng. cam.  
 inflammatory stage, in *Gels.*  
 second stage, in (Hydras.)  
 slow and intractable Pip. meth.  
 stubbornly resisting Myrox. P.  
 urethritis, febrile stage *Acon.*  
 urethritis (Hydras.)

**Hæmorrhage** passive in virgins, and during menopause *Hydras.*  
 post-partum *Helon.*

**Labour** after-pains, and nervous agitation, subsequent to *Gels.*  
 cross and peevish, cannot stand least pain *Anth. n.*  
 during, to overcome great restlessness, fear, and excitement  
 in nervous women *Gels.*  
 distress, to relieve *Mitch.*

**GENITALIA**

**Labour** excessive flow Cinn. Zey.  
 facilitate, to Caul. th., Art. el.  
 hæmorrhagic tendency, pains  
 inefficient and parts lax Corn. ser.  
 jerky and ineffectual contrac-  
 tions Gels.  
 mitigate pain and relieve sense  
 of heat and dryness, to Gels.  
 perineal and vaginal rigidity,  
 during Lobel.  
 preparatory steps to insure good  
 Mitch. + Cimic. rac. + Aral. n.  
 pressing pains on bladder or  
 rectum Nux Vom.  
 puerperal, convulsions, eclamp-  
 sia, pulse hard and tense Verat. v.  
 rigid os (Bell. (oint.))  
 rigidity of os, nervous and rest-  
 less Piloc.  
 soreness of tissues, after (Hamam.)  
 weak irregular uterine contrac-  
 tions, during Cimic. rac.  
 with cold feet and general cold  
 surface ; pains inefficient Serp.

**Leucorrhœa** [Tsuga], [Liquidamb.], Cop.  
 L., [Calend.], Rhus gl.,  
 (Hamam.), (Querc. L.),  
 [Querc. R.], Uva U., Prun.  
 v., [Amar.], [Nymph.],  
 Avens., Cel. sca., [Chrys.  
 Leu.], [Stat.], [Vacc.  
 Myr.], [Pter. M.], [Pyr.  
 auc.], [Collins.], Puls.,  
 Achill.  
 anæmia, with Helon. + [Helon.]  
 atonic in strumous subjects Cory. Can.  
 atonic [Myric. cer.]  
 cervical with enlargement of  
 womb Senec. aur.  
 dysmenorrhagic Fran. gr., Iris lut.

**GENITALIA**

**Leucorrhœa** fetid discharge, with  
 free, thick, milky or yellow  
 bland discharge, and pain in  
 loins, with Puls.  
 offensive with free but fetid  
 discharge [Eucalyp.]  
 sponginess of vagina, and ten-  
 dency to prolapsus of womb Hamam.  
 strong, sticky Helon.  
 syphilis, associated with Berb. aq.  
 syphilitic Berb. aq.  
 vaginal following gonorrhœa  
 and gleet Fran. gr.  
 — and uterine  
 Hydras. + (Hydras.), Uva U., Conv. m.  
 watery Apoc. can.

**Lochia** suppressed Menth. pip., Cimic. rac., Leon.,  
 Croc. sat.  
 suppress, to Corall.

**Male Organs**

**GLANS PENIS**

abrasions and excoriations of (Thuja)  
 chordee, to prevent and relieve  
 Gels., (Bell. (oint.)), Nux Vom.,  
 Puls., Cann. sat.

**TESTES.**

atrophy of Seren. ser.  
 dark red, congested, enlarged  
 and sensitive Puls.  
 epididymitis Podo., Seren. ser., (Piloc.)  
 — due to gonorrhœal infec- Puls.  
 tion, or metastasis of mumps Piloc.  
 gonorrhœal  
 — infection or metastasis  
 from mumps Puls.  
 nervous irritation due to, or  
 accompanying varicocele Puls.  
 orchitis Seren. ser., Stram., Verat. v.,  
 (Echin.), (Piloc.), Phytol.

**GENITALIA**

**Male Organs** orchitis metastasis from mumps *Puls.* + Phytol.  
 — with tenderness on pressure Bry.  
 varicocele (Hamam.) + *Puls.* + Hamam.,  
 Beton.  
 — with piles Collins.  
 — with sense of weight and dragging Hamam.

**PROSTATE** (see also **Prostatitis**)  
 enlargement of Thuja, Gault., Chond. t.  
 inflammation of Beton.  
 irritation, with painful micturition and dribbling in aged *Seren. ser.*

**SPERMATORRHOEA** Aven., *Bell.*, Helon., Chim.  
 umb., Salv. off., *Puls.*,  
 Humul., Camph., Salix  
 nig., Vibur. pr., Iris v.,  
 Collins., Cinch.  
 irritable Cel. sca. + Agrim.  
 seminal emissions, with lustful  
 dreams; weak knees; cold  
 genitals, and great despon-  
 dency Diosc.  
 through urethral irritation Eryng. cam.  
 with turgescence of the erectile  
 tissue Clav. pur.

**Masturbation** Beton.  
 disorders from Usti. May.  
 epilepsy, due to *Con. mac.*

**Menopause** alternate chills and flushes;  
 blood to head; palpitation *Acon.*  
 debility Vibur. pr.  
 fear of disaster Cypris. pub.  
 hypochondriacal Cypris. pub.  
 nervous atony with cold  
 extremities *Ignat.*  
 persistent cold feet and legs *Ignat.*  
 with tendency to mania Cypris. pub.  
 worry Cypris. pub.

**GENITALIA**

**Menorrhagia**

Ol. Tereb. R., Trill., Geran.  
 mac., Vinc. m., Linar. el.,  
*Psyc. Ipec.*, Senec. Jac.,  
 Lysim., Mitch., Uva U.,  
 Amar., *Puls.*, Hamam.,  
 Cinic. rac., Senec. aur.,  
 Achill., Alet. Caps. Bur.  
 congestive Hydrac., Clav. pur.  
 dark clotted losses *Croc. sat.*  
 excessive and flooding Alch. v. + [Alch. v.]  
 — with shreds of membrane  
 passed Clav. pur.  
 excited circulation, with, and  
 hot dry skin *Acon.*  
 fibroids and polypi, with  
 functional Cinn. Zey.  
*Cann. sat.*  
 profuse, too often and too long Apoc. can.  
 prolonged and oft-recurring with  
 almost colourless flow Caps. Bur.

**Menses**

**OBSTRUCTED.** Cel. sca., Polyg. Hyd., Gos-  
 sy., Rusc., Leon., Art.  
 v., Cinic. rac., Teuc. Sco.  
**DIFFICULT.** Gossy.

**Menstrual  
Flow**

irregular, scanty or delayed  
 with dull pain and muscular  
 soreness Cinic. rac.  
 promote, to Veron. off., Corall.  
 scanty, to relieve pain Car. pet.  
 suppressed or excessive Ball. n.  
 with sudden fits of temper Matric.

**Metrorrhagia**

Lyc. v., Senec. Jac.

**Nymphomania**

*Hyosc.*, Humul., Salix nig.,  
 Camph., *Stram.*  
 mild Salix nig.

**GENITALIA**

**Ovarian** atony with impairment of function Senec. aur., Senec. Jac.  
 burning pain extending to vagina with frontal headache and sharp pulse *Rhus t.*  
 congestion with dull aching pain and sense of weight and fullness Hamam.  
 dragging pains in groins and vulva Phytol.  
 dull, turbid headache with inclination to sleep *Bell.*  
 inflammation, acute, with more or less enlargement in iliac with deep-seated and dull pain, tenderness on pressure and weight in pelvis *Acon., Verat. v.*  
 —, and menstrual derangements of excessive discharge in women with lax, pendulous abdomen, weak and flabby enlarged uterus, and full toneless perineal and vaginal tissues Usti. M.  
 — Caul. th., *Seren. ser.*, *Salix nig.*, *Gels.*, *Verat. v.*, Corall.  
 —, with tenderness on pressure Bry.  
 —, with tense tearing pain *Puls.*  
 irritation and determination of blood to the head *Gels.*  
 steady pain extending to groin Bry.  
 tensive dragging pain, backache, and soreness of muscles Cimic. rac.  
 uterine tenesmus Vibur. pr.

**Pain** after- Cimic. rac., Vibur. pr., Caul. th.  
 annoying, of pregnancy Cimic. rac.  
 bearing-down, explosive Vibur. Op.  
 bearing-down and severe lumbar Vibur. pr.

**GENITALIA**

**Pain** contraction of pelvic tissues, painful Vibur. pr.  
 convulsions, puerperal *Verat. v.*  
 cramps and neuralgia of uterus Xanth.  
 dragging in womb with sense of soreness Cimic. rac.  
 dragging pelvic, and backache, with tardy menstruation Gossy.  
 dull, aching, ovarian Cimic. rac.  
 dull, tensive, incident of reproductive disorders in women Cimic. rac.  
 eclampsia, post-partum with mania *Verat. v.*  
 false Cimic. rac., Vibur. pr.  
 —, and restlessness Caul. th.  
 menstrual colic with soreness and coldness Melil. off.  
 neuralgic, during menses *Passif.*  
 neuralgia, ovarian Diosc., Melil. off., *Con. mac.*  
 pelvic congestion, sense of Caul. th.  
 — weakness and sense of dragging in testicles with frequent and painful urination, of male reproductive organs Senec. aur.  
 perineal weight and fullness with female complaints Senec. aur.  
 reflex, of pregnancy and menopause *Passif.*  
 sluggish labour, of Caul. th.  
 soreness and bearing-down of uterus Senec. Jac.  
 spasmodic, dysmenorrhagic Diosc.  
 —, uterine Vibur. Op.  
 tenderness in glands, and other parts or reproductive organs *Seren. ser.*  
 testicular dragging and pelvic weight with tenesmic urination Senec. Jac.

**GENTILIA**

**Pain** uterine, with weight, fullness and pain in legs  
weight and dragging in pelvis in females  
Caul. th.  
Commi. Myr.

**Pregnancy** albumen in urine previous to full term  
cerebral congestion; flushed face; cold extremities; throbbing carotids  
cramp in calves of legs  
disagreeable, nothing pleases  
hæmorrhoids, with heart action, to strengthen  
Eupat. pur.  
Verat. v.  
Vibur. Op.  
Piloc.  
Aesc. H.  
Digit.

**Prolapse** uteri, dragging pain in hypogastrium; back feels broken, and pains extend along posterior portion of thighs; tendency to melancholia  
Helon.  
Cimic. rac., Puls., Helon., Senec. aur.  
vaginal Senec. aur., Senec. Jac.

**Relaxed** female generative tract with or without mucous or mucopurulent discharge  
Senec. Jac., Senec. aur.

**Salpingitis** before suppuration sets in  
Gels.

**Seminal Emissions** incontinence with relaxed organs and impotency  
nocturnal  
Sang.  
Salix nig.  
Usti. May.  
—, disorders of  
— due to excesses, with feeble body, impaired mind, and mental apathy  
Helon.  
— oft-recurring with cold extremities and feeble erections  
Digit.  
nocturnal losses after fever, and from nervous erethism of debility  
Aven.

**GENTILIA**

**Sexual**

**ABUSE** (see also **Masturbation**). all disorders following abuse or excess  
disorders from epilepsy, due to  
Salix nig.  
Usti. May.  
Con. mac.

**DESIRE.** absence of, due to worry or hard work  
Seren. ser.

**COMPETENCE.** debility  
— erethism of  
enfeebled state with late and scanty menstruation  
impotence Turn. aph., Lir. ov., Eryth. Coc., Seren. ser., Ped. Mur.  
—, in nervous irritable patients; seminal discharge too soon, at stool, or at least excitement  
Aven.  
—, in sterile women, through overwork, too frequent child-bearing, or general breakdown of whole system  
Seren. ser.  
lassitude Gossy., Helon.  
powers increased Puls.  
weakness, in females Gent.

**Sterility** functional Helon., Senec. Jac., Cimic. rac., Puls., Ignat.

**Syphilis** Daph. Mez., Beton., Mars. Con., Aral. n., Brun.  
bone pains, worse at night and during damp weather, mostly in legs with bruised feeling  
Phytol.  
chancroid Thuja.  
chronic cachexia, due to Kalm.  
constitutional with excited heart and rapid circulation  
Kalm.  
glandular derangements, due to Iris v.  
secondary Phytol., Helian. can., Jacar. pro.

**GENTALIA**

<b>Syphilis</b>	second stage of ulcers	Podo. Rhus gl., Rhus arom.
<b>Ulceration</b>	cervix uteri, with foul, sanious or muco-purulent leucorrhœa syphilitic phagedena	Bapt. + [Bapt.] (Echin.)
<b>Uterine Disorders</b> ( <i>Not other- wise classi- fied</i> )	atony, impairment of function ; increased secretions ; sterility ; displacements atony, lassitude, fullness, bearing- down feeling derangements, congestion, feeble nervous system, parturient despondent and nervous, chilliness, painful disorders with nervousness and excitement excessive discharges, parturient, astringent hæmorrhagic states irritable states of uterus in nervous patients ; cramp-like, expulsive, and other pains ; threatened abortion ; sensitiveness, lumbar pains, parturient neuralgic, uterine colic, fetid discharges tensive dragging pains, atony, rheumatism weight, dragging pains ; suppressed menses ; leucorrhœa	Senec. aur. Helon. Mitch. Puls. Gels. Trill. Hydras.  Vibur. pr. Car. pet. Cimic. rac. Commi. Myr.
<b>Uterus</b>	atony of caruncles cervical leucorrhœa and impairment of function cervicitis	Helon. [Thuja] Senec. Jac. [Calend.]

**GENTALIA**

<b>Uterus</b>	cervix, congestion of, with difficult and tardy menstruation	Cimic. rac. + Puls.
	—, with severe expulsive pain	Vibur. Op. Croc. sat.
	chronic colic of congested and irritable congestion of, with soft flabby cervix	Vibur. pr., Gels. Apoc. can. Hamam.
	debility from chronic inflammatory condition	Caul. th. Corn. ser.
	disease of disorders with feeble pelvic circulation	Delph. Staph.
	displacement of, with bearing- down pain and frequent desire to urinate	Lill. tig. (H)
	endo-metritis	Caul. th., [Calend.]
	—, chronic, with discharge of glairy mucus	Inul. Hel.
	enlargement of, with bearing- down pain	Frax. Orn.
	—, with cervical leucorrhœa	Senec. aur., Chond. t.
	—, with uterine or cervical leucorrhœa, and impaired function	Senec. Jac. [Calend.]
	erosion of os	Hydras. + [Hydras.]
	—, cervical	Hydras.
	fibroids, to restrain bleeding and to reduce	Hydras.
	full, relaxed, with watery discharge	Apoc. can.
	hæmorrhage	[Hamam.], Hydras., Bid.
	inflammation of	Gels. + Cimic. rac., Citr. v.
	— —, burning in bladder, constant desire to urinate and painful micturition	Eryng. cam.
	— —, dribbling of urine or non-appearance of menses	Gossy.

**GENITALIA**

**Uterus** inflammation of, itching and burning Apis. (H)  
 ———, with abdominal pains and tenderness Diosc.  
 ———, with abundant yellow purulent discharge *Cop. L.* + *Pip. cub.*  
 ———, with burning pain; pain in forehead and raised papillae of tip of tongue *Rhus t.*  
 ———, cutting pain in region of bladder with cough Bry.  
 ———, nervousness and fear *Puls.*  
 ———, pelvic pain *Verat. v.* + *Cimic. rac.*  
 irritability and hyperæsthesia *Vibur. pr.*  
 ———, with frequent micturition, with pain and great tenesmus *Stram.* + *Carb. ben.*  
 metritis *Caul. th., Calend.*  
 prolapse [*Tsuga*], (*Hamam.*), *Senec. aur.*, *Helon.*, *Apoc. can.*, *Uva U.* + *Mitch.* + *Tarax.*  
 ——— dragging pain in hypogastrium; back feels broken, and pains extend along posterior portion of thighs; tendency to melancholia *Helon.*  
 ———, slight *Senec. Jac.*  
 rheumatism of *Caul. th.*  
 ———, with chorea *Cimic. rac.*  
 rigid os, with thick, doughy and unyielding rim *Lobel.*  
 subinvolution of *Hamam.*, *Caul. th.*, *Apoc. can.*  
 ———, and hypertrophy of the cervix, when indicated by sodden, inelastic, pallid tissues and engorged liver, and spleen *Polym. U.*  
 ulcers [*Corn. ser.* + *Vibur. pr.*]  
 ulceration of cervix with foul, sanious or muco-purulent leucorrhœa *Bapt.* + [*Bapt.*]

**GENITALIA**

**Uterus** weak irregular contractions during labour *Cimic. rac.*  
 weakness of *Chim. umb.*

**Vagina** relaxed *Uva U.* + *Mitch.* + *Tarax.*, *Helon.*  
 weakness of [*Corn. F.*]

**Vaginitis** acute (*Hamam.*), *Pip. meth.*, [*Alth. off.*], [*Calend.*], [*Alth. ros.*], *Senec. Jac.*, *Commi. Myr.*, [*Stram.* + *Arn.*], *Caul. th.* + [*Caul. th.*]  
 burning pain and acrid discharge *Rhus t.*  
 deep, tensive pain in back and hips *Cimic. rac.*  
 depressed and nervous *Puls.*  
 incontinence of urine, with *Bell.*  
 itching and burning, with *Apis. (H)*  
 pains, pressing-down *Vibur. Op.*  
 partial or complete retention of urine, with *Art. C.*  
 chronic leucorrhœa, and fullness and weight, dragging in pelvis *Hamam.* + *Vibur. pr.*  
 ——— with, and uterine pain, and pains in back and thighs *Cimic. rac.* + *Puls.*

**Venereal** (see also **Gonorrhœa**, **Syphilis**, etc.)  
 affections *Iris v.*  
 buboes *Puls.*, *Phytol.*, (*Acon.*), (*Calend.*), (*Trill.*)  
 ——— in forming stage *Phytol.*  
 discharges (*Thuja*)

**Vulva** inflammation of, superficial with general fever *Acon.*  
 ———, with itching and irritation after micturition *Rhus t.*

## GENITALIA

### Vulva

inflammation of, with burning pain, sense of rawness or smarting	<i>Rhus t.</i>
— — — —, with chilliness, and cold extremities	<i>Ignat.</i>
— — — —, with extreme itching	Apis. (H)
— — — —, with incontinence	Gossy.
— — — —, with irritation and burning	Pip. cub.
— — — —, with irritation of bladder and painful urination	Eryng. cam.
— — — —, with pains in back, loins, and in limbs	Cimic. rac.
— —, erythematous and erysipelatous, with burning pain	<i>Rhus t.</i>
— — — —, with burning pruritis, with burning	<i>Rhus t.</i>
— — — — with contraction and pain about anus	Collins.
— — — — with fullness and inclined to prolapse	Hamam.
— — — — with itching and burning to urinary passages	Apis. (H)
— — — — with lumbar pains, painful menstruation, and pain in thighs	Cimic. rac.
— — — — with nervousness and depression	<i>Puls.</i>

## RESPIRATION

<b>Aphonia</b>	(see under <b>Throat</b> ).
<b>Apoplexy</b>	pulmonary <i>Lobel.</i>
<b>Asthma</b>	<i>Ail.</i> , Adhat., Chrys. L., Collins., Cean. Am., Drac., Eph., Eriod., Eucalyp. ( <i>inhaled</i> ), Gal. Ap., Imper. Os., Lonic., Petas. v., Prun.L., <i>Poly. sen.</i> , Sumb., Stict. pul., Tuss. Far., All. sat., Dor. Am.
aged in	Commi. Myr., Agrim., Grind. r., Symp. foet.
associated with emphysema ; pale face ; lips cyanotic ; pulse small and soft ; especially in old people	Asp. Q.
breath stops when falling asleep, wakes with start, gasping for breath ; cough with tenacious mucus	Grind. cam. <i>Phys. ven.</i>
bronchial	<i>Stroph.</i>
— — with œdema	Asp. Q.
cardiac and renal, emphysema	<i>Stroph.</i>
— —, with œdema	Oenan. ph.
chronic	
— —, with cough and easy expectoration, thickening of bronchial membrane ; loss of appetite, and emaciation	Eriod.
convulsions, to prevent	Viol. t.
dry, non-spasmodic	Asclep. t.
humid	Marr. v., Inul. Hel., Eupat. per.

## RESPIRATION

<b>Asthma</b>	nervously depressed and fear of suffocation, of non-paroxysmal old people, must sit up; dyspnoea; profuse mucus with rattling and wheezing seizures severe attack, pressed for breath and wheezing spasmodic —, purely superinduced by pregnancy or suppressed menses uncomplicated, with insufficient cardiac force with cardiac irregularity and weakness	<i>Strych. Ign.</i> <i>Aesc. gl.</i>  <i>Poly. sen.</i> <i>Lobel.</i> <i>Gels. + Sumb.</i> <i>Lobel., Hyosc., Passif., Delph. con.,</i> <i>Diosc., Gels., Caul. th.</i> <i>Stram., Bell.</i>  <i>Puls.</i>  <i>Asp. Q.</i>  <i>Conv. m.</i>
<b>Breath</b>	offensive	<i>Bapt., Echin.</i>
<b>Breathing</b>	continuous laboured with weak pulsation difficult —, asthmatic with sense of soreness and rawness —, asthmatic and asthenic cases, where breathing requires effort and depends on will power —, or sighing with cardiac weakness with valvular murmurs —, with constriction —, with kidney troubles  hurried spasmodic	<i>Digit.</i> <i>Asp. Q., Lobel., Acon., Sang.</i>  <i>Grind. cam.</i>  <i>Nux Vom.</i>  <i>Crat. Oxy.</i> <i>Phys. ven.</i> <i>Samb. Eb., Ptel. t., Cer. gr.</i> <i>Acon.</i> <i>Euph. pil.</i>
<b>Bronchial</b>	acutely inflamed mucous membrane	<i>Lin. usti., (Myr. fr.)</i>

## RESPIRATION

<b>Bronchial</b>	advanced inflamed mucous membrane affections  affections, chronic — —, of mucous air passages dyspnoea of capillaries and chronic pneumonia inflammation, advanced stages when heart fails and secretions abound, with lack of power to expectorate —, early stages of acute —, hypersecretion of bronchial fluid with mucous rales — of — —, acute  — — — capillary in aged to combat depression — — — with dry, explosive cough — — — with sthenic cases — — —, fever, great restlessness, soreness in chest; dry cough — —, chronic	<i>Asp. Q.</i> <i>Aeth. off., Adhat., Bry., Glycerine,</i> <i>Hyper., Hyss., Lipp., Lyco. v.,</i> <i>Lonic., Pip. meth., Led. lat.,</i> <i>Pol. rep., Poly. sen., Tuss. Far.,</i> <i>Symph., Asclep. t. + Lobel. +</i> <i>Zing., Dor. Am., Cimic. rac. +</i> <i>Aral. rac.</i> <i>Lyco. v., Oenan. ph.</i>  <i>Fer. gal.</i>  <i>Asp. Q.</i>   <i>Strych. Ign.</i> <i>Gels.</i>  <i>Psyc. Ipec.</i> <i>Quill., Lyco. v.</i>  <i>Verbas., Styr. ben., Cean. Am. +</i> <i>Aral. rac., Menth. pip., Vitis,</i> <i>Larix. Eur., (All. sat.), Hier.,</i> <i>Adian., Myrox. T., Corall. +</i> <i>Zing., Acon., Asclep. t., Bry.,</i> <b>[Thuja]</b> <i>Camph. (subcut.)</i>  <i>Hyosc.</i> <i>Verat. v.</i>  <i>Acon. + Asclep. t.</i>  <i>Agrim., Collins., Gels., Gal. Ap.,</i> <i>Aral. rac., Cet. Isl., Chond. cr.,</i> <i>Prun. Per., Eriod.</i>
------------------	---	---

**RESPIRATION**

**Bronchial** inflammation, stubborn cough with irritation in trachea and bronchi Inul. Hel. + Asclep. t.  
 — — —, in aged Asafet.  
 — — —, with short, dry, explosive cough worse on lying down *Hyosc.*  
 — — —, with spasm *Lobel.*  
 — — —, with dry spasmodic cough *Lobel.*, Dros.  
 — — —, with exhausting secretions Commi. Myr.  
 — — —, with profuse secretions *Poly. sen.*  
 — — —, with increased secretions Penth., Still.  
 — — —, subacute and chronic in aged Grind. cam.  
 — — — with fetor, relaxation and abundant secretion (Eucalyp.)  
 — — —, when expectoration scanty and chilliness Sang.  
 — — —, with extreme irritability ; gastric irritation ; restlessness and delirium ; small wiry pulse *Rhus t.*  
 — — —, with excessive and fetid expectoration Thuja.  
 — — —, with hot, dry skin, or pungent heat with moisture ; full pulse Asclep. t.  
 — — —, with lack of secretion Piloc.  
 — — —, chronic Eucalyp.  
 — — —, in aged and consumptives with irritable, teasing, and paroxysmal cough Euph. pil.  
 — — —, with bronchial dilatation and dyspnœa *Phys. ven.*  
 — — —, with fetid expectoration Santal.

**RESPIRATION**

**Bronchial** inflammation, with free and abundant secretion of muco-pus Eryng. cam.  
 — — —, profuse excretion of mucus, or muco-pus Inul. Hel.  
 — — —, profuse excretion of mucus, or muco-pus, difficult to expectorate Commi. Myr.  
 irritation Arct. L.  
 — — —, chronic of membrane, with cough and catarrh Marr. v.  
 — — —, dry with wheezing, tightness of chest, paroxysms of irritable cough, with dry inactive skin Corall.  
 — — —, nervous with cough Verbas.  
 — — —, of tubes *Psyc. Ipec.*  
 — — —, with dry explosive cough Trif.  
 — — —, with free secretion Anem. hep.  
 mucous accumulation *Lobel.*  
 relaxed mucosa and skin, with deep, hoarse cough and excessive secretion *Poly. sen.*  
**Bronchorrhœa** of aged Myrox. P., *Poly. sen.*, Eucalyp., Grind. cam.  
**Catarrh** Eug. Ch., Senec. Jac., *Lach.*, Penth., Asclep. t.  
 bronchial *Poly. sen.*, Penth., Symp. foet., Asclep. t., Collins.  
 chronic, atonic respiratory with profuse expectoration Pip. cub.  
 — — —, bronchial, with fetid expectoration Santal.  
 — — — broncho-pulmonic with cough Erech., Myrox. T., *Poly. sen.*, Oenoth. ph.  
**Chest** oppression of, with pain and cough *Lobel.*, Bry.  
**Choking Sensation** *Hyosc.*

## RESPIRATION

<b>Colds</b>	Eucalyp., Euph. off., Menth. pul., Achill.
at beginning	<i>Acon.</i>
— — —, with chilliness	<i>Gels.</i>
to break up a diaphoretic with above	Corall.
in head and bronchial cough, worse on entering room	Asclep. t.
on chest especially at beginning and end of winter, with perhaps dry cough ; oppression ; stomach deranged, etc.	All. cep.
with kidney and visceral trouble	Bry. Verbas.
<b>Cough</b>	Adian., Agrim., Clad. pyx., Cyn. off., Dor. Am., Glycerine, Hyper., <i>Lach.</i> , Mal. syl., Pimp. anis., Pol. rep., <i>Psyc. Ipec.</i> , Prun. L., Polyp. v., All. sat., Senec. Jac., Stict. pul., Styr. ben., Scab., Veron. off., Verbas.
aged and debilitated, winter-, with profuse secretion	<i>Strych. Ign.</i>
aged and debilitated, in	Eupat. per., All. cep.
aged, in, winter-bronchitis, chronic of	Eug. Ch.
catarrhal	<i>Poly. sen.</i>
chilliness, with	Thym. Ser.
chronic	<i>Acon.</i>
— — —, bronchial	Chond. cr., Drac. foet.
— — —, of debility	Marr. v., Collins.
— — —, and much perspiration	Asar. Can.
— — —, with nervousness	Osmunda.
— — —, and winter	<i>Hyosc.</i>
— — —, and pain in shoulders, neck and occiput	Still.
— — —, with scanty, tenacious expectoration	Stict. pul. <i>Scill.</i>

## RESPIRATION

<b>Cough</b>	continuous, irritative, with profuse muco-purulent expectoration	Prun. ser.
	constriction and tightness, with convulsive	Aesc. gr.
	— — —, after "colds"	Thym. Ser., Cast. ves., <i>Stram.</i>
	deep, hoarse, with much secretion	Euph. pil.
	dry, and hacking, rasping, explosive	<i>Poly. sen.</i>
	— — —, and irritative	Bry.
	— — —, barking or hacking with loud mucous rales and difficulty to raise mucus	Rumex cr.
	— — —	<i>Lobel.</i>
	— — —, croupal with scant or over-secretion	Sang.
	— — —, hoarse, worse lying down	<i>Lobel.</i>
	— — —, irritable, hoarse	Verbas.
	— — —, obstinate	Piloc.
	— — —, rasping, wheezing, and persistent	Silph. lac.
	— — —, spasmodic, tickling	Stict. pul.
	— — —, stubborn, bronchial with depression	<i>Rhus t.</i> , Dros.
	— — —, worse lying down	Asafet.
	dyspnoea, and praecordial fullness, with	<i>Hyosc.</i>
	excessive secretion of mucous when largely precipitated by feeble and relaxed state of uvula and fauces	Rumex cr.
	expectoration, scanty, whitish or brown, frothy mucous or streaked with blood	Tsuga.
	— — — of bloody mucous, with	Bry.
	— — —, with free	Anem. hep., Geran. mac.
	expulsive or explosive, spasmodic, with dryness of air passages	Eupat. pur.
		Dros.

## RESPIRATION

<b>Cough</b>	harsh and dry	Grind. cam.
	harsh, croupal	<i>Psyc. Ipec.</i>
	heart disorders, due to	Collins.
	infants and young children	All. cep.
	influenza of, with dyspnoea	Asp. Q.
	irritation faucial, due to	Alth. ros.
	irritative	Lact. v., Sang., Stict. pul., Lin. usti.
	—, asthmatic, of the aged	Eupat. per.
	—, in winter	Still.
	—, of debility with excessive secretion	Aral. rac.
	—, teasing and paroxysmal of chronic bronchitis in aged	Euph. pil.
	—, with or without dyspnoea	<i>Psyc. Ipec.</i>
	—, itching sensation in throat or excited by vomiting, worse from use of voice, motion, or entering warm room	Bry.
	—, with persistence	Verbas.
	—, with bloody expectoration	Symph.
	measles, irritative in	Eupat. per., Trif.
	—, of	<i>Psyc. Ipec.</i> , Dros.
	nervous, following whooping cough	Asafet.
	—, purely from laryngeal irritation	<i>Bell.</i> , Prun. ser.
	—, spasmodic, and hysterical	<i>Gels.</i>
	pain below ribs to kidneys, with paroxysmal	Agrim.
	—, hoarse, croupal with laryngeal irritation	Cast. ves.
	persistent, explosive with spasmodic contraction of throat on lying down	Still.
phthisis, of	Cit. Lim.	
— —, paroxysmal	Lact. v.	
sharp, dry, nervous, worse when lying down	Cimic. rac.	
short, hacking with quick-darting pain in chest	<i>Hyosc.</i>	
	Stict. pul.	

## RESPIRATION

<b>Cough</b>	short irritative with lack of secretion	<i>Psyc. Ipec.</i>
	spasmodic	Solan. Car., Menth. pip., Eucalypt. ( <i>inhaled</i> ), Trif.
	—, especially	Dros.
	—, persistent or hacking	<i>Con. mac.</i>
	—, whooping	Trif.
	sputum scanty and tenacious, without fever	<i>Scill.</i>
	"stomach"	<i>Puls.</i>
	stubborn, dry, summer	Rumex cr.
	teasing with substernal pains and profuse expectoration	Inul. Hel.
	tickling and burning sensation, with	Sang.
	thick, tenacious sputum with loud rales	<i>Cop. L.</i>
	uncontrollable, dry, spasmodic and tickling	Dros., <i>Rhus t.</i>
	various kinds	<i>Seren. ser.</i> , Bry.
	with abundant and easy expectoration	Eriod.
	— — discharge	Verbas.
	— pain in shoulders	Stict. pul.
	whooping	Arum t., <i>Bell.</i> , Cimic. rac., Asar. + Caul. th., Clad. pyx., Drac. foet., Grind. cam., Hyss., Hier., <i>Lobel.</i> , <i>Hyosc.</i> , Lipp., Menth. pip., <i>Mon. punc.</i> , Prun. ser., Prun. L., Prun. Per., <i>Passif.</i> , Solan. Car., Sang., Thym. Ser., Tuss. Far., Trif., Chrys. L., Cast. ves. + <i>Lobel.</i>
	—, dyspnoea, turns pale, stiff and blue, strangling with hawking and vomiting of mucus; epistaxis	<i>Psyc. Ipec.</i> , Caul. th.
	—, paroxysms of coughing, much tenacious mucus; great constriction of chest and abdominal muscles	Dros.

**RESPIRATION**

<b>Cough</b>	whooping, convulsive with bleeding from mouth and nose —, prophylactic	<i>Stram.</i> <i>Dros.</i>
<b>Croup</b>	dry membranous	<i>Sang.</i> , <i>Arum t.</i> , <i>Lobel.</i> , <i>Poly. sen.</i> , <i>Eucalyp.</i> + <i>Piloc.</i> <i>Piloc.</i> <i>Psyc. Ipec.</i>
<b>Dyspnoea</b>	asthmatic, with constriction of chest cardiac origin, of cough and pain in chest due to exposure cough with jugular fullness and weak cardiac action, and cyanosed countenance failing compensation; urine scanty; pulse irregular; headache from occiput around temples and across forehead to eyes functional origin with or without emphysema, of gloomy, despondent; face pale, hot flushes to head praecordial oppression, with suffocation, sense of	<i>Crat. Oxy.</i> , <i>Passif.</i> , <i>Prun. ser.</i> , <i>Lopop.</i> <i>Ptel. t.</i> <i>Euph. pil.</i> <i>Solan. dul.</i> <i>Digit.</i> <i>Grind. cam.</i> <i>Adon.</i> <i>Asp. Q.</i> <i>Crat. Oxy.</i> <i>Lobel.</i> <i>Lobel.</i>
<b>Emphysema</b>		<i>Euph. pil.</i> , <i>Grind. cam.</i> , <i>Scill.</i> , <i>Phys. ven.</i>
<b>Expectoration</b>	diminished bloody, of limited severity —, with full, bounding pulse	<i>Psyc. Ipec.</i> <i>Cinn. Zey.</i> <i>Verat. v.</i>
<b>Gangrene</b>	pulmonary	( <i>Eucalyp.</i> )
<b>Hæmorrhage</b>	bronchial	<i>Stat.</i> , <i>Prun. v.</i>

**RESPIRATION**

<b>Hæmorrhage</b>	expectoration of blood — — — — —, due to fits of coughing or during spasms lung	<i>Lyco. v.</i> , <i>Symph.</i> , <i>Psyc. Ipec.</i> <i>Stram.</i> <i>Polyg. mul.</i> , <i>Lyco. v.</i> , <i>Bid.</i> , <i>Sang.</i> , <i>Verbas.</i>
<b>Hay Fever</b>	(see under <b>Nose</b> ).	
<b>Hiccough</b>	obstinate	<i>Eryth. Am.</i> , <i>Melal.</i> , <i>Caul. th.</i> , <i>Gels.</i> , <i>Hyosc.</i> , <i>Diosc.</i> <i>Vibur. pr.</i>
<b>Hoarseness</b>	(see also under <b>Throat</b> ). from colds and coughs	<i>Alth. ros.</i> , <i>Marr. v.</i> , <i>Sisym.</i> <i>Psyc. Ipec.</i>
<b>Influenza</b>	acute, catarrhal dryness, hot skin, especially in sthenic patients gastric irritation, with high temperature; headache; excitability irritative cough and pain, with pain in back and limbs pain in shoulders; free nasal discharges	<i>Bry.</i> , <i>Senec. Jac.</i> <i>Gels.</i> <i>Piloc.</i> <i>Rhus t.</i> <i>Gels.</i> <i>Bry.</i> <i>Eupat. per.</i> <i>Stict. pul.</i>
<b>Larynx</b>	burns and scalds, to relieve pain from chronic inflammation of — — — — —, with free and abundant secretion of muco-pus inflammation of irritation	<i>Acac. sen.</i> <i>Oenan. ph.</i> <i>Eryng. cam.</i> <i>Still.</i> , <i>Collins.</i> , <i>Sang.</i> , <i>Phytol.</i> , <i>Tuss. Far.</i> , <i>Acon.</i> , <i>Bell.</i> , <i>Marr. v.</i> , <i>Hamam.</i> , ( <i>Hamam.</i> ) <i>Cop. L.</i>
<b>Lung</b>	affections	<i>Bry.</i> , <i>Acon.</i> , <i>Verat. v.</i> , <i>Lyco. v.</i> , <i>Asclep. t.</i>

## RESPIRATION

<b>Lung</b>	disease from chronic asthma and bronchitis	Euph. pil.
<b>Oxygenation</b>	imperfect, with disturbed balance between pulmonic circulation and action of heart	Asp. Q.
<b>Pain</b>	sore, bruised in tract	Cimic. rac., Arum t.
<b>Pharynx</b>	catarrh, chronic Eustachian tubes, burning and itching, and inflammation of	Geran. mac. Sang.
	Collins., Hydras., Hamam., (Hamam.), Tuss. Far., Acac. sen.	
	— — —, chronic, with tumid pallid membrane and elongated uvula	Commi. Myr.
<b>Phthisis</b>		Cet. Isl., Prun. ser., Eriod., Hyper., Polyg. mul., Polyp v., Glycerine, Symph., Lach.
	pulmonary, blood spitting	Bry., Lyco. v.
	— — —, early stages	Plant. m.
	— — —, cough	Bry.
	— — —, cough and irritability	Asclep. t.
	— — —, early stages	All. sat.
	— — —, first stage	Corall., Senec. aur.
	— — —, irritable stomach, with	Acac. sen.
	— — —, night sweats, with	Polyp. m.
	— — —, palliative	Agrim.
	— — —, scrofulous subjects, especially with	Iodine.
	— — —, with spasmodic cough, worse on lying down	Dros. + Verat. v. + Glycerine.
	— — —, with indigestion and torpid liver	Euony. + Ptel. t.
	— — —, second stage, copious expectoration of muco-purulent mucus	Myos. sym. (Amer.)

## RESPIRATION

<b>Phthisis</b>	pulmonary, hectic fever ; night sweats; swollen feet, and muco-purulent mucus	Bapt.
<b>Pleurisy</b>		Gels., Cimic. rac., Asclep. t., Acon., Verat. v. + Bry., Pol. rep., Corall.
	acute	Asclep. t., Chrys. Par.
	— — —, dry hacking cough, scanty mucus expectoration	Asclep. t.
	— — —, stitching pains, worse on motion ; very thirsty	Bry.
<b>Pneumonia</b>		Bry., [Menth. pip.], Corall., Zing., Chond. cr., Quill., Lach.
	acute lobar	Camph. (subcut.), Asclep. t., Eupat. per.
	broncho-, with difficult expectoration	Eucalyp. Piloc.
	congestive stage	Gels.
	early stages of especially of right lung	Chel. m.
	first stage of congestion	Verat. v.
	interstitial	Lyco. v.
	in convalescent stage when expectoration scanty, and dyspnoea threatens	Asclep. t.
	pulse hard and full ; respiration rapid ; dyspnoea ; dry cough ; feeling of weight on chest	Verat. v. + Asclep. t.
	sputum resembling prune-juice or chocolate colour	Bapt.
	typhoid, etc.	Echin., Lobel., Arn.
	with red glazed tongue, and offensive muco-purulent expectoration	Rhus t.
	with extreme irritability ; gastric irritation ; restlessness and delirium with small wiry pulse	Rhus t.

## RESPIRATION

<b>Pneumonia</b>	with inflammatory conditions, early stage	<i>Verat. v.</i> , <i>Serp.</i> , <i>Asclep. t.</i> , <i>Hyosc.</i> , <i>Bry.</i> , <i>Bell.</i>
<b>Pulmonary Troubles</b> <i>(not other- wise classi- fied)</i>	night sweats, cough, etc. sharp pains	<i>Lyc. v.</i> , <i>Inul. Hel.</i> <i>Bry.</i> , <i>Verat. v.</i> , <i>Lobel.</i> , <i>Ptel. t.</i> , <i>Tuss. Far.</i>
<b>Trachea</b>	inflammation of, acute burns and scalds, to relieve pain from	<i>Acon.</i> <i>Acac. sen.</i>
<b>Ulceration</b>	syphilitic, of upper tract	<i>Hydras.</i> + ( <i>Hydras.</i> )