

PART II

In this part of the work the primary use of drugs is considered. As the reader will notice, most of them are in dilutions and triturations, although a few are in tincture form, in which case this fact is mentioned.

The homeopathic dilutions and triturations are the best to use, especially in the higher potencies.

Those who desire to make their own lower dilutions and triturations, will find full particulars in regard to that in part I of this work, under the heading "Forms of Medicine."

In becoming familiar with the basic indications for a drug in its primary form, it should be remembered that one prominent indication does not always show that it is the particular drug to use. It is often better to look further; and if there are two or three prominent indications for it you will not be disappointed. When the indicated remedy aggravates the symptoms it is a sign that it is given in too large or too frequent doses. In such cases it is well to reduce the dose to one-half or less and give at longer intervals. A mistake easily made in the use of drugs in their primary form is to give medicine in too large doses and too often, some of the high potencies especially. Of course, in emergencies and in severe acute cases, frequently repeated doses are necessary until the danger is past.

If the indicated remedies fail to act do not condemn them, as further investigation will prove that there is a cause for it. There may be constitutional syphilis, suppressed gonorrhoea, suppressed eruptions, or constitutional conditions the result of accident or vaccination. These conditions removed or corrected by the proper remedies, the result will be prompt response to your indicated remedies. If there is constitutional syphilis *mercurius vivus* 30d should be given. If this trouble has been treated with large doses of mercury in its secondary form, *nitric acid* 3d is the remedy to use.

If there is a condition of psora we think of such remedies as *sulphur* 6x; *graphites* 6x or higher; *psorium* 30 or *causticum* 12d as may be indicated.

In sycosis we think of nitric acid 3d; thuja 6d to 30d: staphisagria 3d to 12d; and in some cases sabina 6d.

Suppressed eruption is often the reason that the indicated remedies will not act. Get the history of the case, and if you can trace it give the proper remedies to reestablish the same. For this we find sulphur 6x; graphites 6x to 12x; arsenicum album 12x or higher; causticum 12d to 30d, or psorium 30d are useful remedies

As stated before in severe acute cases, often repeated doses must be given until the condition improves when medicine should be given in smaller doses and at longer intervals. In emergency cases such as hemorrhages, croup, convulsions, cholera, collapse, etc., medicines may be administered even as often as every 3 to 15 minutes as the case demands.

In chronic cases, we often find that two or three doses a day act better than if given oftener. In these conditions the doses should be decreased and medicines given at longer intervals when the trouble subsides. When fully corrected it is best to discontinue or take an occasional dose for a short time only.

The reader will notice in this part of the work that quite a number of remedies are mentioned, without giving their special indications in certain conditions, and at that particular place. This does not mean that any of the remedies or all should be used for such conditions; but it is simply meant to serve as a guide to what drugs to use in certain conditions; thus making it easier to reach the specially indicated remedy.

In the following table drugs are given in solution with water in the proportion stated. This, however, is only to serve as a guide and the physician must use his own judgment as to dose and time of giving the medicine to his patients. Where two to four doses of medicine are taken a day it is best to take it about ten to twenty minutes before meals, and perhaps also before retiring.

Although triturations are given in solution in the table, many of them are often administered in powder form or in tablets.

DOSES OF DRUGS IN THEIR PRIMARY FORM.

Trituration and Dilutions.	Names of Drugs.	Quantity.	Water.	Dose and How Often.
3d to 6d	Acid Acetic	gtt. v to x	ii	½ T. every 1 to 4 hrs.
3d to 6d	Acid Lactic	gtt. v to x	ii	½ T. every 2 to 4 hrs.
3d to 6d	Acid Muriatic	gtt. v to xx	ii	½ T. every ½ to 4 hrs.
3d to 6d	Acid Nitric	gtt. v to x	ii	½ T. every 2 to 4 hrs.
12d to 30d	Acid Phosphoric.	gtt. ii to v	ii	½ T. every 3 to 6 hrs.
3x to 12x	Acid Picric.	gr. ii to v	ii	½ T. every 2 to 4 hrs.
3d to 6d	Acid Sulphuric	gtt. v to xx	ii	½ T. every ½ to 4 hrs.
6d to 12d	Aconite	gtt. v to x	ii	½ T. every ¼ to 3 hrs.
3d to 6d	Aesculus Hip	gtt. v to xx	ii	½ T. every 2 to 4 hrs.
12d to 30d	Agaricus Musc.	gtt. v to xx	ii	½ T. every 2 to 4 hrs.
6x to 12d	Aloe	gtt. v to x	ii	½ T. every ½ to 4 hrs.
30d	Alumina	gtt. v to x	ii	½ T. every 3 to 6 hrs.
3x to 6x	Ammonia Carb.	gr. v to x	ii	½ T. every 2 to 4 hrs.
3x to 6x	Ammonia Mur.	gr. v to x	ii	½ T. every 2 to 4 hrs.
3x to 12x	Antimonium Crud.	gr. ii to v	ii	½ T. every 2 to 4 hrs.
3x to 6x	Antimonium Tartaricum,	gr. v to x	ii	½ T. every ½ to 3 hrs.
30d up	Anacardium Orientale.	gtt. ii to v	ii	½ T. every 3 to 4 hrs.
3d to 6d	Apis Mel	gtt. v to x	ii	½ T. every ¼ to 4 hrs.
30d up	Argentum Nit	gtt. ii to x	ii	½ T. every 2 to 4 hrs.
12x up	Arsenicum Album	gr. ii to v	ii	½ T. every ½ to 4 hrs.
30x to 200P	Aurum Met	gr. ii to v	ii	½ T. every 3 to 6 hrs.
30x to 200P	Aurum Mur.	gr. ii to v	ii	½ T. every 3 to 6 hrs.
2d to 3d	Baptisia	gtt. v to xx	ii	½ T. every ½ to 4 hrs.
3x to 6x	Baryta Carb.	gr. v to x	ii	½ T. every 2 to 4 hrs.
3d to 12d	Belladonna	gtt. v to x	ii	½ T. every ½ to 4 hrs.
2d to 3d	Berberis Vulgaris	gtt. xx to xxx	ii	½ T. every 2 to 4 hrs.
3d to 6d	Bovista	gtt. x to xv	ii	½ T. every 2 to 4 hrs.

Trituration and Dilutions.	Names of Drugs.	Quantity.	Water.	Dose and How Often.
3d to 6d	Bryonia Alba	gtt. v to x	ii	1/2 T. every 1/2 to 4 hrs.
2d to 3d	Cactus Grand	gtt. v to xx	ii	1/2 T. every 2 to 4 hrs.
3x to 6x	Calcarea Carbonica	gr. v to xv	ii	1/2 T. every 3 to 4 hrs.
6x to 12x	Calcarea Ost	gr. v to x	ii	1/2 T. every 2 to 4 hrs.
2x to 3x	Calcarea Phos	gr. v to x	ii	1/2 T. every 2 to 4 hrs.
2x to 3x	Calcarea Sulph.	gr. v to x	ii	1/2 T. every 1 to 4 hrs.
3d to 6d	Calendula	gtt. v to xx	ii	1/2 T. every 1/2 to 4 hrs.
3d to 12d	Cannabis Ind.	gtt. v to xx	ii	1/2 T. every 1 to 4 hrs.
3d to 12d	Cannabis Sativa.	gtt. v to xx	ii	1/2 T. every 1 to 4 hrs.
12d to 30d	Cantharides	gtt. v to x	ii	1/2 T. every 1/2 to 4 hrs.
6d to 12d	Capsicum	gtt. v to x	ii	1/2 T. every 1/2 to 4 hrs.
6x to 12x	Carbo Veg	gr. iii to v	ii	1/2 T. every 1/4 to 4 hrs.
3d to 6d	Caulophyllum	gtt. v to x	ii	1/2 T. every 2 to 4 hrs.
12d to 30d	Causticum	gtt. v to x	ii	1/2 T. every 2 to 4 hrs.
2d to 3d	Chamomilla	gtt. v to xx	ii	1/2 T. every 1 to 4 hrs.
2d to 3d	Chelidonium Majus.	gtt. v to x	ii	1/2 T. every 2 to 4 hrs.
6d to 12d	China Of f.	gtt. v to xx	ii	1/2 T. every 1/2 to 4 hrs.
3d to 6d	Chimaphila Umb	gtt. v to xx	ii	1/2 T. every 2 to 4 hrs.
3d to 6d	Chenopodium	gtt. v to xx	ii	1/2 T. every 2 to 4 hrs.
30d up	Cicuta Vir.	gtt. v to x	ii	1/2 T. every 1/4 to 4 hrs.
3d to 6d	Cimicifuga Rac.	gtt. v to xx	ii	1/2 T. every 1 to 4 hrs.
12d to 30d	Cina	gtt. v to x	ii	1/2 T. every 2 to 4 hrs.
3d to 12d	Clematis Erecta	gtt. v to xx	ii	1/2 T. every 1 to 4 hrs.
12d to 30d	Cocculus Ind.	gtt. v to x	ii	1/2 T. every 2 to 4 hrs.
6d to 30d	Coffea Cruda	gtt. v to x	ii	1/2 T. every 2 to 4 hrs.
6d to 30d	Colchicum Ant.	gtt. v to x	ii	1/2 T. every 1/2 to 4 hrs.
2d to 3d	Colocynthis	gtt. v to xx	ii	1/2 T. every 1/2 to 4 hrs.
3d to 6d	Conium Maculatum	gtt. v to x	ii	1/2 T. every 1 to 4 hrs.
3d to 6d	Convallaria Majalis	gtt. v to xx	ii	1/2 T. every 2 to 4 hrs.

Trituration and Dilutions.	Names of Drugs.	Quantity.	Water.	Dose and How Often.
12d to 30d	Corallium Rubrum	gtt. v to x	ii	$\frac{1}{2}$ T. every 2 to 4 hrs.
3d to 6d	Crocus Sativus	gtt. v to x	ii	$\frac{1}{2}$ T. every 1 to 4 hrs.
6d to 30d	Croton Tig.	gtt. v to x	ii	$\frac{1}{2}$ T. every $\frac{1}{2}$ to 4 hrs.
30x up	Cuprum Met.	gr. v to x	ii	$\frac{1}{2}$ T. every $\frac{1}{2}$ to 4 hrs.
2d to 3d	Digitalis	ggtt. v to xx	ii	$\frac{1}{2}$ T. every $\frac{1}{2}$ to 4 hrs.
3d to 6d	Dulcamara	ggtt. v to xx	ii	$\frac{1}{2}$ T. every 1 to 4 hrs.
3d to 6d	Eupatorium Perf.	ggtt. v to xx	ii	$\frac{1}{2}$ T. every $\frac{1}{2}$ to 4 hrs.
3d to 6d	Euphrasia	ggtt. v to xx	ii	$\frac{1}{2}$ T. every 1 to 4 hrs.
3d to 12d	Ferrum Acetate.	ggtt. v to xx	ii	$\frac{1}{2}$ T. every 3 to 4 hrs.
3d to 12d	Ferrum Met.	gr. v to x	ii	$\frac{1}{2}$ T. every 2 to 4 hrs.
6d to 30d	Gelsemium	ggtt. v to xx	ii	$\frac{1}{2}$ T. every 1 to 4 hrs.
6d to 30d	Glonoine	ggtt. v to x	ii	$\frac{1}{2}$ T. every $\frac{1}{4}$ to 4 hrs.
6x to 12x	Graphites	gr. v to x	ii	$\frac{1}{2}$ T. every 2 to 4 hrs.
12d to 30d	Helleborus Niger	ggtt. v to xx	ii	$\frac{1}{2}$ T. every $\frac{1}{4}$ to 4 hrs.
6x to 12x	Hepar Sulph.	gr. v to x	ii	$\frac{1}{2}$ T. every $\frac{1}{2}$ to 4 hrs.
3d to 6d	Hydrastis Can.	ggtt. v to xx	ii	$\frac{1}{2}$ T. every 2 to 4 hrs.
3d to 6d	Hyoscyamus Niger.	ggtt. v to xx	ii	$\frac{1}{2}$ T. every $\frac{1}{2}$ to 4 hrs.
3d to 6d	Hypericum Perf.	ggtt. v to xx	ii	$\frac{1}{2}$ T. every 2 to 4 hrs.
6d to 12d	Ignatia Am.	ggtt. v to x	ii	$\frac{1}{2}$ T. every 2 to 4 hrs.
12d to 30d	Iodium	ggtt. v to x	ii	$\frac{1}{2}$ T. every 2 to 4 hrs.
12d to 30d	Ipecac	ggtt. v to x	ii	$\frac{1}{2}$ T. every $\frac{1}{2}$ to 4 hrs.
3d or 6d	Iris Versicolor	ggtt. x to xx	ii	$\frac{1}{2}$ T. every 2 to 4 hrs.
6d to 12d	Jalapa	ggtt. v to xx	ii	$\frac{1}{2}$ T. every $\frac{1}{2}$ to 2 hrs.
6x to 12x	Kali Bichrom.	gr. ii to x	ii	$\frac{1}{2}$ T. every 1 to 3 hrs.
3x to 6x	Kali Carbonicum.	gr. v to x	ii	$\frac{1}{2}$ T. every 2 to 4 hrs.
3x to 6x	Kali Iodat.	gr. v to x	ii	$\frac{1}{2}$ T. every 1 to 3 hrs.
3x to 6x	Kali Mur.	gr. v to x	ii	$\frac{1}{2}$ T. every $\frac{1}{2}$ to 3 hrs.
2x to 3x	Kali Sulph.	gr. v to x	ii	$\frac{1}{2}$ T. every 2 to 3 hrs.
12x to 30x	Lac Caninum	gr. ii to v	ii	$\frac{1}{2}$ T. every 1 to 3 hrs.

Trituration and Dilutions.	Names of Drugs.	Quantity.	Water.	Dose and How Often.
12d up	Lachesis	gtt. v to x	ii	$\frac{1}{2}$ T. every $\frac{1}{2}$ to 4 hrs.
30d up	Lapis Albus	gtt. v to x	ii	$\frac{1}{2}$ T. every 3 to 6 hrs.
30d up	Ledum Palustre	gtt. v to xx	ii	$\frac{1}{2}$ T. every 1 to 3 hrs.
2d to 3d	Lilium Tigrinum.	gtt. x to xx	ii	$\frac{1}{2}$ T. every 2 to 4 hrs.
6x to 12x	Lithium Carb	gr. v to x	ii	$\frac{1}{2}$ T. every 2 to 4 hrs.
30x up	Natrum Mur	gr. ii to v	ii	$\frac{1}{2}$ T. every 3 to 6 hrs.
2x to 3x	Natrum Phos.	gr. v to x	ii	$\frac{1}{2}$ T. every 1 to 4 hrs.
2x to 3x	Natrum Sulph.	gr. v to x	ii	$\frac{1}{2}$ T. every 1 to 4 hrs.
30d up	Nux Moschata	gtt. v to xx	ii	$\frac{1}{2}$ T. every 2 to 4 hrs.
3d to 12d	Nux Vomica.	gtt. v to x	ii	$\frac{1}{2}$ T. every 1 to 4 hrs.
6d to 30d	Oleander	gtt. v to xx	ii	$\frac{1}{2}$ T. every 2 to 4 hrs.
6d to 30d	Petroleum	gtt. v to x	ii	$\frac{1}{2}$ T. every 2 to 4 hrs.
3d to 12d	Petroselinum	gtt. v to xx	ii	$\frac{1}{2}$ T. every 2 to 4 hrs.
30d up	Phosphorus	gtt. v to x	ii	$\frac{1}{2}$ T. every $\frac{1}{2}$ to 4 hrs.
3d to 12d	Phytolacca	gtt. v to xx	ii	$\frac{1}{2}$ T. every 1 to 4 hrs.
12x to 30x	Platinum	gtt. v to x	ii	$\frac{1}{2}$ T. every 2 to 4 hrs.
12d to 30d	Plumbum	gtt. v to x	ii	$\frac{1}{2}$ T. every 2 to 4 hrs.
6d to 12d	Podophyllum	gtt. v to x	ii	$\frac{1}{2}$ T. every 2 to 4 hrs.
3d to 6d	Pulsatilla	gtt. v to xv	ii	$\frac{1}{2}$ T. every 2 to 4 hrs.
3d to 12d	Rhus Tox	gtt. v to xx	ii	$\frac{1}{2}$ T. every $\frac{1}{2}$ to 4 hrs.
6d to 30d	Ruta Grav.	gtt. v to x	ii	$\frac{1}{2}$ T. every 1 to 4 hrs.
3d to 6d	Rumex Crispus.	gtt. v to xx	ii	$\frac{1}{2}$ T. every 2 to 4 hrs.
2d to 3d	Sambucus Nigra.	gtt. x to xxx	ii	$\frac{1}{2}$ T. every $\frac{1}{4}$ to 3 hrs.
6d to 30d	Sanguinaria	gtt. v to xx	ii	$\frac{1}{2}$ T. every $\frac{1}{2}$ to 4 hrs.
3d to 12d	Sarsaparilla	gtt. v to xx	ii	$\frac{1}{2}$ T. every 1 to 4 hrs.
6d to 30d	Secale Cornutum	gtt. v to xx	ii	$\frac{1}{2}$ T. every $\frac{1}{2}$ to 4 hrs.
—	Senega	gtt. x to xx	ii	$\frac{1}{2}$ T. every $\frac{1}{2}$ to 4 hrs.
30d up	Selenium	gtt. v to x	ii	$\frac{1}{2}$ T. every 2 to 4 hrs.
12d to 30d	Sepia	gtt. v to x	ii	$\frac{1}{2}$ T. every 2 to 4 hrs.

Trituration and Dilutions.	Names of Drugs.	Quantity.	Water.	Dose and How Often.
3x to 12x	Silica	gr. v to xx	℥ ii	½ T. every 2 to 4 hrs.
6d to 12d	Spigelia Anth	gtt. v to xx	℥ ii	½ T. every ½ to 4 hrs.
3d to 12d	Spongia Tosta	gtt. v to xx	℥ ii	½ T. every ¼ to 4 hrs.
12x to 30x	Stannum Met.	gr. v to x	℥ ii	½ T. every 2 to 4 hrs.
3d to 12d	Staphisagria	gtt. v to xx	℥ ii	½ T. every 2 to 4 hrs.
6x to 30x	Sulphur	gr. v to xx	℥ ii	½ T. every 2 to 4 hrs.
30d up	Tarantula Cub.	gtt. v to xx	℥ ii	½ T. every 2 to 4 hrs.
30d up	Tarantula Hisp.	gtt. v to xx	℥ ii	½ T. every ½ to 4 hrs.
6d to 12d	Terebinthina	gtt. v to x	℥ ii	½ T. every ½ to 4 hrs.
12d to 30d	Theridion Cur.	gtt. v to x	℥ ii	½ T. every 2 to 4 hrs.
3d to 12d	Thuja	gtt. v to xx	℥ ii	½ T. every 2 to 4 hrs.
2d to 12d	Veratrum Album	gtt. v to xxx	℥ ii	½ T. every ¼ to 4 hrs.
3d to 6d	Veratrum Viride.	gtt. v to xx	℥ ii	½ T. every ½ to 4 hrs.
3d to 6d	Viburnum Opulus.	gtt. v to xx	℥ ii	½ T. every ½ to 4 hrs.
6x to 30x	Zincum Met.	gr. v to xv	℥ ii	½ T. every ½ to 4 hrs.

NOTE.-In the above table T. refers to teaspoon and hrs. to hours.

MATERIA MEDICA AND THERAPEUTICS.

Primary Action.

Indications for Drugs in their Primary Form.

Acid Muriatic. 1 to 3d.

A remedy that is useful in some desperate conditions, especially of typhoid nature. Patient is so weak that he slides to the foot of the bed. Tongue dry, shrunken and almost paralyzed. Lower jaw drops down, pulse intermits and is very weak. Feces and urine are passed involuntary. Stools are thin and of dark color or of hemorrhagic nature, showing decomposition of fluids in the body. There may be ulcers of bluish color in the mouth. Patient moans from weakness and is unconscious. In other conditions we find that sensitiveness to touch is quite a prominent indication. Hemorrhoids of bluish nature so sensitive that patient cannot bear the touch of underwear. In the bladder there is lack of force, urine passes slowly and patient must bear so hard as, to protrude the rectum. Prolapsus ani, where the rectum comes down when bowels move, when passing water or even when passing flatus.,

Acid Nitric. 3d or Higher.

This is one of our best remedies in many forms of. gastric troubles with sour or acid taste. Vomiting as a result of fermentation, vomit sour. There may or may not be in these conditions cracked edges of mouth, aphthae, stomatitis salivation or bad odor from mouth or nose. In spongy and swollen gums, ulcers in mouth or throat, salivation from the abuse of mercury in its secondary form, this is our best remedy. It is therefore indicated in syphilis in its secondary form that has been treated abusively with mercury. Cracks or fissures at any or all orifices of the body where the mucous membrane joins the skin. Hemorrhages from any or all orifices of the body where the blood is more of a bright red color. Urine is generally dark and has the odor of horse urine. Severe pain after each stool which continues for some hours, compelling patient to walk to get a little relief. This applies to rectal trouble, diarrhea, dysentery or constipation. Hemorrhoids of nitric acid are very sore and protrude, being external, where mucous membrane joins the skin.

Acid Phosphoric 30 or Higher.

In young people who are thin and grow too fast. Marked depression as a result of masturbation, excess in sexual intercourse or overwork mentally or physically, general weakness and prostration, get weak and old before their time. Heavy pressing pain on vertex or pain in occiput. In typhoid conditions we find the marked depression, stool and urine very offensive. In diarrhea bowels rumble as if from water or fluid. Color of stool yellow or white and thin and watery, however, stools are painless; but there is generally distention of abdomen. Feels weak in chest, especially from talking. In cough the expectoration is purulent, offensive and generally very profuse. Urine very profuse and clear as a result of nervous depression. In some cases the urine is of a milky color the result of excessive amount of phosphates and nerve waste. Headache in school children that grow too fast is often relieved by phosphoric acid. For mental symptoms see proper heading.

Acid Sulphuric. 1d to 3d.

A sense of internal trembling, Without visible trembling, especially in weak subjects, is a prominent indication for sulphuric acid. Hemorrhages from any or all orifices of the body and purpura hemorrhagica often associated or followed with ecchymosis, showing the weak, relaxed condition of the capillary vessels. In debility with sore mouth, sour stomach. In children the whole body may smell sour, even if kept perfectly clean.

Aconite. 3d to 12d.

In marked inflammatory fevers if indicated. There is restlessness, heat with thirst, dry hot skin, patient tosses about, fears death; but there is no delirium or if so only mild. Distress in chest, pain with anxiety, fear and restlessness. Pain worse evenings or at night. Cannot bear to be touched nor to be uncovered and cannot bear the pain, pain is tearing and cutting. There is always unreasonable fear and fear of death in an aconite patient. Many conditions the result of fright may be corrected by this remedy; also acute inflammation arising from dry cold air,

Aloe Socotrina. 12d or Higher.

Great weakness in sphincter ani either in diarrhea, dysentery or constipation. Sensation of fullness, heaviness and heat in the abdomen,

pelvic organs and rectum. Diarrhea or dysentery, urgent, has to get there in a hurry or stool will escape. Conditions worse in the morning and in hot weather. Stool yellow or yellow and bloody, may be of a jelly-like nature, passing away in great masses, even when urinating or passing flatus. A good deal of rumbling in bowels before they move. Eating, drinking, standing or moving about aggravate diarrhea. With dysentery there may be severe tenesmus, clammy sweats and marked prostration. In constipation the great weakness of the rectum shows itself by solid stool passing away unnoticed at times.

Alumina. 30d or Higher.

This remedy is best adapted for thin, spare subjects but may be used in others when indicated. This is a valuable remedy in chlorosis; patient is pale and weak and feels exhausted; menses scanty and delayed and of pale color; feels weak and exhausted after menses. In these cases there may be a craving for chalk, charcoal, starch, etc. Leucorrhoea as profuse as if menstruating. In bowel and rectal troubles we find that there is marked inactivity of the latter, so much so, that even soft stool requires considerable straining. It appears that the mucous follicles are too dry and as a result, the constipation. In infantile constipation it is one of our best remedies. In hemorrhages of the bowels in typhoid fever, blood passing in clots resembling pieces of liver. Weakness and heaviness in legs, can hardly move them, can not walk with eyes closed; may be pain in back with burning as if from a hot iron. Numbness of heels when stepping on them. Of value in the early stage of locomotor ataxia. Repugnance to and cannot bear potatoes. In clergymen's or speakers' sore throat. Throat is dry and feels raw and sore, warm drinks or food give momentary relief, continual hawking which, after a long while, results in raising a little phlegm, which is thick and at times sticky. There may be a sensation in throat as if there was something sharp irritating it; and a feeling of constriction with painful deglutition.

Ammonium Muriaticum. 3 to 12x.

In constipation, where stool is dry, hard and crumbling and hard to pass. May be covered with mucus, giving it an appearance as if it were covered with grease. A sensation as if tendons in legs were contracted, worse sitting, less so walking, ameliorated lying down. Pains in heels, of bruised sore nature. A cold sensation between shoulders, especially in affections of the chest. In women, menses only flow at night.

Anacardium Orientale. 30d.

In stomach troubles in which the pain is most severe 2 to 3 hours after eating. Eating gives relief. Vomiting of coffee-ground material, Desire to go to stool without results, the cause being deficient nerve force in the rectum. A sense as if there was a lump in rectum. As to mind, patient seems to have two wills, one of which tells him to do the opposite of what the other wants. A strong tendency or desire to swear. A sensation. as of a plug in any part of the body; or as if a hoop were around parts.

Antimonium Crudum. 3x to 12x.

A remedy that is indicated in conditions of the alimentary canal in which the tongue is coated with thick white layer. Diarrhea alternates with constipation. Summer diarrhea, especially in hot weather and from errors in diet. In mucous hemorrhoids. Mood in children is such that they do not want anyone to look at them or touch them. In gastric or remittent fever with the characteristic tongue, fever high, especially at night and with intense thirst. Edge of nose or corners of mouth may be cracked and crusts form on them. Nails on fingers grow in splits with horny spots on them. Toe nails are long and crippled, brittle or will not grow. Corns or hard growths on soles of feet, very tender to touch. Tenderness of soles of feet is a prominent indication in rheumatism as well as many other conditions. Most troubles worse or aggravated in hot weather, especially from the heat of the sun, still cold baths aggravate conditions. A remedy of value in toothache, diarrhea, gastric troubles, headache, suppressed menses, etc., resulting from cold baths. In chronic red eyelids it is of value. Gastric troubles from eating sour foods or from acids. Hemorrhage profuse from bowels where blood is mixed with solid feces.

Antimonium Tartaricum. 3x.

In chest affections, with much accumulation of mucus, coarse rattling, and inability to raise it. Patient in these conditions is often very drowsy and sleepy, face pale or cyanotic. Useful in stage of hepatization in pneumonia with above symptoms. A useful remedy in cholera infantum and one of our best in cholera morbus. Intense nausea with relief after vomiting. Marked prostration, drowsiness and even stupor and coma. In these cases stool is generally profuse.

Apis Mellifica. 3 to 6d.

Stinging, burning pain relieved by cold. In acute eruptions of the skin or suppression of eruptions. In affections of the brain or severe diseases where there is involvement of the brain, with sudden piercing and shrill scream, with above indications. Stinging and burning pain anywhere or in any condition. Ameliorated by cold applications means apis m. In edematous swellings in throat, especially where patient may be in danger of suffocation from edema, be this in diphtheria, tonsillitis or other conditions, apis is our best remedy. Useful in edema in any part of the body, but it acts more strongly on the throat, face and lower eyelids than any other part of the body. Edema without thirst; very sensitive and tender to touch. Sleep restless, and in brain troubles there may be stupor with a sudden scream occasionally. In inflammatory conditions where patient is alternately hot and cold or perspiring we think of apis. A sensation as if every breath patient draws would be the last. A valuable remedy in acute or chronic conditions where indicated. We think of it in severe cases of brain troubles, suppressed eruptions, with resulting brain effusions, post-scarlatinal dropsy, etc.

Argentum Nitricum. 30d or Higher.

Especially useful in chronic; although useful at times in acute, cases in people or children that look old and dried up. Sensation of expansion in any part of the body but especially in the head, which feels as if it was of enormous size. Tight bandage ameliorates. Headache with sensation of expansion. Vertigo with noise in the ears; patient staggers when walking with closed eyes; sight of high buildings makes him dizzy. In some cases it looks to the patient as if high buildings were projecting towards him and he is afraid that they may fall on him. Great weakness and general debility, there may be sensation of or actual trembling. Hurried feeling, always in a hurry. Great weakness in chest. In digestive troubles where there is a craving for sugar, tongue has red tip which feels painful. Great distention of abdomen after meals with tendency to belch, which is only succeeded in with great difficulty; flatus after a while is passed with much noise. In diarrhea of greenish mucus, though stool may vary in color, which is passed with spluttering noise. In children if the stool is not green will turn green in a short while. Diarrhea, result of immediate apprehension. In the throat we have hawking cough with tenacious, thick expectoration which keeps patient hawking to raise, often resulting in hoarseness. Throat feels as if there were splinters in it, causing scraping rawness and soreness. Sore

throat of public speakers. Pain in lower part of back aggravated when rising from chair; but ameliorated by walking and standing up. General weak, tired feeling in arms and calves of legs. Useful in cases of epilepsy or convulsions, where pupils are dilated some days before the attack. Restlessness precedes the convulsions, a short time before attack. In paralysis from the depressing effect of diphtheria this remedy is very good. Paraplegia, the result of marked debility. Argentum is useful in many forms of dyspepsia or gastralgia if indicated. Gastric ulcers have been cured by this remedy. In purulent ophthalmia this is our best remedy. In severe forms, even, where cornea looks as if it would slough, discharge profuse and purulent, chemosis intense.

Arnica. 3d to 12d.

Bruised, sore feeling all over the body or in parts only. This may be in disease or from a bruise to the muscles or tissues of the body no matter where. Head or face hot, body cool, especially the lower extremities. In women there may be a bruised feeling in uterus, so much so that the patient cannot walk erect. A mental symptom in some conditions is that patient is in fear of being touched or struck by anyone coming tip to him. Fetid odor of breath. Flatus has very offensive odor similar to rotten eggs. Arnica will prevent suppuration if given early and favors absorption. In typhoid conditions where there is a sore, bruised feeling all over patient, changing position continually, bed seems too hard to lie on. Face dark red, stool and urine passing away involuntarily, stupor from which patient can hardly be aroused long enough to answer a question. Fetid odor of mouth and eructations. Flatus offensive like rotten eggs. Tongue, dark brown streak through center.

Arsenicum Album. 12x.

A remedy of value in both acute and chronic conditions, but especially in the former. In acute conditions, especially in latter stages when patient is very weak and restless, wants to be moved all the time, being too weak to move himself. There is often a hopeless fear in these conditions. Burning sensation and restlessness are prominent indications for this remedy. Burning ameliorated by heat. Symptoms of arsenicum are aggravated at about midnight, say 11 P.M. to 1 or 2 A.M. Mouth dry, intense thirst, but only little water taken at a time. Hot drinks may be borne, but cold aggravates and causes pain, distress and vomiting. In coryza, diarrhea and affections of the lungs arsenicum is often indicated. Oppressive breathing with wheezing cough, and, if any

expectoration, it is frothy; cannot breathe well when lying down. In arsenicum we find great prostration, be this in acute or chronic conditions, the slightest exertion exhausts. In skin troubles it is indicated mostly in the dry and scaly form or suppressed eruptions. This remedy has a wide range of usefulness both in acute and chronic conditions such as coryza, diarrhea, typhoid, eruptive diseases or suppressed eruptions, etc. However, we should never forget its basic indications. Burning sensation ameliorated by heat, this may be on the surface, in the alimentary canal or anywhere. Marked prostration and restlessness and aggravation about midnight from 11 P.M. to 1 or 2 A.M.

Aurum Metallicum. 30x or Higher.

This remedy is indicated in depression with desire to commit suicide. Person is gloomy and despondent and wants to die. In liver troubles of men we often find this condition of mind; while in women these mind symptoms are often the result of enlarged or prolapsed uterus. In fatty degeneration of the heart. In corpulent old people. In old, corpulent people with fatty heart, who have severe palpitation of the heart with throbbing carotids and a sense of oppression in chest and feeling of anxiety, it is a useful remedy. In caries of the bones and more particularly of the long bones, nose, palate or mastoid process it is a valuable remedy, especially if the result of syphilis. A valuable remedy in bone pains so-called. In hardening of the testicles of the male and uterus in the female. In congestion or fatty degeneration of the liver, heart or kidneys with the peculiar mind symptoms it is a valuable remedy.

Baptisia. 2d.

Baptisia is a remedy which is very often indicated in typhoid or typhoid conditions. The patient aches all over, is nervous and feels chilly. Aching pains in the back, head and lower extremities. There is a sore, bruised feeling all over the body. Later in these conditions patient gets weaker and weaker, becomes drowsy and often falls into a stupor from which he can hardly be aroused. When aroused to answer any question he will fall asleep before answering or finishing what he wants to say. Face dark red, dull and bloated in appearance. Feels as if scattered all over the bed and will often toss from one side to the other, trying to get himself together. Stool dark and very offensive with rumbling in the ileo-cecal region. Urine and sweat also offensive. Tongue at first white, later on a dark or brownish streak forms all along the center of the

tongue.

Baryta Carbonica. 6x.

Tonsillitis or chronic enlargement of the tonsils from every little cold, or suppressed sweating of the feet. Body sensitive to cold and damp weather, especially the head. In general marasmus of the young or old; but especially where the abdomen is very large and with a tendency to glandular swelling. In children that do not grow and are weak in body and mind, often with large heads that are out of proportion to the body; idiots. In the old that are feeble, childish and who stiffer from loss of memory. Good appetite but grows poor, showing lack of assimilation. Offensive sweating of feet.

Belladonna. 3 to 12d.

One of the delirium and head remedies. Head hot, extremities cold, face red and often purple, throbbing carotids, eyes bloodshot, wild delirium, showing engorgement of the brain. Delirium, fears imaginary things, and is violent and hard to control. Upper lip may be swollen. Localized Inflammation or boils in first stage, coming on suddenly, painful, throbbing and of deep red color. Inflammation and fever coming on suddenly without warning. Pain appears suddenly and disappears suddenly. Headache worse on stooping down or lying down, relieved by bending head back. Burning dryness of throat, constant desire to swallow to relieve the dry sensation. Marked tenderness in abdomen which is aggravated by least jar or motion. When head is uncovered or not bundled up in cold weather, will easily take cold. Patient takes cold easily from hair cutting. Shining, smooth, uniform, red surface, so hot as to cause a burning sensation to hand. Convulsions with belladonna symptoms. In females, pressing downwards as if vulva would come out; aggravated in morning. Pain in back as if it would break.

Berberis Vulgaris. 3d to 6d.

Weakness and prostration in the small of the back. There is a sore, lame feeling with stiffness, aggravated by sitting, lying down, or getting up from seat. Often there is a numb feeling in back. All symptoms aggravated by overexertion. These symptoms as a result of wrongs in the kidneys or urinary organs in general. There is change in the urine, generally sediment. Burning in urethra when urinating is a prominent indication, as well as the bubbling sensation in the region of the

kidneys. These conditions are found more in people that are pale and stiffer from prostration and general weakness. The pain and weakness in the back., aggravation on lying down, especially in the morning in bed, burning in urethra when urinating are prominent indications for this remedy.

Borax. 6x to 12x.

Dread or fear of downward motion. In the child we notice that it is afraid of falling and dreads every downward motion, even sometimes waking up with a cry, holding on to something for fear of falling down. In coughs the expectoration has a bad taste. Chronic nasal catarrh, where large crusts form and form again continually. Where eyelashes turn inward and are gummy and stick together we think of borax. One of our best remedies in aphthae with greenish stool. Leucorrhoea profuse and hot and of starchy nature. In inflamed conditions of the urethra, especially in infants where they cry even before they urinate.

Bryonia. 3d to 6d.

Aggravation from motion. Pressure relieves. Patient will suffer from the slightest motion. The more he keeps moving the part affected the more he suffers stitching pains that come on or are aggravated from the slightest motion. These indications apply to any condition where the serous or mucous membranes or muscular tissues are involved. Person wants to lie on the affected side. Excessive dryness of mucous surface from lips to anus. In constipation stool hard as if burnt. Excessive thirst which requires large quantity of water to satisfy. Hard, dry cough. A good remedy in second stage of inflammation of serous membrane, after effusion has set in. It favors absorption of exudates. A fine remedy in pleurisy, peritonitis, pericarditis. In gastric disturbances, dietetic errors, especially in warm weather following cold weather. Bitter taste, and vertigo when rising from horizontal position.

Cactus Grandiflorus. 3 to 6d.

The main indication for cactus is a sense of constriction in the heart, bladder, rectum, uterus or vagina. In organic or functional heart troubles the patient feels as if an iron band was around the heart preventing its normal action. There is often in these cases difficult breathing, palpitation and fluttering of the heart, pulse irregular, intermittent and very faint at times. Suffocating attacks with cold sweat

on face and even fainting spells. Numbness of the left arm. Swelling of left arm or leg or both. Lying on left side aggravates palpitation of the heart. Rheumatism beginning in the tipper extremities, especially in the joints, and going downwards. Heart troubles the result of inflammatory rheumatism. There may be in the cactus patient a heavy pain in vertex; or a heavy pressure as if a weight was pressing on it. In hemorrhages which appear to be in sympathy with some heart troubles the properly indicated remedies should be supplemented or alternated with cactus.

Caladium, 3 to 12d.

Perspiration sweet, attracting flies. Sexual excitement and desire but no erections, penis remaining relaxed. There is no emission or orgasm during embrace. Destroys craving for tobacco. Pruritis vaginae in pregnant women with mucus discharge.

Calcarea Fluorica. 3x or 6x.

Syn.—Fluoride of lime. Calcium fluoride.

A deficiency of this in the system will result in relaxation. of the elastic fibers and dilatation of the blood vessels, especially of the veins. Therefore of value in varicose veins, general relaxation of the blood vessels and for this reason it is a valuable remedy to alternate with heart tonics in case of weak heart. We also think of it in hemorrhoids, gumboils, vomiting of undigested food when indicated. Eye troubles where patient sees sparks before the eyes; also where there is flickering before the eyes. In organic changes of the heart, where there are cardiac pains, or result of endo- or pericarditis. In valvular thickening or other heart troubles bordering on effusion it is a good remedy. The average dose for adults is 10 to 20 grains in 2 ounces of water, 1 teaspoonful every 2 to 4. hours.

Calcarea Ostrearum. 3x to 12x.

This remedy is often indicated in fleshy subjects, with a marked tendency to obesity. Skin pale and generally soft and flabby. There is a tendency to glandular enlargement. Lack of bony development, some parts of the bony system often being well nourished and developed while others suffer from lack of nourishment, the result of faulty nutrition. In children this is most marked; here we often find open fontanelles that close too late or will not close, in which cases we

generally have profuse sweating on the head or forehead, especially while asleep; again in others there may be curvature of the spine or deformities of the extremities. In digestive troubles the sourness of the whole alimentary tract is the most prominent indication. Patient smells sour, eructation or vomit sour; stool sour. Milk often curdles and is vomited up in large curds. Large, distended abdomen, mesentery often hard and swollen. Craving for eggs. Sensation of general or partial coldness. Head feels icy cold inside and outside; cold, damp feet and legs, giving sensation as if stockings were damp. Very sensitive to cold air, least cold air chills right through; sensation of internal coldness. In chest affections, especially where the upper right lung is affected, chest tender to the touch and with each inspiration. In subjects with the calcarea ost. temperament there is hoarseness without pain or soreness aggravated in the morning. Diarrhea or tendency thereto aggravated in the afternoon. A peculiar indication is that patient feels always better when constipated. Partial sweats. Profuse perspiration with cold surface which latter is more marked in the lower extremities. Profuse perspiration on head or head and face worse while asleep. In night sweats of the debilitated.

Calcarea Phosphorica. 2x to 3x.

This remedy is indicated in many conditions during the time of dentition, puberty and sometimes in old age. It is a good tonic and restorative. A valuable tonic after acute disease and where there is emaciation; in fact wherever there appears to be a lack of the lime phosphates in the system. In children we find that they are generally spare, although they may be fat, but the bones are often soft and pliable, the tissues soft and flabby. In conditions which show debility and a lack of proper assimilation calcarea phos. is a good remedy. Marked appetite for salt and sour foods, and in children for ham rind. In neuralgia if worse in bad weather and at night; the parts affected feel cold and numb. In brain fag, result of illness or worry. In catarrhal tendencies, it is a good remedy if indicated. Vomiting of undigested food. Diarrhea mostly occurring (during dentition in which stool is offensive, hot, sputtering and consists of undigested material. Soreness around the umbilicus; child often craving for indigestible food and meat. In rheumatism coming on in damp, cold weather. Too early menstruation. During puberty in anemic girls troubled with headache in top of head, flatulent dyspepsia, gastric headache, distress in gastro-intestinal tract which is temporarily relieved when food is taken; acne and in fact any or all of these conditions resulting from lack of lime phosphate in the

system. Pain in the joints of rheumatic nature at every change of weather.

Calcareo Sulphurica. 2x.

Has a direct action on all connective tissue; therefore a good remedy in abscesses, suppuration, tubercular ulcers and of benefit in some cases of rheumatism. Average dose for adults is about 20 to 40 grains in 2 ounces of water, a teaspoonful 2 to 4 times a day. In bad cases of suppuration or abscesses where lime is indicated it should be used in large doses and at shorter intervals.

Cantharides. 12d or Higher.

Frequent micturation with cutting, burning pain is a prominent indication for this remedy, no matter what the disease. In inflammation of the bladder or urethra where we have violent burning, cutting pain with frequent desire to urinate, urine is only voided in very small quantity or a few drops only at time with violent tenesmus. The cutting pains are severe before, during and after urinating. Severe burning or burning pain in any part of the alimentary canal from mouth to anus with great thirst. Burning in the larynx, chest and ovaries. In some cases we have burning with stinging. Skin affections in which watery vesicles form which burn and often itch also. In diarrhea with mucus, evacuations pale, red or streaked with blood looking like scrapings from intestines, if the peculiar burning and stinging is present in anus and pain or colic is relieved after stool. In inflammation of the eyes the result of burns. A useful remedy in burns of any kind in which case cantharides added to some soothing solution is also useful locally. Cantharides increases the secretion of mucus.

Carbo Vegetabilis. 12x.

In cachectic people whose vital forces are low this is a valuable remedy both in acute and chronic cases. In many conditions, ailments or diseases that have appeared ever since an accident or disease even if years ago, carbo veg. is the first remedy to be thought of. Spongy and bleeding gums, teeth sore, acid condition, heartburn, fat food cannot be borne and even plain food disagrees. Flatulence, especially in upper abdomen, lying down aggravates. Hoarseness worse in damp air and evenings. In hemorrhages of any orifice, blood oozes out as if mucous surfaces were too weak to hold it. The blood is dark and not clotted,

showing that it is broken down,

patient gets pale before hemorrhage occurs. In chest affections there may be a weak feeling or a burning as if from coals. It is our best remedy in many desperate conditions where the vital forces are so low that death is imminent, pulse is very weak and may be slow or rapid, thready and intermittent. Surface is cold, especially the legs and feet, which may or may not be covered with cold sweat. Breath becomes cold, in fact patient lies motionless as if life were extinct. The patient wants to be fanned in order to be able to breathe. Blood may almost become stagnated in the capillary vessels, which will make the skin appear bluish and, cool or even cold to the touch.

Caulophyllum Thalictroides. 12th.

Internal trembling without visible trembling. Pain or pain and swelling of the finger joints. Severe bearing down pain in women. In these cases, if at the menstrual period or after confinement or abortion there is an excessive flow and the blood dark, the result of weakness, caulophyllum is a valuable remedy if given in high potencies. Low potencies often aggravate conditions. In all these cases the sensation of internal trembling should be taken into consideration.

Causticum. 30th or Higher.

A remedy mostly indicated in chronic; but of great value in acute diseases. Its main indications are drawing or tearing pain, soreness or rawness anywhere. Burning with rawness or soreness, condition aggravated in dry and ameliorated in wet weather. There is often marked weakness which may gradually increase to paresis and even paralysis. This may be of the tongue, throat, vocal cords, face, upper or lower extremities or in general. It is especially affective in those conditions arising on the right side of the body. Sore throat with hoarseness or sudden loss of voice, with the characteristic soreness and rawness, at times accompanied by tickling or burning. Cough hacking and dry, ameliorated by a swallow of water. Mucus hard to raise but easily swallowed; however, after a long effort a little phlegm is raised. These conditions are generally worse in the morning. Pain in throat which is aggravated by swallowing, especially of solids. Stiffness in throat and neck. In influenza with the characteristic sore and bruised feeling, pain in chest, especially when coughing, it is a valuable remedy. Drooping eyelids, a feeling as if a fog were before the eyes, this latter

condition is often present in. the early stage of cataract, in which case causticum is a useful remedy. In deafness with humming or roaring and all kinds of noise in the ears; ears often red and burning. Tongue coated white on the sides with red streak in center. Stiffness of jaws; sickly, yellowish tinge of face, especially the temples, no jaundice color however. Mental moods are generally tendency to look at the dark side of life, sad and melancholy feelings, which conditions are often the result of grief or worry; however, patient may be irritable or hysterical. There may be general twitching. If indicated causticum is useful in chorea, convulsions, epilepsy and even in the early stages of locomotor ataxia. Hemorrhoids that smart, burn, itch and feel raw and sore when walking or on thinking about them. Constipation with frequent desire but no result, patient strains so hard as to get red in face, accompanied by more or less pain. Feces pass more easily when standing. In urinary troubles, where a few drops are voided at a time but there is continual desire. There is feeling of rawness or soreness and may be itching of the orifice of the urethra. In some cases this condition is accompanied by spasms of the rectum. Urine passes involuntarily when sneezing, coughing, walking or on any unusual effort. In fact sensation may be so dulled patient does not notice passing of urine. There may be sediment in the urine of dark or light color. Drawing or tearing pain in any part of the body; but especially in the extremities, aggravated by cold air and easier in bed. Marked stiffness of back, especially when getting up from a sitting posture. Rheumatism or arthritis, with sensation or actual contraction of flexors. In chronic skin troubles, eczema or conditions resulting from suppressed itch, it is useful. In long standing sores from burns, and warts causticum is useful.

Chamomilla Matricaria. 2 to 3d.

Pain with numbness aggravated by heat, but not relieved by cold. Sensitiveness to cold conditions the result of a cold. Very sensitive to pain, although the pain may not be so severe patient thinks he is unable to bear it. Feels desperate and thinks that it would be better to die than stiffer so, in fact a condition of exalted sensitiveness. Restlessness and sleeplessness the result of pain and nervousness. In chamomilla patients we have the ugly mood, patient is generally very cross and spiteful. Children will cry a great deal, are cross and ugly, want things only to reject them if handed to them; they are peevish and nothing suits. It is our leading remedy in conditions the result of anger. Spasms in children the result of anger. In worms or other conditions where one cheek is cold and pale and the other hot and red. Stool green,

may be watery, especially in infants during dentition and in small children. In some cases stool smells like rotten eggs. In fevers or other conditions where there is thirst, skin hot, yet moist. Flatulent colic with marked distention, but passing of flatus gives no relief. Toothache, taking anything warm in mouth aggravates. Cough dry, worse in cold weather and in the night; but the cough does not awaken the sleeper. Cough with tickling in throat. Earache with pressing pain. In parturition where os is rigid, or in afterpains where patient cannot bear the pain. Menstrual colic result of anger. Metrorrhagia where blood is coagulated and dark and comes in paroxysms.

Chelidonium Majus. 3 to 6d.

Hepatic troubles both acute and chronic where there is oppressive pain in right hypochondrium, with yellow skin and conjunctiva, bitter taste, yellow coated tongue with red, indented edges. There may be marked coldness of right foot and drawing pain in right thigh and leg. Either sharp or dull pain under right shoulder blade. Can only retain hot drinks. Vomiting of bilious nature. In persistent coughs with pain through right chest to right shoulder blade, this remedy has proven to be of value,

China Officinalis. 6d to 12d.

A remedy mostly indicated in conditions the result of debilitating losses of fluids, such as loss of blood, seminal emissions and excessive flow of saliva. In the females debility as a result of excessive leucorrhoea. In nursing women who run down as a result of nursing. Patient shows effects of debilitating losses by weakness, prostration and often there is a sallow, sunken appearance of the face. China is an antiperiodic in conditions that appear every other day or are aggravated every other day. In digestive wrongs we find great distention and bloating of the whole abdomen, patient still feels hungry at meals. Everything appears to turn into gas, not relieved by passing flatus. Diarrhoea if present varies in nature but is painless and consists partly of undigested food. In passive hemorrhages from any orifice of the body this is a useful remedy. Pressure ameliorates pain or soreness. Breeze of air, touching the head annoys and pains patient. Very sensitive to light. In liver troubles, generally hypertrophy, with soreness and marked sensitiveness to touch in the region of the liver. Skin and white of eyes yellow, stool light colored, urine generally scanty and of dark color. Senses very acute. Patient so sensitive to the touch that the least breeze,

cutting hair or shaving seems to hurt him. Although light touch aggravates pain or soreness, deep pressure ameliorates

Cimicifuga Racemosa. 3 to 12d

Nervous chills without coldness, uterine pains darting from one side to the other, menses irregular. Sharp or cutting pains anywhere, result of uterine trouble. Menses may be scanty but are generally profuse with severe pain in back through hips, down the thighs, pressing pain. Left sided infra-mammary pains at climateric. Rheumatism of the muscles but especially of muscles of the abdomen, pressing or expanding headache, pains may shoot in eyes or in occiput, running down the neck. In hysterical subjects we may have neuralgic pains, twitching spasms, change of mood; they sigh, and are gloomy, even thinking that they will become insane.

Cina. 30d or Higher.

Patient restless in the night, jumps, jerks or rolls around in bed, grinds teeth and often screams in sleep. Often swallows in sleep as if something came up in throat. Child cries a great deal and is cross, wants to be carried and then again not, wants things only to refuse them when handed. Picks nose a great deal. Face pale with dark circles under eyes; face may be glowing red, but with this, child is generally pale around mouth. Alternate loss of appetite and canine hunger. Cina is useful in spasmodic conditions, such as jerking, twitching, convulsions and whooping cough, when worm symptoms are present; whether patient has worms or not.

Cocculus Indicus. 30d or Higher.

General prostration, in the spine and extremities, excessive weakness even bordering on paresis or paralysis, especially in the small of the back. There is a general weakness in the lower extremities, bruised feeling in hip or thighs. Hands and feet go to sleep, and there is in some cases a sensation of fullness or swelling in the fingers, hands or feet. In the upper part of the spine we find a weakness which makes patient feel as if he could not hold head up. Vertigo, especially when rising from the recumbent position, confusion of mind, sick headache, preceded by nausea, stupefaction, tendency to vomit, especially after meals. Symptoms aggravated by riding or on the sea. Marked aversion to food. The odor of cooking food in some cases aggravates nausea. Therefore a

great remedy in sea sickness. Great distention of abdomen, often with sensation as if sticks were in the stomach, generally worse nights. Gas forms, passes off but forms again continually, thus there is no relief from flatus. Bad effects of loss of sleep, overwork or riding. A sensation of emptiness anywhere, but especially in the head or abdomen. Mood is sad with inclination to be alone. Marked depression. In prostration and excessive weakness in small of back and extremities, especially in the lower; weakness in the cervical region; empty feeling, depression, affections caused or aggravated by riding cocculus ind. should never be forgotten.

Colchicum Autumnale. 6 to 12d.

The smell of food when cooked causes nausea and faintness. Symptoms aggravated from the time the sun goes down to the time it rises. There may be in the abdomen marked burning or a sensation of coldness. Dyspepsia with above symptoms with much distention and gas in the gastro-intestinal tract. Diarrhea uncontrollable, stool often mixed with mucus or of slimy nature. Dysentery with much tenesmus, discharges of mucus which is mixed with blood.

Colocynthis. 2d.

This is our best remedy in cramps, especially of a violent nature, ameliorated by doubling up and by pressure. In neuralgic pains of a crampy nature in the abdominal region, although it is of value in neuralgia of the face or other parts of the body. Pain in hips running down the posterior part of thigh into the popliteal fossa, if of neuralgic nature. Colocynthis is oftener indicated in acute conditions; but is equally useful in chronic conditions.

Crocus Sativus. 3d. or Higher.

A prominent indication for this remedy, especially in hysterical subjects, is a sensation as if there was something moving or hopping around in the chest, abdomen or uterus. Twitching of any muscles of the body, especially of the eyelids. Depression alternating with cheerfulness. Hemorrhages from any orifices of the body where the blood is black, clotted, hanging in long strings.

Digitalis Purpurea. 2d.

This is a useful remedy where the pulse is very slow or intermittent and weak. Irregular pulse, sometimes very slow and again fast or intermittent. In other words slow and irregular pulse are its main indications. Lips and nails are generally bluish and in addition to these we find in other cases that the tongue and eyelids are also bluish; while in others the cheeks, hands and feet, and, in fact, the whole skin, have a bluish tinge. There is in severe cases marked weakness with weak or faint feeling in stomach, patient draws deep sighs, feels as if dying, especially if moved or moving. There may be sudden failure of strength and cyanosis. When going to sleep it appears as if patient stops breathing and will wake up gasping for breath. Urine brownish, the color of dark beer, especially in liver trouble, jaundice, etc., when stool is very light, patient yellow all over the body even eyes and finger nails. Dropsy, the result of disease of the heart with the slow or intermittent pulse and bluish tinge of the skin as stated.

Ferrum. Acetate or Met. 3 to 12x.

Great weakness and at times restlessness; but patient feels better walking around slowly. Mucous membrane pale. In weak or anemic subjects we find the pale, ashy or even greenish appearance of face, changing to red from heat or least excitement, with throbbing from the least exertion or excitement. At times canine hunger and at others entire loss of appetite; vomiting of food when coughing. Eructations or regurgitations after eating. Food vomited up after 6 or 8 hours or longer. Bread and butter agree, but meat, beer and tea disagree. Bowels feel sore and bruised; diarrhea painless. Stools of undigested food. Local congestions with hemorrhages in the anemic and debilitated. In intermittent fevers, with red face at the time of chill, it is often useful.

Ferrum Phosphoricum. 3x.

In the first stages of acute diseases to control the circulation. In cases of cold where there is hurried and oppressive respiration and dry cough this remedy alone will often prevent an attack of bronchitis or pneumonia. In respiratory affections of children given in very small doses, it is often the only remedy required. Given in the first stage of a cold it acts admirably. We also think of it in enuresis, inflammation of the eyes with secretion of pus or mucus, hemorrhages, epistaxis, headache with rush of blood to the head. In bruises, falls and blows, it

will modify the swelling, pain and engorgement. Neuralgia with determination of blood to the head. In some forms of morning sickness it has proved to be of value. In rheumatism worse on motion it may be tried.

Gelsemium Nitidum. 30d.

A remedy of much value in general nervous prostration where there is general relaxation of the muscular system, even to paralysis. Gelsemium is one of most important trembling remedies; arms, hands, legs, in fact the whole body trembles, and in some cases this is so severe as to shake the patient all over. Tongue trembles when protruding. Eyelids droop until they are almost closed. Cases go on to paralysis, the patient gets weaker and weaker, pulse gets slower and weaker, but the least motion accelerates. The will has no control over the muscles, as the nerves convey impressions improperly or not at all. Patient knows what he wishes to do, but is unable to do it. Fingers will not co-ordinate. Mental condition is of a sluggish nature, patient is depressed in spirit and prefers to be alone. Does not care to be talked to and even the presence of anyone annoys him. Dreads to move about, is drowsy, sleepy and cannot think clearly or fix his mind on any subject. Diarrhea as a result of emotion, bad news, fright or fear. Neuralgic pains may be dull, but may be so darting, sharp and sudden as to cause patient to start. Headache is generally dull with a sense of weakness in the region of the occiput or nervous headache starting from the occiput and spreading over the head. Lying still with head high ameliorates. In some cases an abundant flow of urine ameliorates headache. Stimulants may temporarily ameliorate, so will pressure over the parts. Mental exertion, head low in recumbent position, sun or smoke of tobacco aggravates headache. Sick headache, which is preceded by blindness, the latter disappearing when the former begins. In mild forms of continued fever, especially in children, it is a useful remedy, patient is too weak to move and feels drowsy and sleepy. There is a congestive condition, face may be pale or dark red, pupils dilated. Useful to abort or modify typhoid if the marked nervous prostration precedes it. Nervous chills running up and down the spine. In weak and slow pulse in old people this is a valuable remedy.

Glonoine. 6 to 12d.

Face glowing red, throbbing headache, throbbing carotids which feel as if they would burst, bending head backwards or the least jar aggravates

condition. Head may feel so full as to give sensation of expansion. Warmth increases, but quiet appears to ameliorate pain. Cannot bear anything on or around head. In sunstroke or bad effects of heat it is one of our best temporary remedies. All this shows that it is a useful remedy in temporary congestion of the head. In puerperal convulsions, congestion in head the result of suppressed menses it is of value. Glonoine is a temporary remedy and should not be used any length of time.

Graphites. 3x Upwards.

Is a valuable remedy in any eruptions exuding a sticky, glutinous fluid of the nature of honey. It acts more strongly on the face, ears, head, eyelids and genitals; but is a good remedy in eruption of above nature on any part of the body. In eczema of the eyelids it is one of our best remedies. In anal fissures and eczema of the anus, or any part of the body where indicated. Suppressed eruptions, if indicated. Finger nails becoming shapeless and thick. In people with herpetic dyscrasia subject to wens. Fissures of the nipples, labia, anus, between toes or tips of fingers. In constipation stool large and knotty, the lumps often are connected with mucus, and which may be followed by mucus. There is generally considerable pain after bowels have moved. After stool anus very sensitive to touch. The stool often has very offensive odor, especially if bowels are loose. In females menses are delayed and generally scanty. In old, hard cicatrices the result of abscesses. Lumps in the breasts. The temperament in which graphites is more often indicated is where there is a tendency to obesity.

Hamamelis Virginica. 3d or Higher.

Its action is mostly on the veins when they are sore, large and full, walls weak, relaxed and even tortuous in some cases. We at times find it indicated in varicose veins, orchitis, rheumatism and venous hemorrhages, in which the blood is dark and clotted.

Helonias Dioica. 3d.

A remedy that is useful in many wrongs of the reproductive organs of the female, especially the anemic. In antiversion, retroversion or prolapsus of the uterus. Menses may be profuse or scanty. Patient feels tired, weak and lame in the lumbar and sacral region, this is often associated with heat, burning or pain. Uterus very sensitive. A symptom

very characteristic of this remedy is that of being conscious of the uterus, most, if not all, of the time. A weak feeling as if unable to hold up abdomen, there is an inclination to hold up abdomen, either with hands or by bandage.

Hepar Sulph. 3 to 12x.

One of the leading indications for this remedy is oversensitiveness to cold air, touch or pain. In mind we find the same sensitiveness, irritation from the slightest cause. This excessive sensitiveness we find in boils, ulcers, eruptions, in fact any condition where hepar sulph. is indicated. General tendency to suppuration, even the slightest abrasion will suppurate. In local inflammation with tendency to terminate in suppuration; it may in the early stage abort the same, later it will hasten maturity and favor absorption. In croup, condition is aggravated by the least draft or current of cold air. There is loose cough with wheezing and rattling and child is threatened with suffocation, worse in the morning. Taking cold whenever going out into the cold. Chronic dry catarrh of the nose. Asthma that is ameliorated in damp weather. Chronic enlargement of the tonsils that affects hearing. To abort suppuration in tonsillitis and correct the chronic tendency to it. Weakness in the bladder, patient has to wait sometime before stream starts, flow slow without force. Stool sour and in small children whole body smells sour as well. Stool clay colored and hard to pass even if soft, showing a weakness in expulsive force. Diarrhea is sour and if in small children the whole body smells sour. Hepar sulph. patient often craves sour or acid food or drinks.

Hydrastis Canadensis. 2d or Higher.

In chronic or infantile constipation. In stringy discharge from any orifice of the body, of a chronic nature. There is a dull ache and faint gone feeling in epigastrium. Stomach is not bloated but, on the contrary, often is sunken in.

Hyoscyamus. 3d or Higher.

Delirium of low form which may become violent but only seldom, there is gradually increasing weakness with pale and sunken appearance of face, patient sometimes even becoming unconscious. Patient picking at bed-clothes, answering questions only to relapse immediately into a stupor again, lower jaw drops down, eyes may be closed or wide open,

staring without comprehending what is going on. Stool and urine pass involuntarily. Above indications are often met with in severe acute diseases, such as typhoid, pneumonia, scarlet fever, and in such cases it is a valuable remedy. In convulsions there is general twitching and they are clonic in nature and not violent.

For mind symptoms see proper heading.

Ignatia Amara. 3 to 12d.

Twitching, this may be of parts or all over the body. Tobacco smoke cannot be tolerated and will aggravate complaints of the patient, in other words, there is marked aversion to the smoke of tobacco. An empty or gone feeling in the pit of the stomach, with tendency to draw a long breath or sigh. Hysterical or nervous headache. Headache as if a nail or stick was run through side of head, increased by coffee or smoke, alcohol, cold wind or sudden motion, moving of eyes, light or noise. Warmth, mild pressure or lying on it ameliorates headache, so does a profuse flow of urine. Although eating may momentarily relieve headache it only aggravates it soon afterward. Globus hystericus is an indication for ignatia. Patient complains of a lump coming up in the throat as if choking. In throat affections swallowing ameliorates, however, there may be aggravation from liquids, but relief from swallowing solid food. Frequent desire to go to stool, but rectum prolapsus in the effort. A sharp pain in rectum shooting upwards. There is in ignatia patients a condition of depression and silent grief. Are sad, despondent, sigh, cry, and wish to be alone with their troubles or imaginary troubles, at other times patient may be happy, merry and full of fun, showing that it is the remedy in changeable moods. They are easily frightened, therefore, it is useful in affects of fright. Twitching all over is a prominent indication for ignatia am.

- Convulsions, the result of emotion, fright or fear.
- In chorea the result of emotion, fright or fear.
- In chills there is thirst only during chill, face is red at the time, hot applications give relief.

Iodium. 30d.

Swelling of the thyroid or mesenteric glands. However, useful in glandular swelling in general when indicated. A good remedy in goitre if given in high dilutions and not too often. Soreness and wasting of

mammae. Marked debility and emaciation. Patient hungry all the time and only gets relief from hunger as well as other sufferings when eating, still emaciates all the time. Feels good only when eating. Useful in cancer of the uterus with hemorrhages; also in corrosive leucorrhoea. Warmth aggravates condition. In membranous croup with dry, barking cough, where child grasps throat when coughing. Seems to act better in children that have dark complexions.

Ipecacuanha. 12d or Higher.

Persistent nausea not relieved by vomiting, tongue clean or only slightly coated. We find often with nausea of ipecac that the face looks pale and sunken, there may be twitching of lips or face and sleepiness after vomiting. Accumulation of saliva in mouth. Stools in diarrhoea or dysentery slimy, mixed with blood. Stools in children green as grass and often foamy. Hemorrhages from any or all orifices of the body where blood is, of a bright red color, in other words in active hemorrhages. There is generally restlessness and anxiety. Headache may be of gastric or rheumatic origin in former the nausea will precede headache and continue with the headache, in the latter there is a bruised feeling in head, bone pain. In all cases remember the persistent nausea not relieved by vomiting. In cough with nausea, threatened suffocation, dyspnoea and wheezing as a result of excessive accumulation of mucus or pressure in the air passages. This may cause coughing with a sensation as if there was a foreign body in chest or throat. This remedy is of value in spasmodic asthma, whooping cough and coughs in the earlier stages before there is any accumulation of mucus. In children with spasmodic or suffocating cough, which is so severe as to cause the face to turn blue, and the whole body to become rigid at times. Useful in infantile pneumonia and asthma if indicated. Our main indications for this remedy are, persistent nausea not relieved by vomiting. Threatened suffocation from excessive accumulation of mucus in the air passages. Spasm, and cough with spasms where indicated. Hemorrhages in which the blood is bright red, in other words, active hemorrhages. In bowel troubles with the characteristic stool.

Iris Versicolor. 2d.

In sick headache, the result of gastric or hepatic wrongs. Often the eyes are blurred just before or at the beginning of the attack in these forms of headache. Burning in the tongue or throat, and in fact in the whole alimentary canal. Profuse flow of mucus, which in some cases is of a

stringy nature, hanging in long strings from the mouth and is very sour, in some cases turning almost black a short time after being vomited. In diarrhea with burning anus. If we have vomiting of long ropy mucus hanging in long strings from the mouth, vomit very sour, so much so as to excoriate even the mouth and throat, this remedy should be remembered.

Kali Bichromicum. 6 to 12x

In affections of the mucous membranes in which the discharge from any orifice of the body is sticky, stringy and tough or jelly-like. In post-nasal, catarrh where plugs form and reform in nose and where there is dropping down in throat of mucus of a tough, stringy nature. In membranous croup where the membrane forms in throat and extends downward. Ulcers in mucous surfaces, but especially, in the nose and throat, which are deep, edges regular as if cut with a punch. Ulcers of above nature in mouth, throat or nose are quickly cured by this remedy. In stomach troubles we find that immediately after eating there is distress, fullness and heaviness. If there is vomiting it is of stringy, tough, sticky or jelly-like nature. In ulcers in the stomach if indicated. Tongue coated yellow, especially at the base; or we may have a red, cracked tongue, with a glazed appearance. Sick headache, especially if in small spots, blindness preceding the headache which latter gradually subsides as the former increases. Pains severe and in spots, generally appearing and disappearing suddenly. Pains may shift from one place to another. A useful remedy where indicated in acute or chronic conditions. In respiratory troubles such as bronchitis, coughs and croup. Recommended in syphilis and Scrofula. In leucorrhoea with the stringy or jelly-like discharge it is of value. Never forget the leading indications of the peculiar discharge from mucous surfaces, ulcers on mucous surfaces; deep with regular edges as if punched and the nature of the pain.

Kali Carbonicum. 6x or Higher.

Sharp, stitching pains come on suddenly and so sharp as to make patient cry out, when they may disappear as suddenly as they came. Pressure or lying on affected part or side aggravates condition. Pains come on independently of movement or motion of body or parts. Bag like swelling of upper eyelids. If there is aggravation of symptoms or condition at about 3 A.M., less at 3 P.M., we think of kali carb. Great debility and great sensitiveness in epigastrium externally, in gastric

troubles, bloated feeling as if bursting. Excessive flatulency, everything eaten seems to hurt and turn into gas. Fullness, heat, great distention after eating. Sweats, backache, especially in lower region, weakness and debility. Back and legs feel so tired and weak that patient thinks they will give out every minute, gets exhausted easily and want to sit or lie down. Indicated in patients that are weak and anemic, skin very pale, this especially at puberty in girls who do not menstruate, are weak and debilitated and bloat, especially in face and upper eyelids. At the climateric we find similar conditions where kali carb. is a good remedy. in pleurisy or pneumonia it is a valuable remedy. Although it acts more strongly on lower right chest it is a valuable remedy in chest troubles in general, no matter where, if indicated. In tuberculosis it is of value where we have the 3 A.M. aggravation of cough. Patient is sensitive to touch, especially feet. Gets frightened very easily. Sitting up bent forward seems to ameliorate in affections of the chest. Pain in throat as if there was a foreign body in it. A valuable remedy in the anemic with great debility as well as in old people who are weak and broken down in health. General muscular weakness. Puerperal muscular weakness. Puerperal fever with the stitching pain, or alba dolens. In kali carb. remember the sharp, stitching pain coming on independent of movement, the 3 A.M. aggravation, bag like swelling of upper eyelids and anemic and debilitated condition. In hip joint inflammation with severe pressive pain in hip joint and in some cases severe pain in knee and leg. In severe cases or those of long standing where actual lengthening of the limb has taken place kali carbonicum is a useful remedy.

Kali Iodatum. 3x or Higher.

In respiratory troubles with thick, yellow or yellowish green expectoration of a salty taste. Cough remaining after pneumonia, pleurisy or after a severe cold. Great weakness and exhausting night sweats. There may be pain in the middle of the chest running to the spine, between the shoulders and the expectoration, which is profuse, appears as if it comes from way down in the chest. In pneumonia it is useful in the early stages of hepatization or later, and where there is danger of or actual congestion of the brain, as a result of the severity of this stage. In these latter cases patient is drowsy, face very red and pupils may be dilated. Kali iodatum favors absorption and controls the congestion in these cases.

Kali Muriaticum. 3x.

One of the best remedies in the latter stages of acute diseases in which infiltration and exudation or swelling are marked features. Especially in catarrhal conditions in latter stages where there is thick, white expectoration or discharge. The most prominent tongue indication for this remedy is a grayish white coating. Kali mur. 3x is our best remedy in the latter stages of pneumonia, where it may be alternated to advantage with muriate of ammonia or other indicated stimulants. In pelvic cellulitis it has cured where other means failed. We also think of it in catarrh of the middle ear, latter stages of catarrhal conditions, bronchitis, croup, colds, hard, croupy coughs, stomach coughs, glandular swelling, acne, pimples, nettle rash, eczema, bad effects of vaccination, catarrhal inflammation of the middle ear from cold, diarrhea from fatty foods, dysentery with slimy stool and accompanied by tenesmus, leucorrhoea with a discharge that is milky but nonirritating, excessive menstruation, inflammation of mouth, rheumatism with swelling. A good remedy in diphtheria, bronchitis or ulcerated sore throat, especially the latter.

Kali Phosphoricum. 2x.

Indicated in all debilitated conditions of the nervous system. We also think of it in conditions where there are offensive discharges, brain fag, change of life where there is nervousness, numbness, flushes, hectic fever, diarrhea with offensive odor, dysentery with putrid and bloody stool, nervous headache, melancholy, sleeplessness, despondency, paralyzing pains in limbs, hysteria, delayed menstruation accompanied by lassitude, nervousness and depression, palpitation. Tongue indication for kali phos. 3x is a brown and dry tongue. Toothache, gums bleed easily. Neuralgia worse when patient is alone or quiet. Headache with a gone feeling in the stomach. Headache from overstudy.

Kali Sulphuricum. 2x.

A useful remedy in catarrhal conditions of any mucous surface in the body where there is slimy secretion of a yellow or yellowish green color. Therefore is indicated in the latter stages of a cold if discharge is of the above nature, profuse and easily raised. Tongue indication is a slimy, thin deposit on same. Discharges of a greenish nature. Patient generally worse in heated rooms and toward evening. Feels better in the cold. Rheumatic pains shifting from one joint to another.

Kreosotum. 30d or Higher.

A remedy whose action is mainly upon the mucous surfaces and is indicated where there is a debilitated condition of these parts, secretion acrid and corrosive, gums swollen, spongy, painful and of bluish, red color. Teeth decay even in small children without any apparent cause. In cholera infantum often the result of painful dentition with above symptoms, cadaverous smelling stool, severe vomiting, it is a valuable remedy. In vomiting of pregnancy. Some forms of vomiting the result of softening of the stomach. Tendency to hemorrhages of intermittent nature. Ulcerations of cervix uteri with severe burning in the pelvic region and flow of blood with very offensive odor. In ulcerations of the female genital organs and corrosive leucorrhoea, causing itching and burning with a tendency to scratch which only inflames or irritates parts the more; the discharge coloring white clothes yellow. Excoriations on genitals of females result of acrid corrosive leucorrhoea. The acrid corrosive discharge applies also to the nose, eyes and mouth but to a much lesser degree, In cancer of the breasts of bluish, red color. General tendency to hemorrhage; small wounds bleeding easily, hemorrhages from orifices, of intermittent passive nature. In the urinary organs we find that patient voids generally large quantities of water, cannot hold water, can urinate best lying down. In children if they wet the bed it is in the fore part of the night or during first sleep, which is so sound that they are not awakened.

Lac Defloratum. 6d or Higher.

Despondent, does not care to live. American sick headache begins in forehead and extends to occiput, intense and throbbing with nausea and vomiting, especially on rising in morning, blindness; pressure relieves. Globus hystericus, vomiting first of food then of sour matter, then bitter. Obesity; fatty degeneration. Dropsy from organic heart disease; from chronic liver complaint; in advanced albuminuria following intermittent fever.

Lachesis. 12d Upwards.

Sleeps into aggravation, symptoms worse on awakening. A feeling of constriction, but especially in the throat, cannot bear anything tight around it; lightest touch or pressure aggravates sense of constriction or condition. Empty swallowing and swallowing of liquid, aggravates more

than solids. Pain in throat worse from hot drinks. Coryza where discharge from nose is suppressed after sleeping. In diphtheria it is our best remedy, but especially if throat looks bluish red, trouble started on left side. A valuable remedy in any condition of the throat when indicated no matter what the disease. Lachesis is considered a left sided remedy and will be found most useful in conditions of the left side or those arising on the left side. In prostration from heat or sun headache, especially if chronic; headache whenever exposed to the heat of the sun. Pressure or burning on vertex. Sleeps into aggravation of headache, face pale. In dark bluish eruptions or swellings no matter where and in what condition or disease lachesis will be found a valuable remedy. Uterine troubles where cervix has a dark blue color. Larynx, abdomen or uterus very tender and sensitive to touch, clothes even have to be loosened. In left sided paresis, paralysis, throat trouble, lung or ovarian trouble. Hacking cough in sleep without awakening. In bowel troubles where there is a sensation as if the rectum was closed, with a marked downward pressure which is so much aggravated by straining that patient has to stop on account of pain and pressure. Trembling with weakness and faint feeling as though unable to stand up. Tongue trembles in the effort to protrude it and generally catches tinter front teeth in the attempt. In enervation where patient stops breathing as soon as he falls asleep. Stool offensive. Hemorrhages of the bowels in severe acute diseases where the blood is of the nature of charred wheat straw, coming in flat flakes. In typhoid with this form of hemorrhage lachesis is a valuable remedy. Lachesis is a valuable remedy at the climateric, with flushes, top of head hot, in gradually increasing pains in uterus which are relieved by flow of blood which may occur at longer or shorter intervals. Hemorrhages at climateric. Whole pelvic contents tender.

Lycopodium. 30d or Higher.

This is considered a right sided remedy or one where the trouble arises in the right side. A prominent remedy in liver troubles of the atrophic variety. Patient is much depressed, irritable, weak and looks thin, sallow and old, and although mentally bright and active, there is a weak condition physically and a lack of muscular development. In gastric troubles which are generally the result of wrongs of the liver we find that there is great distress in abdomen from gas, the result of fermentation. There is great distention, especially in lower abdomen, often with much rumbling in the left hypochondriac region. Hungry, still a few mouth full fill patient up to, distress and he cannot eat any

more. In constipation there is desire for, but stools are painful from abnormal contraction of the rectum. Urine dark and often scanty with red sediment. Pain in back which is eased by urinating when red sand is passed, is a prominent indication for this remedy. In troubles of the organs of respiration we find it useful in latter part of the second or first part of the third stage, especially if liver complications appear, and resolution is protracted. This applies especially to the right lung. In these cases there is cough with much expectoration and rattling, dyspnea, short breath and fan-like motion of the wings of the nose. There may be later, thick, gray or yellowish purulent expectoration of a salty taste and a great deal of rattling in chest. In these conditions lycopodium is a very useful remedy. When indicated it is not only a useful remedy in chronic but in acute diseases as well. A prominent indication of many conditions is the 4 to 8 P.M. aggravation. Nasal catarrh of the dry variety, nose clogged up, must breathe through mouth, worse nights, sore throat, tonsillitis or diphtheria starting on right side. Pain or troubles in the abdomen, ovaries, eruptions, or any complaint starting on the right side and crossing the left should make us think of lycopodium. Useful in impotency in the elderly and the young from masturbation or sexual excesses. In old people whose memory fails, who begin to find it hard to express themselves as they want to do either in speaking or writing it is a useful remedy.

Magnesium Phosphoricum. 2x.

We think of this remedy in all pains of a spasmodic nature; such as colic, cramps, neuralgia, babies' colic, writer's cramp, teething, troubles with convulsions, neuralgic pains of a darting but not of a burning nature, where warmth will relieve, palpitation of the heart in some forms, toothache if hot fluids relieve, sciatica to relieve pain. In painful menstruation it has proven a good remedy, especially if the flow is scanty.

It is our best remedy in hiccough. In all cases in absence of fever it is more effective if taken in hot water.

Average dose for adults is about 1 to 3 grains of the 1st or 2nd trituration every $\frac{1}{4}$ to 2 hours, as the case demands.

Mercurius Vivus. 12d Upwards.

Sweating aggravates pain or condition. Mouth moist yet intense thirst. Gums swollen and spongy. Saliva of stringy nature with very offensive

odor from the mouth. Tongue indented on edges and is large, flabby and may be swollen. Fever not relieved by sweating, creeping chilliness worse evenings and in the night. There may alternate flushes and creeping chilliness. Perspiration may be very profuse, symptoms aggravated when getting warm in bed or perspiring. On the mucous membrane discharges are thin and excoriating at first followed by thickening of the discharge which becomes more bland, worse nights. One of our best remedies in its primary form for syphilis, however, if mercurius has been used abusively in its secondary form, nitric acid should be used for the treatment of syphilis. It has a strong action on the bones or glands if indicated. Given in high potencies it may abort suppuration if given early enough.

Where sweating increases symptoms or pain no matter what the disease we think of mercurius.

Natrum Carbonicum. 6x or Higher.

Conditions aggravated by mental exertion; but especially headaches. Headaches aggravated by light or from the heat of the sun. Patient very sensitive to noise; but especially to music. Is depressed and sad. In weak ankles, especially in children. A good remedy in chronic nasal catarrh extending to the posterior nares and throat. A thick mucus continually collects in throat which requires much straining and hawking to raise.

Natrum Muriaticum. 30x or Higher.

In anemia, throbbing headache, depressed spirit, hypochondriasis, comforting only aggravates condition, There may be palpitation of the heart. Chronic headache that comes on in paroxysms, there is intense throbbing, face pale or a little flushed, especially in the anemic. Headache in students from eye strain. Sense of dryness in mouth without actually being dry. Bitter or salty or loss of taste. In the alimentary canal we find that the corners of the mouth or the lips are dry and cracked and in some cases even ulcerated. There may be tingling or numbness of the mouth, lips or nose; this also applies to fingers and toes. There may be salivation of watery nature and very profuse, of salty taste. There is good appetite but a sense of fullness in stomach, patient feels dull, tired and sleepy after eating; but no matter how hearty the patient eats, he loses in flesh. Marked craving for salt. In constipation we find stool hard, dry and crumbling, may be fissure of the anus and bleeding with resulting soreness or smarting after stool. Urine increased in quantity and may pass involuntarily. Burning or

cutting pain after urinating, in urethra. This same pain if found in gonorrhoea or gleet when discharge is thin and watery will find a remedy in natrum mur. Watery leucorrhoea which is irritating, and with pain in back, relieved by lying on something hard. Scanty menstruation, bearing down pain in the morning, pain in back eased by lying on back. Headache during or after menses, of throbbing nature, especially in anemic subjects, turning the eyes makes them feel sore and painful. Palpitation of heart which may be of violent nature with faintness worse lying on left side or lying down; pulse intermittent. Troubles arising from abuse of quinine and from malarial chills suppressed only by quinine. Chills coming on 10 to 11 A.M. In fevers we have the same time of aggravation. All symptoms of natrum mur. are relieved by sweating. In weak ankles it is useful, especially in small children that are late walking. Sensation or actual tension tender knees as if cords were too short. Spine very sensitive to touch, but hard pressure ameliorates; this may be associated with weakness and even paresis of lower extremities. General debility, prostration and general nervous exhaustion. In skin troubles natrum mur. is especially useful, in eczema which shows much inflammation and rawness, especially at edge of hair. Tetter, especially where joints bend, which discharges an acrid fluid, a crust forming which cracks from time to time. In urticaria if indicated. Natrum mur. should not be given in large doses nor very often. In chronic cases a few doses a week often being sufficient. Relaxed uvula if indicated. In brain fag. Tongue clean, sometimes mapped, may be covered with white bubbles of saliva.

Natrum Phosphoricum. 3x.

A remedy largely used in acid conditions of the system; but especially in children who have been fed too much sugar, pastry, etc. We think of it when there are acid eructations, diarrhoea with sour smelling or greenish stool, vomiting of sour, curdy, undigested masses, canker sores. Tongue indications for natrum phos. is a yellowish, creamy thick deposit or coating.

Natrum Sulphuricum. 3x,

In bilious conditions, bitter taste, vomiting of bile. Chronic diarrhoea with liver trouble, marked soreness in the region of the liver, which is very sore to the touch or least jar. Aggravated in the morning and from damp weather. Flatulence and rumbling of flatus, especially in the ileo-cecal region. Chronic asthma aggravated in damp weather, cough loose with

thick, greenish expectoration, often with pain in the lower left chest going through to back and in some cases so severe that patient jumps right up and holds chest with the hand or both hands. Trouble the result of living in damp low places.

Nux Vomica. 3d or Higher.

In the nervous temperament with hypochondriasis. In marked gastric disturbances with nervous condition as a result. Person is irritable and easily aroused to anger. Medicine cannot be borne well. There is oversensitiveness to noise. Headache from worry, anger, high living, abuse of alcoholic beverages, tea or coffee. Headache aggravated in open air, sunshine, from light or noise, constipation, hemorrhoids, drugging, masturbation, sour stomach. These headaches are generally not localized. Backache in bed relieved by sitting up. An hour or two after eating there is a pressure and tightness about waist. Mind confused for 2 or 3 hours after eating. Bloating in the epigastric region and a feeling of pressure as if there was a stone pressing in the stomach. Constipation; there is frequent desire but no result or only very little. Dysentery or diarrhea, stools frequent, slimy and sometimes bloody but small and unsatisfactory. Pain relieved a short time after each stool.

In fevers where there is great heat all over the body, loss of memory, cannot remain quiet and still, is hot and red, still uncovering the least will make the patient chilly. Menstruation comes on a little too early and is too profuse, generally lasts a few days longer than normal. Pain during the whole time. In girls or women at climateric with labor-like pains pressing down, extending to rectum, with desire for stool or frequent urination. Menorrhagia if patient is costive and there is aggravation in the morning. Morning aggravation is an important indication for nux vomica in many conditions.

Onosmodium V. 1d to 3d.

Periodical headache, migraine, general debility in females. Uterine pain and cramps, pressure aggravates condition, sexual desire destroyed, menstruation too soon and lasts too long. Itching of vulva. Pain in neck running back from forehead and pain in small of back. General prostration, weak, trembling, least exertion exhausts still cannot remain quiet. Flushed face and general hot feeling over entire body. Sensation and fear as if something terrible is going to happen which cannot be prevented. Pains, etc., worse on left side.

Phosphorus. 30d or Higher.

A useful remedy in either acute or chronic diseases. Burning sensation in any part of the body, especially of the hands and in the brain. In the back may be intense burning or heat running up the spine. Flushes radiating all over the body, will generally be found to start in back going upwards, or from the hands. Chronic congestion in the head. Phosphorus in chronic conditions is found indicated more in slender or tall persons, in young, slender people growing too fast and the nervous, weak and delicate, in the light complected, sensitive and those with quick perception. In phosphorus patients there is restlessness and anxiety but this comes on before other conditions show themselves. Fidgety all over. Face generally pale with bloated, sodden appearance. In fatty degeneration of the kidneys, liver, heart, especially in the weak subjects that waste away it is a useful remedy. On the other hand in obesity where there is fatty degeneration in the liver and of the tissues of the abdominal walls, phosphorus sometimes works wonders. Vertigo, especially in old people; desire for cold food or drinks but as soon as food gets warm in stomach is vomited up. In cases of spasmodic stricture of esophagus where food comes right up again without reaching the stomach, it is of value. Empty, faint feeling in whole abdomen, patient is hungry night or day, even soon after meals, and gets weak or faint if he does not eat then. Abnormal craving for salt. In diarrhea or dysentery, stool profuse and watery, mixed with white mucus which looks like small pieces of tallow, anus appears to be open, still tenesmus. Stool may be bloody with little pieces of frog spawn nature. In constipation stool is tough, dry and long and slender, like that of dogs. In chronic catarrh where a little blood comes from nose whenever patient blows it. In females vicarious bleeding of nose. There is a tendency to bleed in phosphorus patients; this may be from any orifice of the body, sores, cancers or other growths. Blood so broken down that it will not clot. Slightest wounds will bleed profusely and long. Therefore useful in persons that have a hemorrhagic diathesis. Of value in necrosis of the bones. The oppression in breathing in lung affections is marked. Hoarseness, especially evenings and before midnight, talking is difficult and always aggravates condition. In croup where there is marked involvement of the bronchial tubes and lungs. In bronchitis we find cough to be worse evenings and fore part of night, tight coughing shaking whole body, patient suppresses same as long as possible as it pains so in chest to cough. Lying on left side, talking, reading, cold and laughing aggravate it.

In pleurisy if patient lies on left side it aggravates symptoms. In

pneumonia there is a heavy feeling in chest as if a weight were on it. In this disease it may stop progress of the trouble if given in the state of hepatization if indicated. However, it is more effective in the stage of resolution if indicated. It acts most powerfully on the lower right lung, but is of great value in general conditions of lungs if indicated. Phosphorus is a remedy that should not be given in low potencies nor in too large doses and not too often. In chronic cases a few doses a week are generally sufficient.

For mind symptoms see under proper heading.

Phytolacca Americana. 3d to 6d.

In mastitis, breasts swollen, hard and painful, with much fever, headache, and pain in the back. When child nurses pains radiate all over the body. Lumps in the breasts are often removed by the use of this remedy, if given in high potencies. In tonsillitis or mild form of diphtheria it is of value when there are sharp pains in throat running to the ears, tonsils red and swollen with white spots forming on them. Patient is very weak, gets dizzy and faint when sitting up, severe headache and pain in the back, aches all over and feels sore and bruised, and although there is a tendency to move, the least move aggravates condition. Body and extremities generally cool, with high fever, quick pulse and hot face and head. Sciatic rheumatism, pain running down the, outer side of the leg, especially if worse in damp weather. In infants who want to bite on everything they can get hold of and who bite their gums together a great deal, especially if there are digestive disturbances or there is diarrhea, cholera infantum, etc.

Plumbum Metallicum. 30d or Higher.

Wrist drop, partial or general paralysis. Blue, lines at the margin of the gums. Excessive hyperesthesia of the skin which is so severe that person cannot bear to be touched. Emaciation which comes on suddenly and progresses rapidly. Sensation of or actual retraction of abdomen, colic or pain in abdomen which radiates to all parts of the body, especially if there is a sensation of or actual retraction of the, abdomen.

Pulsatilla- 3d.

This remedy is one that is mostly found indicated in the female sex and especially in those of light complexion with light hair, blue eyes, pale

face. There is sadness and despondency with mild, gentle, yielding and changeable disposition. Patient weeps easily but grieves silently. Changeable symptoms are characteristic of this remedy. If pain it will rapidly shift from one place to another; hemorrhages or menses will stop and flow; stools in diarrhea will change, hardly two alike in color, Bad taste in mouth in morning, often with much dryness but no thirst. Disorders resulting from rich foods, particularly from very fat pork. Expectoration has a bitter taste. Patient always feels better in the cold, even if chilly. Better in cold air, with cold applications; worse in warm rooms. Discharge of mucous surfaces is thick, bland and green or yellowish green. In neuralgia or rheumatism, where pain shifts rapidly from one place to another where joints are red and swollen, it acts well if indicated. In females if menses come too late, are scanty, suppressed or delayed, especially from getting wet feet, pulsatilla is the remedy. Where iron has been used so much as to harm the patient it is a good remedy. Pressure will relieve the pulsatilla headache. In gonorrhoea where testicles becomes involved, in mumps where testicles or mammae become involved it is a good remedy. Bear in mind the pulsatilla temperament in all cases.

Rhus Toxicodendron. 3 to 12d.

A marked feature in this remedy is restlessness. Pain or soreness or stiffness, worse when quiet and when beginning to move; but ameliorated by motion or moving about, if continued. The person will often walk or keep moving until exhausted, because he feels easier by keeping on the go. In sickness where patient is confined we find this same restlessness., tossing about, as this seems the only means to get relief. In vesicular skin eruptions with restlessness, generally with itching which burn after scratching and are more of a bluish red color, it is a valuable remedy. In intermittent fevers, if patient coughs during chill. In typhoid, scarlet fever or any acute disease where there is stupefaction, mind cloudy; questions properly answered but will not remember doing so; delirium, mild and persistent and of the low, muttering form. So restless as to toss from one side to the other continually often without knowing it. Tongue dry, pointed, coated dark with red tip. If indicated a valuable remedy in typhoid, congestion of the brain, scarlet fever, erysipelas and eczema.

Sabadilla. 3d or Higher.

Flatulence or cramps in abdomen with red spots forming on same.

Tonsillitis, swelling beginning on left side and extending to the right side. Pain relieved by hot drinks. Burning dryness in throat.

Sanguinaria Canadensis. 3d to 6d.

Sanguinaria is a useful remedy in some bronchial and lung affections. It acts more strongly on the right lung. Cough loose with expectoration that has a very offensive odor, especially after an attack of bronchitis or pneumonia. Sick headache in which the pain starts in the back of the head going upwards, spreading over the head, settling over the right eye. Patient wants to be quiet and in a dark room. There is nausea and vomiting. Rheumatism of right shoulder and arm, worse nights. Flashes of heat at the climateric with heat in the soles of the feet and the palms of the hands.

Nitrate of sanguinaria 6x is highly recommended in diphtheria by some authors and in its use patient is to be warned not to expose himself to the least draft.

Secale Cornutum. 3d or Higher.

Marked coldness of surface, still cannot bear to be covered or have parts covered, that are very cold, even icy cold to touch, although the patient complains of burning or burning heat. Burning in the feet and cramps in calves of legs. There may be numbness and sensation of crawling in skin and even paralysis, especially of the lower extremities. Burning in any or all parts of body, as if sparks of fire were dropping on the surface. The secale patient is generally weak and there may be a condition of general collapse, skin generally dry and wrinkled. Useful in gangrene of extremities, especially the lower. In weak cachectic women, with weak and flabby muscles, subject to passive hemorrhages, blood dark, worse on motion even if ever so slight, ergot is a useful remedy.

Sepia. 12d or Higher.

In eruptions of the skin it is often indicated we think of it in itch, tetter, pruritis, soreness of skin, itching followed by burning on scratching parts, brown or yellow spots on face or any part of the body. Flashes of heat with perspiration and a faint feeling. Drooping of the eyelids. In stomach there may be an empty, gone feeling, even to faintness. Especially useful in wrongs of reproductive organs of the female. Flashes of heat seem to start in the pelvic region and from there spread all over the body, these may be accompanied by perspiration and faint

feeling. Hands and feet are hot alternately and it is not simply a sensation of heat or flashes but parts feel actually hot to the touch. The discharge from the uterus or vagina is thick, bland and profuse. There may be congestion of all the pelvic organs, ulceration of the cervix uteri, prolapsus of vagina and uterus. Aversion to sexual intercourse. Patient weak, easily fatigued, weak or sinking, fainting from exposure, to extreme cold, heat, getting wet, walking, riding or hard work. Loses all interest in family, house or home. Is sad and cries often without knowing why. Frequent micturation with sense of tension in region of bladder. Urine reddish or even bloody with clay colored sediment. Odor very offensive, especially in women. In enuresis the child is only troubled in first sleep.

Gonorrhoea or gleet in the male where the discharge is thin, watery and scant, but persistent. Prolapsus of the rectum with sensation as of a ball in same, not relieved by stool; abnormal moisture of rectum, there may be beating and throbbing. In constipation with great straining, must assist with fingers at times. Headache, pain comes on in severe shocks, so severe as to jerk head.

Silica. 6x or Higher.

A valuable remedy where there is a continued tendency to desquamation. It has plastic power over cartilage., Therefore of value in inflammation terminating in suppuration. It hastens maturity, assists in discharging the pus and then prevents further exudation, thus correcting the condition. Silica is especially indicated in those that are thin and spare and look as if they were not well nourished, which actually is the result of lack of assimilation and not a lack of nourishment. No grit; ambition all gone. They are very sensitive to cold air, wind and sudden change in temperature and take cold easily, showing that there is a lack of vitality and body heat. Head and feet are especially very sensitive. Must wrap up well to make up for lack of normal body heat In children that will not grow and are thin although the abdomen may be large, it is often indicated. Constipation with backache in weakly subjects, stool large and hard, often protruding part way only to go back on account of lack of strength. Face generally gets very red in the effort on account of severe straining. In sweating of the head and offensive sweating of the feet. Burning of feet, especially at night. In suppression of sweating of feet it is a valuable remedy. Marked appetite for cold, raw food. Rickets in puny, thin children. Habitual vomiting in infants, while nursing. Diarrhoea in summer, in infants during dentition, bowels loose and changeable, child eats well and still

wastes away. Chronic tendency to sneeze.

Spongia Tosta. 3d or Higher.

In croup in which the cough is severe and there is threatened suffocation, aggravated when awakening from sleep, this is a valuable remedy. In bronchitis or laryngitis or chronic affections of the respiratory organs where there is hoarseness, burning, soreness, rawness, aggravated by cold air, swallowing, singing, talking and evenings. Ameliorated momentarily when eating or drinking anything warm. In chronic organic heart trouble with sympathetic cough spongia is of great value, especially if patient awakes with difficult respiration, sense of suffocation, anxiety and severe loud and dry cough. In goitre, if patient feels as if suffocating after awakening from sleep it is of value.

Stannum Metallicum. 12x or Higher.

In pains in the abdomen, especially if chronic and of neuralgic nature and where pressure ameliorates; pain gradually increases and then gradually decreases. In chest the weakness is so great that patient can hardly talk. In wrongs in the respiratory tract there is cough with profuse expectoration which is thick and yellow or greenish and of a sweetish taste. In females who are debilitated and so weak that they can hardly walk and where walking down stairs aggravates condition. Leucorrhoea in the, thin, weak and debilitated. Night sweats profuse, especially on the chest.

Staphisagria. 3d to 12d.

The staphisagria patient is generally irritable, out of humor and the least remark will often provoke him. Wants this or that only to reject or push it away. Everything seems to be in his way. Grieves and worries almost continually about the future. A true type of the apathetic or hypochondriac. In conditions the result of sleeplessness, annoyance, masturbation or those who have their minds too much on sexual matters. Continual burning in urethra, relieved when urinating. Prostatic troubles, especially in old men. In both male and female where there is backache worse in the night in bed and before rising in the morning, the result of wrongs of the genital organs. Excrescences looking like cauliflower, anywhere. For skin eruptions, condylomata and warts it is a useful remedy. Eczema which forms scabs and discharges an acrid fluid.

A valuable remedy in chalazion, styes, eczema of the eyelids and inflammation of the margin of the eyelids. Incised wounds will heal more quickly if staphisagria is given internally. Sinking sensation in stomach as if it would drop down if not held up with hands or artificial support. In cross and puny children whose teeth get black, gums sensitive and painful, who are pot bellied, with chronic inflammation or ulceration of the eyelids, and are subject to habitual colic, this remedy is curative. Dysentery with above symptoms, which is aggravated by taking the least food or drink, is soon corrected by the use of staphisagria.

Sulphur. 6x or Higher.

Useful in local congestions or tendency to same. It favors absorption. Is one of our best antipsoric remedies. The main indication for this remedy is burning in or on any part of the body and orifices. Burning in feet, patient uncovers them to cool off; although sulphur may also be useful where feet are cold. In the orifices burning is generally associated with redness and discharges are excoriating and acrid. Eruptions of itching nature, if scratched will burn. Useful in conditions result of suppressed eruptions or hemorrhoids. In congestive condition of head and chest as a result of suppression where vertex is hot and patient feels too full in region of heart. Is so oppressed as not to be able to stand it in a closed room, blood rushing to the head. Feels as if suffocating unless doors and windows are opened, especially at night. Pain in heart through to back. If our indicated remedies do not act a few doses of sulphur often pave the way to success, and the indicated remedies, will act better afterwards. In these cases we generally find some suppression or a taint of psora. Aversion to getting washed or bathed. In many conditions of psoric nature, where people are filthy, or where there is a filthy odor of the body even if it is clean and bathed often. Lips bright red, tongue white coated with red tip and edges. Diarrhea of painless nature, especially in the early morning.. Weakness and faint feeling especially, which may be alternated or preceded by. hot. flushes or flashes of heat with perspiration and faint feeling, Sulphur is more indicated in lean, stooped people than others and also more in chronic than acute cases.

Tarantula Hispana. 30d or Higher.

In hysteria as a result of hyperesthesia or congestion of the reproductive organs in the female. Patient is very easily depressed or excited, especially by music. Cannot keep quiet, no matter in what position, still

exercise aggravates condition. Pruritis and excessive sexual desire. Twitching and jerking. of muscles and chorea as result of uterine or ovarian troubles with above indications. Pain and marked sensitiveness of back.

Thuja Occidentalis. 12d or Higher.

Thuja is one of our main antipsoric remedies. Warts or condylomata will disappear if thuja is given, but it is especially effective if these are the result of suppression of gonorrhoea. Chordee and severe pain in gonorrhoea are corrected by this remedy if indicated and given in high potencies. Styes or chalazion of eyelids; inflammation of or polypus of the ear. Warts on nose; greenish discharge of nose or scabs in nose; teeth decaying at roots; varicosities in throat or in the mouth or both. Hair growing in splits, growing slowly or falling out. Headaches result of vaccination. Sensation -of rumbling and much noise in abdomen. Abdomen distended, irregular, and as if there was something alive and moving in it, generally associated with a great deal of noise and rumbling. Diarrhoea, especially if the after effects of vaccination. Stools are profuse and come with much force. Constipation, stools are large, composed of hard, black balls, hard to pass, often receding after partially passed. Face of thuja generally looks greasy or shiny.

For mind symptoms see under proper heading.

Veratrum Album. 2d.

The main indication for this remedy is cold sweats on forehead. Great prostration, face pale and sunken, coldness of parts or, entire body, cold sweats, cold breath, skin pale or bluish red, wrinkled with loss of elasticity, skin hippocratic, in fact a picture of a condition where the vital forces are very low and there is a general collapse. Pains which may make patient delirious.

In cholera, with stools the nature of rice water and very profuse. In any disease or condition where we have the cold sweats on forehead.

For mental symptoms see under proper heading.

Zincum Metallicum. 12x or Higher.

In excessive prostration, nervous debility and conditions where there is a lack of nerve force. In acute eruptive diseases where eruptions will not

develop on account of marked weakness of patient. In asthma, bronchial affections where patient is too weak to expectorate the accumulating mucus. In females where there is excessive weakness and no menstruation. When the eruption or menses appear patient is relieved; also after expectorating what was raised with difficulty.

Alcoholic beverages cannot be borne by patient, especially wine. Weary feeling in neck, weakness or pain in back easier when moving about. Emission in sexual weakness temporarily makes patient feel better but feels weak afterwards. Fidgety all over, but especially in feet, cannot keep them still. Twitching, trembling or jerking in general or of certain muscles only, which often is the forerunner of paralysis. May be burning along the spine without actual heat. In brain or other troubles with extreme prostration, no matter what the condition, zincum met. is a valuable remedy, if indicated.